JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 36

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. Author Index—Volume 36, 1998. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abedian, B. See Racz, L. M., 2887P

Abis, L.
—; Floridi, G.; Merlo, E.; Pò, R.; Zannoni, C.: Investigation on the Dynamics of Aromatic Polyesters by Means of High Resolution Solid State CPMAS ^{13}C NMR, 1557P

Adedeji, A. See Neff, R., 573P

Ahmad, H. See Okubo, M., 883C

Ahn, J.-H. See Lee, H.-J., 301C, 2881C

Ahn, T. O.
—; Lee, M.; Jeong, H. M.; Cho, K.: The Phase Behavior of Tetramethyl Bisphenol-A Polyarylate/Aliphatic Polyester Blends, 201P

Aizheng, N. See Xiangling, X., 2631C

Akashi, M. See Serizawa, T., 2581C

Akovali, G. See Rzaev, Z. M. O., 1501C

Alexander-Katz, R.
—; Barrera, R. G.: Surface Correlation Effects on Gloss, 1321P
—; Ferry, L.; Vigier, G.: Interaction between UV Radiation and Filled Polytetrafluoroethylene (PTFE). II. A Multiple Scattering Analysis, 2069P

Alexander-Katz, R. See Ferry, L., 2057P

Alig, I.
—; Jenninger, W.: Curing Kinetics of Phase Separating Epoxy Thermosets Studied by Dielectric and Calorimetric Investigations: A Simple Model for the Complex Dielectric Permittivity, 2461P
—; Tadjbakhsch, S.: Film Foration and Crystallization Kinetics of Polychloroprene Studied by an Ultrasonic Shear Wave Reflection Method, 2949P
—; Tadjbakhsch, S.; Zosel, A.: Comparison of Ultrasonic Shear Wave and Dynamic-Mechanical Measurements in Acrylic-Type Copolymers, 1703P

Allara, D. L. See Hietpas, G. D., 1247P

Alonso, O. See Rodríguez-Pérez, M. A., 2587P

Alva, K. S. See Balogh, L., 703C

Alvarez, J.
—; Lissi, E. A.; Encinas, M. V.: Effect of the Initiator Absorbance on the Transition–Metal Complex Photoinitiated Polymerization, 207C

Alvarez, J. C. See Zolotukhin, M. G., 1251C

Amaratunga, W.
—; Milne, J.; Santagati, A.: Oligomerization and Cyclization of 1,2-Ethanedithiol (EDT), $HSCH_2CH_2SH$, by Selenium Dioxide and Iodine, 379C

An, Y.
—; Dong, L.; Mo, Z.; Liu, T.; Feng, Z.: Nonisothermal Crystallization Kinetics of Poly(β-hydroxybutyrate), 1305P

Anand, J.
—; Palaniappan, S.; Sathyanarayana, D. N.: Spectral, Thermal, and Electrical Properties of Poly(*o*- and *m*-toluidine)-Polystyrene Blends Prepared by Emulsion Pathway, 2291C

Anand, R. C. See Varma, I. K., 2427C

Andersson, O. See Andersson, S. P., 345P, 1451P

Andersson, S. P.
Pressure and Volume Dependence of Thermal Conductivity and Isothermal Bulk Modulus Up to 1 GPa for Poly(isobutylene), 1781P
—; Andersson, O.: Volume Dependence of Thermal Conductivity and Bulk Modulus for Poly(propylene glycol), 345P
—; Andersson, O.: Volume Dependence of Thermal Conductivity and Isothermal Bulk Modulus up to 1 GPa for Poly(vinyl Acetate), 1451P

Andjelić, S.
—; Mijović, J.; Bellucci, F.: Impedance Spectroscopy of Reactive Polymers. 5. Impedance as a Measure of Chemical and Physical Changes in Glass Formers, 641P

Andrady, A. L. See Nunez, C. M., 2111C

Andrews, N. C.
—; McHugh, A. J.; Schieber, J. D.: Polyelectrolytes in Shear and Extensional Flows: Conformation and Rheology, 1401P

Andrews, S. R. See Simon, G. P., 1465P

Andrzejewska, E.
—; Andrzejewski, M.: Polymerization Kinetics of Photocurable Acrylic Resins, 665C
Andrzejewski, M. See Andrzejewska, E., 665C
Angelone, R. See Pinzino, C., 1901P
Angeloni, A. S. See Ferri, D., 21P
Annenkov, V. V.
—; Kruglova, V. A.; Mazyar, N. L.: Analysis of the Potentiometric Titration Curves within the Framework of the Theory of the "Neighbor Effect", 931P
Antelmann, O. See Muralidharan, V., 1713P
Aoki, K. See Haba, O., 2309C
Aoshima, S. See Kobayashi, E., 241C, 1707C, 2283C
Arai, M. See Yoshida, T., 841C
Arai, T.
—; Ban, H. T.; Uozumi, T.; Soga, K.: Syntheses of Poly(siloxane)-Supported Zirconocene Catalysts and Application to Olefin Polymerizations, 421C
Armes, S. P. See Patrickios, C. S., 617C, 2547C
Armstrong, W. D.
Stress-Dependent Dynamic Compliance Spectra Approach to the Nonlinear Viscoelastic Response of Polymers, 2301P
Asano, M. See Hiroki, A., 1495C
Aseyev, V. O.
—; Klenin, S. I.; Tenhu, H.: Conformational Changes of a Polyelectrolyte in Mixtures of Water and Acetone, 1107P
Asua, J. M. See Sáenz De Buruaga, A., 737C
Atkins, E. D. T.
—; Hill, M. J.; Jones, N. A.; Cooper, S. J.: Structure and Morphology of Nylon 2 4 Lamellar Crystals: Comparison with Polypeptides and Relationship with Other Nylons, 2401P
—;Atkins, E. D. T. See Cooper, S. J., 2849P; Franco, L., 1153P; Sikorski, P., 1855C; White, M. L., 2811P
Auriemma, F.
—; De Rosa, C.; De Ballesteros, O. R.; Vinti, V.; Corradini, P.: On the Form IV of Syndiotactic Polypropylene, 395P
Aussems, M. See Van Duin, M., 179C
Avila-Orta, C. A. See Medellín-Rodríguez, F. J., 763P
Ayina, O. See Eloundou, J. P., 2911P

Baek, D. K. See Kang, I.-K., 2331C
Baer, E. See Shah, A., 2355P
Bag, D. S.
—; Maiti, S.: Polymerization under a Magnetic Field. VI. Triplet Dye-Sensitized Photopolymerization of Acrylamide and Methyl Methacrylate, 1509C
Bai, S. J. See Tan, L.-S., 713C
Bajcar, R. C. See Lu, X., 2259P
Baker, G. L. See Jia, J., 959P
Baker, W. E. See Ferrari, D. F., 1573C
Balogh, L.
—; Samuelson, L.; Alva, K. S.; Blumstein, A.: Synthesis, Homopolymerization, and Block Copolymerization of *N*-ethyl-2-ethynyl-pyridinium Trifluoromethanesulfonate with Styrene and Butadiene, 703C
Ban, H. T.
—; Uozumi, T.; Soga, K.: Polymerization of Olefins with a Novel Dinuclear *ansa*-Zirconocene Catalyst Having a Biphenyl Bridge, 2269C
—; See Arai, T., 421C
Ban, M. See Uedono, A., 2597P
Baney, J. See Perutz, S., 2129P
Bánhegy, G. See Petrović, Z. S., 237P
Barbari, T. A. See Hong, S. U., 337P
Barboiu, V.
—; Streba, E.; Luca, C.; Radu, I.; Grigoriu, G. E.: Reactions on Polymers with Amine Groups. V. Addition of Pyridine and Imidazole Groups with Acetylenecarboxylic Acids, 1615C
Barrera, R. G. See Alexander-Katz, R., 1321P
Barrios, E. Z. See Pan, Y. V., 587C
Barudio, I.
—; Guillot, J.; Fevotte, G.: Efficiency of Mercaptan Chain Transfer Agents in Emulsion Copolymerizations. I. Influence on Kinetics and Microstructure. Modeling of Radical Desorption, 157C
Basak, A. See Bhunia, H. P., 391C
Baskir, J. N. See Nunez, C. M., 2111C
Bassett, D. R. See Tam, K. C., 2275P
Bauer, B. J. See Zhou, C., 2745P
Baute, N. See Calberg, C., 543P
Baysal, B. M. See Kayaman, N., 1313P
Bazhin, N. M. See Korolev, V. V., 127P
Beaucage, G. See Whaley, P. D., 617P
Beck Tan, N. C.
—; Wu, W. L.; Wallace, W. E.; Davis, G. T.: Interface Effects on Moisture Absorption in Ultrathin Polyimide Films, 155P
Beers, K. L. See Coca, S., 1417C; Matyjaszewski, K., 823C
Belana, J. See Mudarra, M., 1971P
Bellucci, F. See Andjelić, S., 641P
Bender, T. P.
—; Wang, Z. Y.: Soluble Alternating Copolyimides Containing the Tetrahydro[5]helicene Unit, 1349C
Benhaddou, M. See Lowe, T. L., 2141P
Benner, C. See Vaia, R. A., 2449P
Benner, C. L. See Tan, L.-S., 2637C
Benoit, D. See Dao, J., 2161C
Benvenuti, F. See Pinzino, C., 1901P
Berek, D.
—; Jančo, M.; Meira, G. R.: Liquid Chromatography of Macromolecules at the Critical Adsorption Point. II. Role of Column Packing: Bare Silica Gel, 1363C
Bergström, C. H.
—; Sperlich, B. R.; Ruotoistenmäki, J.; Seppälä, J. V.: Investigation of the Microstructure of Metallocene-Catalyzed Norbornene-Ethylene Copolymers Using NMR Spectroscopy, 1633C
Bessiere, J.-M. See Destarac, M., 2933C
Bhat, S. V. See Binesh, N., 1201P

Bhunia, H. P.
—; Jana, R. N.; Basak, A.; Lenka, S.; Nando, G. B.: Synthesis of Polyurethane from Cashew Nut Shell Liquid (CNSL), a Renewable Resource, 391C
Bica De Moraes, M. A. See Durrant, S. F., 1881P
Billingham, N. C. See Patrickios, C. S., 617C, 2547C
Binesh, N.
—; Bhat, S. V.: VTF to Arrhenius Crossover in Temperature Dependence of Conductivity in $(PEG)_xNH_4ClO_4$ Polymer Electrolyte, 1201P
Binns, F.
—; Harffey, P.; Roberts, S. M.; Taylor, A.: Studies of Lipase-Catalyzed Polyesterification of an Unactivated Diacid/Diol System, 2069C
Blacker, A. J. See King, E. C., 1995C
Blum, F. D. See Xie, M., 1609P
Blumstein, A. See Balogh, L., 703C
Blundell, D. J. See Carlier, V., 2563P
Boersma, A.
—; Van Turnhout, J.: Dielectric Study on Size Effects in Polymer Laminates and Blends, 2835P
—; Van Turnhout, J.: Interfacial Tension between a Liquid Crystalline Polyesteramide and Polypropylene Obtained by Dielectric Spectroscopy, 815P
Böhme, F.
—; Klinger, C.; Komber, H.; Haüßler, L.; Jehnichen, D.: Synthesis and Properties of Polyamidines, 929C
Bohon, K.
—; Krause, S.: An Electrorheological Fluid and Siloxane Gel Based Electromechanical Actuator: Working toward an Artificial Muscle, 1091P
Boiko, Y. M.
—; Prud'homme, R. E.: Surface Mobility and Diffusion at Interfaces of Polystyrene in the Vicinity of the Glass Transition, 567P
Boileau, S. See Herczynska, L., 137C
Boiteux, G. See Eloundou, J. P., 2911P
Boller, A. See Pyda, M., 2499P
Bol'shakov, B. V. See Korolev, V. V., 127P
Borek, J.
—; Osoba, W.: Influence of the Plasticization on Free Volume in Polyvinyl Chloride, 1839P
Borggreve, R. J. M. See Van Duin, M., 179C
Bos, A.
—; Pünt, I. G. M.; Wessling, M.; Strathmann, H.: Suppression of CO_2-Plasticization by Semiinterpenetrating Polymer Network Formation, 1547P
Bosch, P.
—; Serrano, J.; Mateo, J. L.; Calle, P.; Sieiro, C.: Kinetic Investigations on the Photopolymerization of Di- and Tetrafunctional (Meth)acrylic Monomers in Polymeric Matrices. ESR and Calorimetric Studies. I. Reactions Under Irradiation, 2775C
—; Serrano, J.; Mateo, J. L.; Guzmán, J.; Calle, P.; Sieiro, C.: Kinetic Investigations on the Photopolymerization of Di- and Tetrafunctional Methacrylic Monomers in Polymeric Matrices. ESR and Calorimetric Studies. II. Postpolymerization Reactions, 2785C
Botta, M. M. See Gregorio, R., Jr., 403P
Bourget, L.
—; Mutin, P. H.; Vioux, A.; Frances, J. M.: Nonhydrolytic Synthesis and Structural Study of Methoxyl-Terminated Polysiloxane D/Q Resins, 2415C
Bourry, D.
—; Favis, B. D.: Cocontinuity and Phase Inversion in HDPE/PS Blends: Influence of Interfacial Modification and Elasticity, 1889P
Boutevin, B. See Destarac, M., 2933C
Brar, A. S.
—; Dutta, K.; Hekmatyar, S. K.: Stereochemical and Compositional Assignment of Acrylonitrile/Methyl Methacrylate Copolymers by DEPT and Inverse HETCOR NMR Spectroscopy, 1081C
Brecl, M.
—; Žigon, M.; Malavašič, T.: Side Chain Liquid Crystal Polyurethanes with Azobenzene Mesogenic Moieties: Influence of Spacer Length on Hydrogen Bonding at Different Temperatures, 2135C
Bredas, J. L. See Jussiaux-Devilder, C., 319P
Briber, R. M. See Choi, S., 1P
Brion, H. G. See Gruğer, A., 483P
Briscoe, B. J.
—; Lorge, O.; Wajs, A.; Dang, P.: Carbon Dioxide–Poly(Vinylidene Fluoride) Interactions at High Pressure, 2435P
Brooks, N. W. J.
—; Duckett, R. A.; Ward, I. M.: Temperature and Strain-Rate Dependence of Yield Stress of Polyethylene, 2177P
Brosse, J.-C. See Derouet, D., 437C
Brower, S. C.
—; Hayden, L. M.: Effect of Sub-*Tg* Relaxations on Chromophore Reorientation in Corona-Poled Polymers, 1013P
—; See Strutz, S. J., 901P
Brown, E. F. See Olson, D. J., 2671P
Brown, N. See Lu, X., 1211P, 2349P
Bruch, M. See Hölderle, M., 1821C
Bryant, J. See Jensen, R. E., 2781P
Bu, H.
—; Cao, J.; Zhang, Z.; Zhang, Z.; Festag, R.; Joy, D. C.; Kwon, Y. K.; Wunderlich, B.: Structure of Single-Molecule Single Crystals of Isotactic Polystyrene and Their Radiation Resistance, 105P
Budkowski, A.
—; Rysz, J.; Scheffold, F.; Klein, J.; Fetters, L. J.: Effect of Deuterium Substitution on the Surface Interactions in Binary Polymer Mixtures, 2691P
Bueno, M. See Orgueira, H. A., 2741C
Bugg, T. D. H. See King, E. C., 1995C
Bukovnik, R. See Laurer, J. H., 2379P, 2513P

Bulychev, B. M. See Knjazhanski, S. Ya., 1599C
Bunel, C. See Godard, M.-E., 583P
Burel, F. See Godard, M.-E., 583P
Burghardt, W. R. See Olson, D. J., 2671P
Busfield, W. K.
—; Jenkins, I. D.; Le, P. V.: Initiation Mechanisms in Free Radical Polymerization: Competitive Reaction of Cyanoisopropyl Radicals with Styrene and Acrylonitrile, 2169C
Buzare, J.-Y. See Derouet, D., 437C
Buzdugan, E. See Stribeck, N., 1423P
Bywater, S.
Comments on the Determination of Absolute Rate Constants in Anionic Polymerization, 1065C

Cadenas, G. See Knjazhanski, S. Ya., 1599C
Cai, H. See Du, F.-S., 1111C
Cai, R. See Chen, Y., 2653P
Cakmak, M. See Furuhashi, Y., 2471P
Calberg, C.
—; Mertens, M.; Baute, N.; Jeŕome, R.; Carlier, V.; Sclavons, M.; Legras, R.: Dynamic Mechanical Thermal and Infrared Analyses of Polyacrylonitrile "Electrografted" onto a Metal, 543P
Caldwell, K. D. See Tan, J. S., 537P
Calle, P. See Bosch, P., 2775C, 2785C
Campbell, G. A. See Liu, J., 1457C
Campistron, I. See Gangadhara, 2807C
Cañadas, J. C. See Mudarra, M., 1971P
Cao, J. See Bu, H., 105P
Cao, L. See Wu, Z., 861C
Capaccio, G. See Shah, A., 2355P
Capek, I. See Sáenz De Buruaga, A., 737C
Cardi, N. See Po, R., 2119C
Carl, W.
Structure and Rheology of Polymers with Arbitrary Flexibility: A Numerical Approach, 1995P
Carlier, V.
—; Devaux, J.; Legras, R.; Blundell, D. J.: Extrapolation of Short-Chain Oligomers Melting Temperatures at Infinite Molecular Weight, 2563P
—; See Calberg, C., 543P
Carlini, C. See Pinzino, C., 1901P
Carreau, P. J. See Chapleau, N., 1947P
Carriere, C. J.
Network Development during Shear-Thickening in Semidilute Solutions of Gently Solubilized Starches, 2085P
Cartier, H.
—; Hu, G.-H.: Styrene-Assisted Free Radical Grafting of Glycidyl Methacrylate onto Polyethylene in the Melt, 2763C
—; Hu, G.-H.: Styrene-Assisted Melt Free Radical Grafting of Glycidyl Methacrylate onto Polypropylene, 1053C
Caruso, U.
—; Iannelli, P.; Roviello, A.; Sirigu, A.: Segmented Liquid Crystalline Polyesters with Allyl Group as Lateral Substituent, 2371P
—; See Iannelli, P., 263C
Cassagnau, P. See Pesneau, I., 2573P
Cavaillé, J.-Y. See Dufresne, A., 2211P
Cavanaugh, T. J.
—; Nauman, E. B.: Particulate Growth in Phase-Separated Polymer Blends, 2191P
Cerrada, M. L. See Pérez, E., 2103P
Chae, S. H. See Park, S. S., 147C
Chandra, S. See Haldar, B., 969P
Chang, C. H.
—; Sheu, Y. M.; Hu, W. P.; Wang, L. F.; Chen, J. S.: Synthesis and Properties of Copolymers from 2-Hydroxyethyl Methacrylate-Linked Nonsteroidal Antiinflammatory Agents with Methacrylic Acid, 1481C
Chang, F.-C. See Chiang, C.-R., 1805P
Chang, T. C.
—; Liao, C. L.; Wu, K. H.; Wang, G. P.; Chiu, Y. S.: Characterization and Degradation of the Poly(methylphenylsiloxane)–Poly(methyl methacrylate) Graft Copolymer, 2521C
Chang-Chien, G.-P.
New Hydrocarbon Side Chain Liquid Crystalline Polysiloxane Polymers: Synthesis, Characterization, and Thermotropic Behavior, 2849C
Chao, S.-C. See Chen, M., 2225P
Chapleau, N.
—; Favis, B. D.; Carreau, P. J.: Measuring the Interfacial Tension of Polymers in the Presence of an Interfacial Modifier: Migrating the Modifier to the Interface, 1947P
Chartoff, R. P. See Schultz, J. W., 1081P
Chen, C. See Ren, C., 2127C
Chen, C.-C. See Liaw, B.-R., 2439C; Ouyang, H., 163P
Chen, J. S. See Chang, C. H., 1481C
Chen, J.-Y. See Chen, M., 1335P
Chen, M.
—; Chao, S.-C.: Thermal Stability and Nonisothermal Crystallization of Short Fiber-Reinforced Poly(ether ether ketone) Composites, 2225P
—; Chen, J.-Y.: Analysis of Crystallization Kinetics of Poly(ether ether ketone), 1335P
—; Chung, C.-T.: Analysis of Crystallization Kinetics of Poly(ether ether ketone) by a Nonisothermal Method, 2393P
—; Yang, T.-C.; Ma, Z.-G.: Plasma Polymerization of Styrene with Controlled Particle Energy, 1265C
Chen, M.-Q. See Serizawa, T., 2581C
Chen, S.-H. See Hsiao, S.-H., 1657C
Chen, W.
—; Neoh, K. G.; Kang, E. T.; Tan, K. L.; Liaw, D. J.; Huang, C. C.: Surface Modification and Adhesion Characteristics of Polycarbonate Films After Graft Copolymerization, 357C
Chen, Y.
—; Zhao, Y.; Cai, R.; Huang, Z.-E.; Xiao, L.: Anionic Copolymerization of [60] Fullerene with Styrene

Initiated by Sodium Naphthalene, 2653P
—; See Yang, J., 2563C
Cheng, K.-C.
Kinetic Model of Diepoxides with Reactive Diluents Cured with Amines, 2339P
Cheong, S.-H.
—; Rachkov, A. E.; Park, J.-K.; Yano, K.; Karube, I.: Synthesis and Binding Properties of a Noncovalent Molecularly Imprinted Testosterone-Specific Polymer, 1725C
Chern, Y.-T.
—; Shiue, H.-C.; Kao, S. C.: Synthesis and Characterization of New Polyamides Containing Adamantyl and Diamantyl Moieties in the Main Chain, 785C
—; Wang, W.-L.: High α Transitions of New Polyamides Based on Diamantane, 1257C
—; Wang, W.-L.: Synthesis and Characterization of New Polyamides Derived from 1,6-Bis[4−(4-aminophenoxy)-phenyl]diamantane, 2185C
Chernyshev, A. V.
—; Soini, A. E.: Free Radical Dispersion Polymerization of Styrene in a Mixture of 2-propanol and Tetrahydrofuran, 2757C
Chiang, C.-R.
—; Chang, F.-C.: Polymer Blends of Polyamide-6 (PA6) and Poly(phenylene ether) (PPE) Compatibilized by a Multifunctional Epoxy Coupler, 1805P
Chiellini, E. See Ferri, D., 21P
Chien, J. C. W.
—; Yu, Z.; Marques, M. M.; Flores, J. C.; Rausch, M. D.: Polymerizations of Olefins and Diolefins Catalyzed by Monocyclopentadienyltitanium Complexes Containing a (Dimethylamino) ethyl Substituent and Comparison with *ansa*-Zirconocene Systems, 319C
Chikina, I.
—; Daoud, M.: Structure of Interpenetrating Polymer Networks, 1507P
Chiu, Y. S. See Chang, T. C., 2521C
Cho, C. K. See Ree, M., 1261P
Cho, C.-S. See Nah, J.-W., 415P
Cho, J. C.
—; Kim, K. H.; Kim, K. U.; Kwak, S.; Kim, J.; Jo, W. H.; Chun, M. S.; Lee, C. H.; Yeo, J. K.; Quirk, R. P.: Microstructure Effect in the Coupling Reactions of Polymeric Organolithium Compounds using Chlorosilanes, 1743C
—; See Kim, J., 1733C
Cho, K.
—; Lee, D.: Viscoelastic Effects in Cutting of Elastomers by a Sharp Object, 1283P
—; See Ahn, T. O., 201P
Cho, S.-S.
Effect of Tacticity on Conformation of *p-tert*-Butylphenol Acetaldehyde Resins As Studied by Molecular Simulation, 1355C
Cho, W.-J. See Choi, W.-M., 2177C; Park, J.-G., 1625C, 2985C
Cho, Y. H.
—; Kim, B. K.: Effect of Monoacrylate Type in UV Curable PU Acrylate Based Bicontinuous Polymer/Liquid Crystal Networks, 1393P
Choe, S. See Ko, J., 1981P
Choi, S.
—; Liu, X.; Briber, R. M.: Small-Angle Neutron Scattering of Polymer Blends of Polyvinylmethylether at Dilute Concentration in Deuterated Polystyrene, 1P
Choi, W.
—; Sanda, F.; Endo, T.: Novel One-Pot Syntheses of Sulfur-Containing Polymers from a Bifunctional Five-Membered Cyclic Dithiocarbonate, 1189C
—; Sanda, F.; Kihara, N.; Endo, T.: A Novel One-Pot Oxidation Polymerization of Dithiols Obtained from Bifunctional Five-Membered Cyclic Dithiocarbonates with Amines, 79C
Choi, W.-M.
—; Chung, I.-D.; Lee, N.-J.; Lee, Y.-W.; Ha, C.-S.; Cho, W.-J.: Syntheses and Biological Activities of α-Methoxy-exo-3,6-Epoxy-1,2,3,6-Tetrahydrophthaloyl-5-Fluorouracil and Its Polymers, 2177C
—; See Park, J.-G., 1625C
Choi, Y. See Yoshida, T., 841C
Chojnowski, J. See Herczynska, L., 137C
Christopoulou, V.
—; Papanagopoulos, D.; Dondos, A.: Towards a Better Mixing of Two Incompatible Polymers by Casting from Solution without Compatibilizer, 1051P
Chu, B. See Zhou, S., 889P
Chu, C.-C. See Won, C.-Y., 2949C
Chu, P. P.
—; Wu, H.-D.; Lee, C.-T.: Thermodynamic Properties of Novolac-Type Phenolic Resin Blended with Poly(ethylene oxide), 1647P
Chuah, H. See Pyda, M., 2499P
Chun, M. S. See Cho, J. C., 1743C
Chung, C.-T. See Chen, M., 2393P
Chung, I.-D. See Choi, W.-M., 2177C
Chung, T. C.
—; Lu, H. L.: Kinetic and Microstructure Studies of Poly(ethylene-co-*p*-methylstyrene) Copolymers Prepared by Metallocene Catalysts with Constrained Ligand Geometry, 1017C
Chung, T. S. See Liu, S. L., 1679P
Chung, T.-S. See Ma, K., 2327P
Çiçek, H.
—; Tuncel, A.: Immobilization of α-Chymotrypsin in Thermally Reversible Isopropylacrylamide-Hydroxyethylmethacrylate Copolymer Gel, 543C
—; Tuncel, A.: Preparation and Characterization of Thermoresponsive Isopropylacrylamide-Hydroxyethylmethacrylate Copolymer Gels, 527C
Clarson, S. J. See McCarthy, D. W., 1191P
Coca, S.
—; Jasieczek, C. B.; Beers, K. L.; Matyjaszewski, K.: Polymerization of Acrylates by Atom Transfer Radical Polymerization. Homopolymerization of 2-Hydroxyethyl Acrylate, 1417C
Cohen, C. See Perutz, S., 2129P
Coleman, M. M.
—; Hu, Y.; Sobkowiak, M.; Painter, P. C.: Infrared

Characterization of Poly(vinyl cinnamate) and Its Blends with Poly(4-vinyl phenol) before and after UV Exposure, 1579P

Coleman, M. R. See Myler, U., 2413P

Compagnini, G. See Fragala`, M. E., 655P

Conner, W. C. See Whaley, P. D., 617P

Connors, E. J. See Wei, Y., 761C

Cooke, P. See Kronick, P. L., 805P

Cooper, S. J.
—; Atkins, E. D. T.; Hill, M. J.: Structures for Monodisperse Oligoamides. A Novel Structure for Unfolded Three-Amide Nylon 6 and Relationship with a Three-Amide Nylon 6 6, 2849P
—; See Atkins, E. D. T., 2401P; Franco, L., 1153P; Sikorski, P., 1855C

Corradini, P. See Auriemma, F., 395P

Cortés, P.
—; Montserrat, S.: Physical Aging Studies of Amorphous Linear Polyesters. Part II. Dependence of Structural Relaxation Parameters on the Chemical Structure, 113P
—; See Godard, M.-E., 583P

Crawford, E.
—; Lesser, A. J.: The Effect of Network Architecture on the Thermal and Mechanical Behavior of Epoxy Resins, 1371P

Crawford, K. D.
—; Hughes, K. D.: Rapid Spectroscopic Confirmation of the Presence of Polystyrene in Polymer Particles of Mixed Composition, 999P

Crivello, J. V.
—; Liu, S. S.: Synthesis and Cationic Photopolymerization of 1-Butenyl Glycidyl Ether, 1179C

Cruz, V. L.
—; Munõz-Escalona, A.; Martinez-Salazar, J.: A Theoretical Study of the Comonomer Effect in the Ethylene Polymerization with Zirconocene Catalytic Systems, 1157C

Cui, W. See Kerres, J., 1441C

Da Cruz, N. C.
—; Durrant, S. F.; De Moraes, M. A. B.: Thin Film Deposition from Plasmas of Tetramethylsilane-Helium-Argon Mixtures with Oxygen and with Nitrogen, 1873P

D'Agnillo, L.
—; Soares, J. B. P.; Penlidis, A.: Controlling Molecular Weight Distributions of Polyethylene by Combining Soluble Metallocene/MAO Catalysts, 831C

Dai, L. See Gong, X., 633C

D'Amato, R. See Russo, M. V., 93C

Dang, P. See Briscoe, B. J., 2435P

Danner, R. P. See Muralidharan, V., 1713P

Dao, J.
—; Benoit, D.; Hawker, C. J.: A Versatile and Efficient Synthesis of Alkoxyamine LFR Initiators via Manganese Based Asymmetric Epoxidation Catalysts, 2161C

Daoud, M. See Chikina, I., 1507P

Davis, G. T. See Beck Tan, N. C., 155P

De Abajo, J. See Zolotukhin, M. G., 1251C

Dean, D.
—; Husband, M.; Trimmer, M.: Time-Temperature-Dependent Behavior of a Substituted Poly(Paraphenylene): Tensile, Creep, and Dynamic Mechanical Properties in the Glassy State, 2971P

Dean, D. M.
—; Register, R. A.: Oriented γ-Isotactic Polypropylene Crystallized at Atmospheric Pressure, 2821P

De Ballesteros, O. R. See Auriemma, F., 395P

Debenedetti, P. G. See Londono, J. D., 3001P

Debier, D.
—; Jonas, A. M.; Legras, R.: Blends of Polycarbonate and Acrylic Polymers: Crystallization of Polycarbonate, 2197P

Decker, C.
—; Zahouily, K.: Light-Stabilization of Polymeric Materials by Grafted UV-Cured Coatings, 2571C

Decker, R. See Weidner, S., 1639C

Deguchi, M. See Matsumoto, K., 2699C

De Haan, A. See Muralidharan, V., 1713P

De La Cal, J. C. See Saénz De Buruaga, A., 737C

De La Campa, J. G. See Zolotukhin, M. G., 1251C

De La Fuente, J. L.
—; Madruga, E. L.: Determination of Chain Transfer Constant to Dodecanethiol in Styrene/Methyl Methacrylate and Butyl Acrylate/Methyl Methacrylate Copolymerization and Effect of Chain Length on Composition and Stereochemical Configuration of Copolymers, 2913C

De Moraes, M. A. B. See Da Cruz, N. C., 1873P

Denton, D. D. See Pan, Y. V., 587C

Dérand, H.
—; Jannasch, P.; Wesslén, B.: Graft Copolymers Prepared by Ethoxylation of Polyamide 12 and Poly(ethylene-*co*-vinyl alcohol), 803C

De Rosa, C. See Auriemma, F., 395P

Derouet, D.
—; Forgeard, S.; Brosse, J.-C.; Emery, J.; Buzare, J.-Y.: Application of Solid-State NMR (^{13}C and ^{29}Si CP/MAS NMR) Spectroscopy to the Characterization of Alkenyltrialkoxysilane and Trialkoxysilyl-Terminated Polyisoprene Grafting onto Silica Microparticles, 437C

De Saja, J. A. See Rodríguez-Pérez, M. A., 2587P

Destarac, M.
—; Bessiere, J.-M.; Boutevin, B.: Atom Transfer Radical Polymerization of Styrene Initiated by Polychloroalkanes and Catalyzed by CuCl/2,2′-Bipyridine: A Kinetic and Mechanistic Study, 2933C

Devaux, J. See Carlier, V., 2563P

Diego, J. A. See Mudarra, M., 1971P

Di Maio, L.
—; Iannelli, P.; Pragliola, S.; Roviello, A.; Sirigu, A.: Crosslinking of a Fibrous Sample to a Macro-Oriented Mesomorphic Network, 433P
Ding, Y.
—; Hay, A. S.: Cyclic(arylene ether) Oligomers Containing the Phenylphosphine Oxide Moiety, 519C
—; Hlil, A. R.; Hay, A. S.: Poly(arylene ether)s and Poly(arylene thioether)s Containing the 1,2-Dihydro-4-phenyl(2*H*)-phthalazinone Moiety, 455C
—; Hlil, A. R.; Hay, A. S.: Poly(arylene ether)s, Poly(arylene thioether)s, and Poly(arylene sulfone)s Derived from a Dihydroxy(imidoarylene) Monomer, 1201C
Divjaković, V. See Petrović, Z. S., 221P
Dlubek, G.
—; Saarinen, K.; Fretwell, H. M.: The Temperature Dependence of the Local Free Volume in Polyethylene and Polytetrafluoroethylene: A Positron Lifetime Study, 1513P
Donald, A. M. See He, C., 1617P
Dondos, A. See Christopoulou, V., 1051P
Dong, J. H. See Wang, H., 695C, 1301C; Zhou, W., 1607C
Dong, L. See An, Y., 1305P; Kong, X., 2267P
Dorkenoo, K. D.
—; Pfromm, P. H.; Rezac, M. E.: Gas Transport Properties of a Series of High *Tg* Polynorbornenes with Aliphatic Pendant Groups, 797P
Douglas, J. F. See Ermi, B. D., 191P
Downey, J. S. See Frank, R. S., 2223C
Du, F.-S.
—; Cai, H.; Li, Z.-C.; Li, F.-M.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. V. Synthesis and Fluorescence Behavior of a Vinyloxy Monomer Bearing Electron-Accepting Chromophore Moiety, *N*-(2-(Vinyloxy)ethyl)-1,8-naphthalimide, and Its Polymer, 1111C
Dubois, J.
—; Fyen, W.; Rusu, D.; Peuvrel-Disdier, E.; Navard, P.: Small-Angle Scattering of Polarized Light. VI. Sphere Doublets at Rest and During Shear, 2005P
Dubois, Ph. See Trollsås, M., 1345C
Duckett, R. A. See Brooks, N. W. J., 2177P
Duda, J. L. See Muralidharan, V., 1713P
Duever, T. A. See Polic, A. L., 813C
Dufresne, A.
—; Cavaillé, J.-Y.: Clustering and Percolation Effects in Microcrystalline Starch-Reinforced Thermoplastic, 2211P
Duijsens, A. See Rodríguez-Pérez, M. A., 2587P
Durrant, S. F.
—; Bica De Moraes, M. A.: PECVD of Amorphous Hydrogenated Oxygenated Nitrogenated Carbon Films, 1881P
—; See Da Cruz, N. C., 1873P
Dutta, K. See Brar, A. S., 1081C

Earls, J. D. See Liu, J., 1457C
Eastman, M. P. See Porter, T. L., 673P
Echigo, Y.
—; Seto, K.: A Polyimide Precursor Solution Based on a Novel Concept, 1961C
Economy, J. See Shi, F. F., 1025P
Editors, the
Editorial, viiC
Edwards, R. R.
—; Tao, Y.; Xu, S.; Wells, P. S.; Yun, K. S.; Parcher, J. F.: Chromatographic Investigation of the Effect of Dissolved Carbon Dioxide on the Glass Transition Temperature of a Polymer and the Solubility of a Third Component (Additive), 2537P
Eggerstedt, S. See Kricheldorf, H. R., 1373C
Ehrlich, P. See Whaley, P. D., 617P
Eibeck, P. See Klok, H.-A., 383P
Eisenberg, A. See Garcia, D., 2877P
El-Aasser, M. S. See Liotta, V., 1553C
Elizalde, L. See Knjazhanski, S. Ya., 1599C
Ellis, A. B. See Seker, F., 2095C
Eloundou, J. P.
—; Ayina, O.; Nga, H. N.; Gerard, J. F.; Pascault, J. P.; Boiteux, G.; Seytre, G.: Simultaneous Kinetic and Microdielectric Studies of Some Epoxy-Amine Systems, 2911P
El-Sharkawy, F. M. See Hamza, A. A., 555P
Emery, J. See Derouet, D., 437C
Encinas, M. V. See Alvarez, J., 207C
Endo, A. See Suzuki, A., 2737P
Endo, R.
—; Jounai, K.; Uehara, H.; Kanamoto, T.; Porter, R. S.: Uniaxial Drawing of Polytetrafluoroethylene Virgin Powder by Extrusion Plus Cold Tensile Draw, 2551P
—; Kanamoto, T.; Porter, R. S.: Development of High Ductility and Tensile Properties by Two-Stage Draw of Poly(tetrafluoroethylene) Virgin Powder above the Static Melting Temperature, 1419P
Endo, T. See Choi, W., 79C, 1189C; Hitomi, M., 2823C; Iwamura, T., 1491C, 1515C; Kuroda, H., 2589C; Matsuo, J., 2463C; Murata, H., 1679C; Nomura, R., 2209C; Sanda, F., 1981C, 2037C, 2681C; Shimomura, O., 1779C; Toneri, T., 1957C
Engbers, G. H. M. See Lens, J. P., 1829C
Ermi, B. D.
—; Karim, A.; Douglas, J. F.: Formation and Dissolution of Phase-Separated Structures in Ultrathin Blend Films, 191P
Ezquerra, T. A.
—; Sánchez-Cuesta, M.; Ungar, G.; Feijoo, J. L.; López-Cabarcos, E.: Phase Behavior of a Substituted Poly(paraphenylene): Poly(para-2,5-didecyl-*p*-phenylene), 49P
Ezure, H. See Kimura, T., 1227P

Fan, J. See Wan, M., 2749C
Fang, X.
—; Rogers, D. F.; Scola, D. A.; Stevens, M. P.: A Study of the Thermal Cure of a Phenylethynyl-Terminated

Imide Model Compound and a Phenylethynyl-Terminated Imide Oligomer (PETI-5), 461C
Farmer, M. L. See Tam, K. C., 2275P
Farris, R. J. See White, M. L., 2811P
Faucitano, A. See Mayer, J., 1217C
Favis, B. D. See Bourry, D., 1889P; Chapleau, N., 1947P
Feijen, J. See Lens, J. P., 1829C
Feijoo, J. L. See Ezquerra, T. A., 49P
Feng, J.
—; Pham, H.; Stoeva, V.; Winnik, M. A.: Polymer Diffusion in Latex Films at Ambient Temperature, 1129P
—; Winnik, M. A.; Siemiarczuk, A.: Interface Characterization in Latex Blend Films by Fluorescence Energy Transfer, 1115P
Feng, K.
—; Tsushima, M.; Matsumoto, T.; Kurosaki, T.: Synthesis and Properties of Novel Photosensitive Polyimides Containing Chalcone Moiety in the Main Chain, 685C
—; Zang, H.; Martin, D.; Marino, T. L.; Neckers, D. C.: Synthesis and Study of Iodonium Borate Salts as Photoinitiators, 1667C
Feng, Z. See An, Y., 1305P; Kong, X., 2267P
Ferrari, C. See Tombari, E., 303P
Ferrari, D. F.
—; Baker, W. E.: Aminolysis Kinetics of Model and Polymer-Bound Anhydride Moieties In Low- and High-Viscosity Media, 1573C
Ferri, D.
—; Wolff, D.; Springer, J.; Francescangeli, O.; Laus, M.; Angeloni, A. S.; Galli, G.; Chiellini, E.: Phase and Orientational Behaviors in Liquid Crystalline Main-Chain/Side-Group Block Copolymers, 21P
Ferry, L.
—; Vigier, G.; Alexander-Katz, R.; Garapon, C.: Interaction between UV Radiation and Filled Polytetrafluoroethylene (PTFE). I. Degradation Processes, 2057P
—; See Alexander-Katz, R., 2069P
Festag, R. See Bu, H., 105P
Fetters, L. J. See Budkowski, A., 2691P
Fevotte, G. See Barudio, I., 157C
Fiorentino, S. See Ghielmi, A., 1127C
Fleischer, G.
—; Rittig, F.; Koňák, Č.: Influence of Associations on Self-Diffusion of Styrene-Methylmethacrylate Random Copolymers in Semidilute Acetone Solution, 2931P
Flores, J. C. See Chien, J. C. W., 319C
Floridi, G. See Abis, L., 1557P
Forder, C. See Patrickios, C. S., 2547C
Forgeard, S. See Derouet, D., 437C
Foster, M. D. See Paiva, A., 373P
Fouda, I. M. See Hamza, A. A., 555P
Foulger, S. H.
—; Rutledge, G. C.: Monte Carlo Simulations of a Liquid Crystal Copolymer in the Solid State, 727P
Fradet, A. See Gopakumar, T. G., 2707C
Fragalà, M. E.
—; Compagnini, G.; Licciardello, A.; Puglisi, O.: Track Overlap Regime in Ion-Irradiated PMMA, 655P
Frances, J. M. See Bourget, L., 2415C
Francescangeli, O. See Ferri, D., 21P
Franco, L.
—; Cooper, S. J.; Atkins, E. D. T.; Hill, M. J.; Jones, N. A.: Nylon 6 9 Can Crystallize with Hydrogen Bonding in Two and in Three Interchain Directions, 1153P
Frank, R. S.
—; Downey, J. S.; Stöver, H. D. H.: Synthesis of Divinylbenzene-Maleic Anhydride Microspheres Using Precipitation Polymerization, 2223C
Fréchet, J. M. J. See Leduc, M. R., 1C; See Weimer, M. W., 955C
Freddi, G. See Tsukada, M., 2717P
Freeman, B. D. See McDowell, C. C., 2981P; Singh, A., 289P
Fretwell, H. M. See Dlubek, G., 1513P
Fried, J. R.
—; Goyal, D. K.: Molecular Simulation of Gas Transport in Poly[1-(trimethylsilyl)-1-propyne], 519P
Friedrich, C. See Kricheldorf, H. R., 1387C, 1397C
Friedrich, J. See Weidner, S., 1639C
Frisch, H. L. See Li, M., 553C
Fu, H.
—; Yun, H.; Kwel, T. K.; Okamoto, Y.: Anomalous Viscosity Behavior of Rodlike Polyelectrolytes: Partially Sulfonated Poly(2-benzoyl-1,4-phenylene)s in Aqueous Solution, 1425C
Fueki, T. See Imai, Y., 1031C, 1341C
Fujii, T. See Yoshida, E., 269C
Fujita, K. See Nomura, M., 1919C
Fukuda, T. See Ohno, K., 2473C
Fukunaga, H. See Seno, M., 2905C
Fulchiron, R. See Pesneau, I., 2573P
Funaoka, H. See Yoshida, T., 841C
Funes, J. L. See Orgueira, H. A., 2741C
Furlani, A. See Russo, M. V., 93C
Furuhashi, Y.
—; Ito, H.; Kikutani, T.; Yamamoto, T.; Kimizu, M.; Cakmak, M.: Structural Analysis of Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) Fibers Prepared by Drawing and Annealing Processes, 2471P
Furukawa, J. See Kobayashi, E., 241C, 1707C, 2283C
Furukawa, N.
—; Yuasa, M.; Kimura, Y.: Structure Analysis of a Soluble Polysiloxane-*block*-Polyimide and Kinetic Analysis of the Solution Imidization of the Relevant Polyamic Acid, 2237C
Fyen, W. See Dubois, J., 2005P

Galbis, J. A. See Orgueira, H. A., 2741C; Pinilla, I. M., 67C
Galli, G. See Ferri, D., 21P
Galop, M. See Simon, G. P., 1465P
Gangadhara
—; Campistron, I.; Thomas, M.; Reyx, D.: Synthesis and

Characterization of 4-Cyanobiphenyl-4′-yloxy-functionalized Poly(7-oxanorbornene-5,6-*exo*-dicarboximide)s via Ring Opening Metathesis Polymerization (ROMP), 2807C
—; Noel, C.; Thomas, M.; Reyx, D.: Synthesis and Characterization of Polymaleimides Containing 4-Cyanobiphenyl–Based Side Groups for Nonlinear Optical Applications, 2531C
Ganjian, I. See Sachinvala, N. D., 2397C
Gankema, H. See Klok, H.-A., 383P
Gao, Q. See Wu, Q., 2051C
Garapon, C. See Ferry, L., 2057P
Garbourg, Y. See Gerstman, B., 2761P
Garcia, D.
—; Kim, J.-S.; Eisenberg, A.: Near Infrared Studies of Styrene-Sodium Methacrylate Ionomers, 2877P
Garg, A. See Gerhardt, L. J., 1911P
Gawdzik, B. See Ościk-Mendyk, B., 2019P
Gaynor, S. G. See Matyjaszewski, K., 823C
Ge, X. See Xu, X., 257C
Gengenbach, T. R.
—; Griesser, H. J.: Deposition Conditions Influence the Postdeposition Oxidation of Methyl Methacrylate Plasma Polymer Films, 985C
Georgakis, C. See Liotta, V., 1553C
Gerard, J. F. See Eloundou, J. P., 2911P
Gerhardt, L. J.
—; Garg, A.; Manke, C. W.; Gulari, E.: Concentration-Dependent Viscoelastic Scaling Models for Polydimethylsiloxane Melts with Dissolved Carbon Dioxide, 1911P
Gerken, A. See Kricheldorf, H. R., 1813C
Gerstman, B.
—; Garbourg, Y.: Structural Information Content and Lyapunov Exponent Calculation in Protein Unfolding, 2761P
Ghielmi, A.
—; Fiorentino, S.; Storti, G.; Morbidelli, M.: Molecular Weight Distribution of Crosslinked Polymers Produced in Emulsion, 1127C
Ghioca, P. See Stribeck, N., 1423P
Ghosh, P.
—; Pal, G.: Photopolymerization of Methyl Methacrylate Using a Morpholine-Sulfur Dioxide Charge-Transfer Complex as the Photoinitiator, 1973C
Gibson, D. G. See Kalika, D. S., 65P
Gitsov, I. See Weimer, M. W., 955C
Godard, M.-E.
—; Saiter, J.-M.: Nonexponentiality Parameter in Polymethyl(α-*n*-Alkyl) Acrylates, 2865P
—; Saiter, J.-M.; Cortés, P.; Montserrat, S.; Hutchinson, J. M.; Burel, F.; Bunel, C.: Enthalpy Relaxation in Polymethyl(α-*n*-alkyl)Acrylates: Effect of Length of Alkyl Chain, 583P
Gong, X.
—; Dai, L.; Mau, A. W. H.; Griesser, H. J.: Plasma-Polymerized Polyaniline Films: Synthesis and Characterization, 633C
Gong, Z. See Liu, L., 1773C
Good, R. J. See Ma, K., 2327P
Goodwin, A. A.
—; Hay, J. N.: Dielectric and Dynamic Mechanical Relaxation Studies on Poly(aryl Ether Ketone)s, 851P
—; See Simon, G. P., 1465P
Goodwin, S. See Park, W. H., 2381C, 2389C
Gopakumar, T. G.
—; Ponrathnam, S.; Rajan, C. R.; Fradet, A.: Block Copolymers of Telechelic Poly(phenylene sulfide) and Semiaromatic Thermotropic Liquid Crystalline Polyester Segments, 2707C
Gopalan, A. See Rathinamuthu, K., 11C; Vivekanandam, T. S., 2715C
Gorshkova, I. A. See Kober, K., 2829P
Goswami, A. See Sodaye, H. S., 983P
Goto, M. See Yoshida, M., 2727C
Goto, Y. See Sato, M., 1243C
Gotthardt, P. See Grüger, A., 483P
Goyal, D. K. See Fried, J. R., 519P
Goyal, M.
—; Inoue, T.; Kakimoto, M.-A.; Imai, Y.: High-Pressure Synthesis and Properties of Aliphatic-Aromatic Polyimides via Nylon-Salt-Type Monomers Derived from Aliphatic Diamines and Benzophenonetetracarboxylic Acid, 39C
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of New Soluble *N*-Phenyl-Substituted Aromatic-Aliphatic and All Aromatic Polyamides Derived from 4,4′-Dianilinobiphenyl, 2193C
Graessley, W. W. See Londono, J. D., 3001P
Grebowicz, J. See Pyda, M., 2499P
Gregorio, R., Jr.
—; Botta, M. M.: Effect of Crystallization Temperature on the Phase Transitions of P (VDF/TrFE) Copolymers, 403P
Grest, G. S. See Londono, J. D., 3001P
Griesser, H. J. See Gengenbach, T. R., 985C; Gong, X., 633C
Griffin, A. C. See He, C., 1617P
Grigoriu, G. E. See Barboiu, V., 1615C
Grimm, A. See Mormann, W., 611C
Gronski, W. See Hölderle, M., 1821C
Grubb, T. L. See Mathias, L. J., 1317C
Grüger, A.
—; Gotthardt, P.; Poñitsch, M.; Brion, H. G.; Kirchheim, R.: Sorption of Small Molecules in Various Polycarbonates and Kapton-H, 483P
Gu, L.
—; Zhu, S.; Hrymak, A. N.: Modeling Molecular Weight Distribution of Comb-Branched Graft Copolymers, 705P
Gu, Z. W. See Wang, H., 1301C
Guidotti, P.
—; Pelesko, J. A.: Transient Instability in Case II Diffusion, 2941P
Guillot, J. See Barudio, I., 157C; Lacroix-Desmazes, P., 325P

Gulari, E. See Gerhardt, L. J., 1911P
Guo, Q. See Zheng, S., 2291P; Zhong, Z., 401C
Guo, R. K. See Nunez, C. M., 2111C
Güven, O. See Sen, M., 213P
Guzmán, J. See Bosch, P., 2785C

Ha, C.-S. See Choi, W.-M., 2177C; Park, J.-G., 1625C, 2985C
Ha, W. S. See Jang, S. S., 1637P
Haba, O.
—; Seino, H.; Aoki, K.; Iguchi, K.; Ueda, M.: Synthesis of Ordered Polymer by Direct Polycondensation. VIII. Ordered Polymer from Two Nonsymmetric Monomers, 2309C
Haba, O. See Seino, H., 2261C
Habenschuss, A. See Londono, J. D., 3001P
Haddad, T. S. See Romo-Uribe, A., 1857P
Hagerman, M. E. See Porter, T. L., 673P
Haider, M. I. See McDowell, C. C., 2981P
Halasa, A. F. See Peng, Z. L., 861P
Haldar, B.
—; Singru, R. M.; Chandra, S.: Positron Annihilation Lifetime Studies of Free Volume in a Polymer Electrolyte PEO Complexed with NH_4I, 969P
Hamielec, A. E. See Vivaldo-Lima, E., 2081C
Hamza, A. A.
—; Fouda, I. M.; Kabeel, M. A.; Seisa, E. A.; El-Sharkawy, F. M.: 1-Opto-thermal Properties of Fibers Annealing Effect on the Birefringence Variations of Polyester Fibers, 555P
Han, C. C. See Zhou, C., 2745P
Han, S.
—; Kim, W. G.; Yoon, H. G.; Moon, T. J.: Curing Reaction of Biphenyl Epoxy Resin with Different Phenolic Functional Hardeners, 773C
Han, S. G. See Lee, H.-J., 301C, 2881C
Han, S. J. See Jiang, W. H., 1275P
Han, S.-M. See Tojima, T., 1965C
Han, T. K. See Ko, Y. S., 291C
Handa, Y. P. See Wang, Z. Y., 425P; Wong, B., 2025P; Zhang, Z., 977P
Hao, J.
—; Tanaka, K.; Kita, H.; Okamoto, K.-I.: Synthesis and Properties of Polyimides from Thianthrene-2,3,7,8-tetracarboxylic Dianhydride-5,5,10,10-tetraoxide, 485C
Hara, M. See Tsou, L., 1235P
Harada, A. See Kataoka, K., 455P
Haraoubia, R. See Tabak, G., 117C
Harffey, P. See Binns, F., 2069C
Haroutiunian, S. G. See Petrosyan, V. P., 2665P
Harrison, C. A. See Tan, J. S., 537P
Harruna, I. I. See Hayes, D. M., 277C
Harwood, H. J. See Kobatake, S., 2555C
Hasegawa, H. See Kijima, M., 2691C
Hasegawa, K. See Kanbara, T., 2155C
Hasegawa, M.
—; Ishii, J.-I.; Shindo, Y.: Unique Fluorescence Behavior of Perylenetetracarboxydiimides in Polyimide Systems, 827P
Hashimoto, T.
—; Kanai, T.; Kodaira, T.: Gel Formation in Cationic Polymerization of Divinyl Ethers. I. 1,4-Bis(2-vinyloxyethoxy)benzene, 675C
Hata, M. See Ichikawa, R., 1035C
Hattori, K. See Yoshida, T., 841C
Häußler, L. See Böhme, F., 929C
Hawker, C. J. See Dao, J., 2161C
Hawker, C. J. See Trollsås, M., 2793C
Hay, A. S.
Polymerization by Oxidative Coupling: Discovery and Commercialization of PPO® and Noryl® Resins, 505C
—; See Ding, Y., 455C, 519C, 1201C; Mandal, H., 1911C, 2429C; Yu, L., 1107C
Hay, J. N. See Goodwin, A. A., 851P
Hayano, S. See Shimoyama, M., 1529P
Hayashi, N. See Kobayashi, E., 241C, 1707C
Hayashi, Y. See Sato, T., 1449C
Hayden, L. M. See Brower, S. C., 1013P; Strutz, S. J., 901P, 2793P
Hayes, D. M.
—; Harruna, I. I.: Synthesis and Characterization of Poly(benzazoles) Containing the Bicyclo[2.2.2]octane Moiety, 277C
Hayes, W. See Leduc, M. R., 1C
He, C.
—; Donald, A. M.; Griffin, A. C.; Waigh, T.; Windle, A. H.: Structure of a Self-Assembled Hydrogen-Bonded 'Living' Main Chain Liquid Crystalline Polymer, 1617P
Hedrick, J. L. See Trollsås, M., 1345C, 2793C
Heinze, T. See Spange, S., 1945C
Hekmatyar, S. K. See Brar, A. S., 1081C
Hempenius, M. A. See Lammertink, R. G. H., 2147C
Herczynska, L.
—; Chojnowski, J.; Lacombe, L.; Lestel, L.; Polowinski, S.; Boileau, S.: Synthesis of Microsequential Methylvinylsiloxane-Dimethylsiloxane Copolymers by Nonequilibrium Copolymerization, 137C
Heuberger, G. See Zielinski, J. M., 1739P
Hewitt, D. G.
—; Jing, L.: New Polar Silane–PEO Polyester Complexes as Polymer Electrolytes, 1093C
Hietpas, G. D.
—; Allara, D. L.: The Molecular Structure of Poly(biphenyl dianhydride-*p*-phenylenediamine) Polyimide Thin Films by Infrared Spectroscopy: Thickness Dependence of Structure in the Nano- to Micrometer Range, 1247P
Hill, A. J. See McDowell, C. C., 2981P
Hill, D. J. T. See Hodge, R. M., 463P
Hill, M. J. See Atkins, E. D. T., 2401P; Cooper, S. J., 2849P; Franco, L., 1153P
Hiltner, A. See Shah, A., 2355P
Hirata, I. See Vasilets, V. N., 2215C
Hiroki, A.
—; Yoshida, M.; Yamashita, J.; Asano, M.; Reber, N.; Spohr, R.; Kumakura, M.; Katakai, R.: *p*-Nitrophenol

Permeability and Temperature Characteristics of an Acryloyl-L-Proline Methyl Ester-Based Porous Gel Membrane, 1495C

Hitomi, M.
—; Sanda, F.; Endo, T.: First Observation of the Cationic Equilibrium Polymerization of a Bicyclo Ortho Ester, 2823C

Hizal, G. See Tunca, Ü., 1227C

Hlil, A. R. See Ding, Y., 455C, 1201C

Ho, P. S. See Liou, H.-C., 1383P

Hobbie, E. K. See Zhou, C., 2745P

Hodge, R. M.
—; Simon, G. P.; Whittaker, M. R.; Hill, D. J. T.; Whittaker, A. K.: Free Volume and Water Uptake in a Copolymer Hydrogel Series, 463P

Hoei, Y.
—; Moteki, Y.; Shackleton, J. S.: On the Interfacial Energy of Extended-Chain Crystals from Polyethylene Melt by Revised Flory Equations of Fusion, 1293P

Hofstra, P. G. See Lu, X., 2259P

Hölderle, M.
—; Bruch, M.; Lüchow, H.; Gronski, W.; Mülhaupt, R.: Morphology and Grafting of Oxazoline-Functional Polymer Particles with Various Carboxylic Acids, 1821C

Honda, K. See Yamamoto, T., 2201C

Hong, S. U.
—; Barbari, T. A.; Sloan, J. M.: Multicomponent Diffusion of Methyl Ethyl Ketone and Toluene in Polyisobutylene from Vapor Sorption FTIR-ATR Spectroscopy, 337P

Hoogvliet, R. M. See Veenstra, H., 1795P

Horie, K. See Ito, K., 1141P; Lee, S. A., 1433P; Li, Q., 1329C

Horikiri, M. See Saegusa, Y., 429C

Houser, E. J.
—; Keller, T. M.: Hydrosilation Routes to Materials with High Thermal and Oxidative Stabilities, 1969C

Houtz, M. D. See Tan, L.-S., 2637C

Howe, L. A.
—; Jaycox, G. D.: Stimuli-Responsive Polymers. III. Poly(aryl ether ketone amide)s with Reversible *trans* ↔ cis-4,4′-Azobenzene and Fixed 2,2′-Binaphthyl Kinking Elements in the Main Chain, 2827C

Hrymak, A. N. See Gu, L., 705P

Hsiao, B. See Van Eijndhoven-Rivera, M. J., 1769P

Hsiao, S.-H.
—; Huang, P.-C.: Synthesis and Characterization of Aromatic Poly(ether sulfone imide)s Derived from Sulfonyl Bis(ether anhydride)s and Aromatic Diamines, 1649C
—; Liou, G.-S.; Chen, S.-H.: Synthesis and Properties of Poly(ether imide)s Derived from 2,6-Bis(3,4-dicarboxyphenoxy)naphthalene Dianhydride and Aromatic Diamines, 1657C
—; Yang, C.-Y.: ERRATUM: Synthesis and Evaluation of Novel Polyimides Derived from Spirobichroman Diether Anhydride, 215C
—; Yu, C.-H.: Novel Aromatic Polyhydrazides and Poly(amide-hydrazide)s Based on "Multiring" Flexible Dicarboxylic Acids, 1847C
—; See Yang, C.-P., 919C

Hsieh, Y.-L. See Lin, W., 979C; Zhou, W.-J., 2971C

Hsu, K.-R. See Wang, C.-S., 645C

Hsu, T.-F.
—; Lin, Y.-C.; Lee, Y.-D.: Synthesis and Characterization of Novel Thermotropic Liquid Crystalline Copoly(ester imide)s, 1791C

Hu, G.-H.
—; Kadri, I.: Modeling Reactive Blending: An Experimental Approach, 2153P
—; Hu, G.-H. See Cartier, H., 1053C, 2763C; Yu, Z.-Z., 1987P

Hu, M. See Lin, W., 979C

Hu, Q.-S. See Kwan, S. C. M., 2615P

Hu, W. P. See Chang, C. H., 1481C

Hu, X.
—; Kumar, S.; Polk, M. B.; Vanderhart, D. L.: Synthesis and Characterization of Poly(benzobisthiazole) with Tetramethylbiphenyl Moiety in the Main Chain, 1407C

Hu, X.-Z. See Xu, H., 2151C

Hu, Y. See Coleman, M. M., 1579P

Huang, B. See Zhao, H., 85P

Huang, C. C. See Chen, W., 357C; Liaw, D.-J., 11P

Huang, J. See Jia, X., 1291C; Lu, Z., 109C; Wan, D., 2927C

Huang, P.-C. See Hsiao, S.-H., 1649C

Huang, X. See Lu, Z., 109C

Huang, Y.
—; Loos, J.; Yang, Y. Q.; Petermann, J.: Macromolecular Cholesteric Order Observed by Electron Microscopy, 439P

Huang, Z. See Ma, D., 2961C

Huang, Z.-E. See Chen, Y., 2653P

Hughes, K. D. See Crawford, K. D., 999P

Hui, C.-Y. See Perutz, S., 2129P

Hult, A. See Trollsås, M., 2793C

Husband, M. See Dean, D., 2971P

Hutchinson, J. M. See Godard, M.-E., 583P

Iannelli, P.
—; Caruso, U.; Pragliola, S.; Roviello, A.; Sirigu, A.: Rigid-Rod Liquid Crystalline Polyesters Based on *n*-Alkoxyterephthalic Acid and 4,4′-Dihydroxybiphenyl, 263C
—; See Caruso, U., 2371P; Di Maio, L., 433P

Ibieta, J. B.
—; Kalika, D. S.; Penn, L. S.: Chain End Analysis of Bisphenol A Polysulfone and Its Relation to Molecular Weight, 1309C

Ichikawa, R.
—; Hata, M.; Okimoto, N.; Oikawa–Handa, S.; Tsuda, M.: Acid-Catalyzed Deprotection Mechanism of *tert*-Butyloxycarbonyloxy Polymers in Chemically Amplified Resists, 1035C

Ichino, T. See Takeshita, Y., 2493C

Ichinohe, D.
—; Muranaka, T.; Sasaki, T.; Kobayashi, M.; Kise, H.: Oxidative Polymerization of Phenylenediamines Catalyzed by Horseradish Peroxidase, 2593C

Iguchi, K. See Haba, O., 2309C
Ihre, H. See Trollsås, M., 2793C
Iida, T.
—; Sugizaki, T.; Kageyama, T.; Moriya, O.: Tributylstannylated Silicic Acid as Precursor of Organofunctionalized Silica Gel, 655C
Ikada, Y. See Tretinnikov, O. N., 715P; Tsuji, H., 59C; Vasilets, V. N., 2215C
Im, S. S. See Park, S. S., 147C
Imai, Y.
—; Fueki, T.; Inoue, T.; Kakimoto, M.-A.: A New Direct Preparation of Electroconductive Polyimide/Carbon Black Composite via Polycondensation of Nylon–Salt-Type Monomer/Carbon Black Mixture, 1031C
—; Fueki, T.; Inoue, T.; Kakimoto, M.-A.: Successful Synthesis of a 1 : 1 Salt Monomer Derived from Bis(4-aminophenyl) Ether and Pyromellitic Acid for Direct Polycondensation to an Aromatic Polyimide, 1341C
Imai, Y. See Goyal, M., 39C, 2193C Liou, G.-S., 2021C, 2029C; Park, K. H., 1767C, 1987C; Watanabe, S., 2229C
Imaizumi, K. See Natori, I., 1657P
Immaneni, A.
—; Mchugh, A. J.: The Effect of Concentration, Temperature, and Molecular Weight on the Dynamics of Rigid-Rod Molecules in Semi-Dilute Solutions, 181P
Inoue, H. See Shimoyama, M., 1529P
Inoue, T. See Goyal, M., 39C; Imai, Y., 1031C, 1341C
Inui, K.
—; Miyata, T.; Uragami, T.: Effect of Permeation Temperature on Permeation and Separation of a Benzene/Cyclohexane Mixture through Liquid-Crystalline Polymer Membranes, 281P
Iriyama, Y.
—; Noda, M.: Plasma Polymerization of Fluoromethanes, 2043C
Ise, E. See Okubo, M., 2513C
Ishida, H. See Low, H. Y., 1935P; Peng, Z. L., 861P
Ishii, J.-I. See Hasegawa, M., 827P
Ishikawa, Y. See Tabata, M., 2457C
Ito, E. See Kimura, T., 1227P
Ito, H. See Furuhashi, Y., 2471P
Ito, K.
—; Ujihira, Y.; Yamashita, T.; Horie, K.: Positron Annihilation Lifetime Study of Continuous Volume Phase Transition of Poly(*N*-isopropylacrylamide) Gel Induced in Methanol–Water Mixed Solvent, 1141P
Ito, M. See Nishikubo, T., 2873C; Sawai, D., 629P
Itoh, C. See Takaya, K., 889C
Itoh, T.
—; Kozaki, M.; Kubo, M.; Iwatsuki, S.: Synthesis of Aromatic Polyesters and Polyamides by Alternating Copolymerizations of 1,4-Dicarbonyl-1,4-Dihydronaphthalene with Bezoquinones and Benzoquinone Diimines, 1929C
Ivanov, D. A.
—; Jonas, A. M.: Vitrification/Devitrification Phenomena during Isothermal and Nonisothermal Crystallization of Poly(aryl-ether-ether-ketone) (PEEK) and PEEK/Poly(ether-imide) Blends, 919P
Iwamura, T.
—; Tomita, I.; Suzuki, M.; Endo, T.: Novel Hydrogen-Transfer Polymerization of Vinyl Monomer Derived from *p*-Toluenesulfonyl Isocyanate and Acrylamide, 1491C
—; Tomita, I.; Suzuki, M.; Endo, T.: Synthesis and Radical Polymerization of a Vinyl Monomer Having a Sulfonylacylurea Moiety and Hydrolysis of the Obtained Polymer, 1515C
Iwata, H. See Vasilets, V. N., 2215C
Iwatsuki, S. See Itoh, T., 1929C

Jain, R. K. See Sachdev, V. K., 841P
James, L. T. See Jensen, R. E., 2781P
Jamieson, A. M. See Peng, Z. L., 861P
Jana, R. N. See Bhunia, H. P., 391C
Jančo, M. See Berek, D., 1363C
Jang, J. See Lee, J. Y., 911C
Jang, S. S.
—; Ha, W. S.; Jo, W. H.; Youk, J. H.; Kim, J. H.; Park, C. R.: Monte Carlo Simulation of Copolymerization by Ester Interchange Reaction in Miscible Polyester Blends, 1637P
Jang, T.
—; Rasmussen, P. G.: Synthesis of Polyamines with Pendant Cyanoimidazole Units and Their Electrochemical Properties, 2619C
Jankova, K. See Stoeva, S., 1595P
Jannasch, P. See Deŕand, H., 803C
Jasieczek, C. B. See Coca, S., 1417C
Javni, I. See Petrović, Z. S., 221P, 237P
Jayakannan, M.
—; Ramakrishnan, S.: Synthesis and Thermal Analysis of Branched and "Kinked" Poly(ethylene terephthalate), 309C
Jaycox, G. D. See Howe, L. A., 2827C; Sikorski, P., 1855C
Jehnichen, D. See Bohme, F., 929C
Jeng, S.-H. See Yang, C.-P., 1169C
Jenkins, I. D. See Busfield, W. K., 2169C
Jenkins, R. D. See Tam, K. C., 2275P
Jenkins, S.
—; Thammongkol, V.; Polk, M. B.: Synthesis and Spinning of a Thermotropic Liquid Crystal Copolyester Containing a Semirigid Cycloaliphatic Spacer, 1473C
Jenninger, W. See Alig, I., 2461P
Jensen, R. E.
—; O'Brien, E.; Wang, J.; Bryant, J.; Ward, T. C.; James, L. T.; Lewis, D. A.: Characterization of Epoxy-Surfactant Interactions, 2781P
Jeong, H. M. See Ahn, T. O., 201P
Jeong, Y.-I. See Nah, J.-W., 415P
Jérôme, R. See Calberg, C., 543P; Trollsås, M., 1345C
Ji, G. See Xue, G., 1219P

Jia, J.
—; Baker, G. L.: Cross-Linking of Poly[1-(trimethylsilyl)-1-propyne] Membranes Using Bis(aryl azides), 959P
Jia, X.
—; Pang, Y.; Huang, J.: Copolymerization of Ethyl α-(Hydroxymethyl)acrylate with Maleimide and Characterization of the Resulting Copolymer, 1291C
—; See Wei, Y., 761C
Jiang, B. See Liu, L.-Z., 2961P
Jiang, W. H.
—; Han, S. J.: Study of Interaction between Polyethylene Glycol and Chitosan by Viscosity Method, 1275P
Jiang, X. L. See Lee, T. S., 283C
Jin, J. See Kaji, E., 2735C
Jing, L. See Hewitt, D. G., 1093C
Jing, X. See Liu, L., 1773C
Jo, W. H.
—; Lee, H. S.; Lee, S. C.: Temperature and Molecular Weight Dependence of Interfacial Tension between Immiscible Polymer Pairs by the Square Gradient Theory Combined with the Flory-Orwoll-Vrij Equation-of-State Theory, 2683P
—; See Cho, J. C., 1743C; Jang, S. S., 1637P; Kim, J., 1733C
Johansson, M. See Trollsås, M., 2793C
Johari, G. P. See Tombari, E., 303P; Wasylyshyn, D. A., 2703P
Jonas, A. M. See Debier, D., 2197P; Ivanov, D. A., 919P
Jones, N. A.
—; Lesser, A. J.: Morphological Study of Fatigue-Induced Damage in Isotactic Polypropylene, 2751P
—; See Atkins, E. D. T., 2401P; Franco, L., 1153P
Jounai, K. See Endo, R., 2551P
Joy, D. C. See Bu, H., 105P
Ju, Z. See Xiangling, X., 2631C
Jungnickel, B.-J. See Kalivianakis, P., 2923P
Jussiaux-Devilder, C.
—; Moliton, J. P.; Lazzaroni, R.; Bredas, J. L.; Kihn, Y.; Sevely, J.: Relation between Plasmons and Ion-Induced Damaging in Cellulosic Derivatives, 319P
Kabeel, M. A. See Hamza, A. A., 555P
Kadri, I. See Hu, G.-H., 2153P
Kageyama, T. See Iida, T., 655C
Kaita, S. See Kobayashi, E., 2283C
Kaji, E.
—; Uozumi, T.; Jin, J.; Sano, T.; Soga, K.: Ethene-Propene Copolymerization with the $MgCl_2$-Supported Dichlorobis(4,4,4-trifluoro-1-phenyl-1,3-butanedionato)titanium Catalyst Activated by an Ordinary Trialkylaluminum, 2735C
—; See Soga, K., 129C
Kakimoto, M.-A. See Goyal, M., 39C, 2193C; Imai, Y., 1031C, 1341C; Liou, G.-S., 2021C, 2029C; Park, K. H., 1767C, 1987C
Kakuchi, T. See Umeda, S., 901C
Kalika, D. S.
—; Gibson, D. G.; Quiram, D. J.; Register, R. A.: Relationship between Morphology and Glass Transition Temperature in Solvent-Crystallized Poly (aryl ether ketones), 65P
Kalika, D. S. See Ibieta, J. B., 1309C
Kalivianakis, P.
—; Jungnickel, B.-J.: Crystallization-Induced Composition Inhomogeneities in PVDF/PMMA Blends, 2923P
Kameyama, A. See Minegishi, S., 249C; Nishikubo, T., 2873C
Kamiya, Y. See Wang, J.-S., 1695P
Kanai, T. See Hashimoto, T., 675C
Kanamoto, T. See Endo, R., 1419P, 2551P; Sawai, D., 629P
Kanatharana, J. See Sukpisan, J., 743P
Kanbara, T.
—; Oshima, M.; Hasegawa, K.: Palladium-Catalyzed Modification of Poly(*p*-bromostyrene) with 4-(Phenylamino)azobenzene. Optical Properties of New Azobenzene Group-Containing Polystyrene, 2155C
Kang, E. T. See Chen, W., 357C; Liaw, D.-J., 11P
Kang, I.-K.
—; Baek, D. K.; Lee, Y. M.; Sung, Y. K.: Synthesis and Surface Characterization of Heparin-Immobilized Polyetherurethanes, 2331C
Kao, S. C. See Chern, Y.-T., 785C
Karhinen, H. See Kricheldorf, H. R., 1813C
Karim, A. See Ermi, B. D., 191P
Kartalov, P. See Stoeva, S., 1595P
Karube, I. See Cheong, S.-H., 1725C
Kasai, N. See Tsukada, M., 2717P
Katakai, R. See Hiroki, A., 1495C
Kataoka, K.
—; Harada, A.; Tamai, T.; Tran-Cong, Q.: Phase Behavior and Photocrosslinking Kinetics of *Semi*-Interpenetrating Polymer Networks Prepared from Miscible Polymer Blends, 455P
Kato, T. See Ni, C.-J., 749C
Katsura, H. See Tojima, T., 1965C
Katsuraya, K. See Ni, C.-J., 749C
Kausch, H.-H. See Yu, G., 1483P
Kawatsuki, N.
—; Takatsuka, H.; Yamamoto, T.; Sangen, O.: Optical Anisotropy of a Photoreacted Side-Chain Liquid-Crystalline Polymer Induced by Linearly Polarized UV Light, 1521C
Kayaman, N.
—; Okay, O.; Baysal, B. M.: Swelling of Polyacrylamide Gels in Polyacrylamide Solutions, 1313P
Kazunori, M. See Natori, I., 1657P
Keller, T. M. See Houser, E. J., 1969C; Sastri, S. B., 1885C
Kennedy, J. P. See Sherman, M. A., 1891C, 1901C
Kern, A. See Matyjaszewski, K., 823C
Kerres, J.
—; Zhang, W.; Cui, W.: New Sulfonated Engineering Polymers via the Metalation Route. II. Sulfinated/Sulfonated

Poly(ether sulfone) PSU Udel and Its Crosslinking, 1441C
Keutel, D. See Spange, S., 1945C
Khali, D. P. See Rawat, S. P. S., 665P
Khan, S. A. See Laurer, J. H., 2379P, 2513P
Kihara, N. See Choi, W., 79C
Kihara, Y. See Nomura, M., 1919C
Kihn, Y. See Jussiaux-Devilder, C., 319P
Kijima, M.
—; Hasegawa, H.; Shirakawa, H.: Syntheses and Properties of Liquid Crystalline N-Substituted Pyrroles and Their Polymers, 2691C
Kikutani, T. See Furuhashi, Y., 2471P
Kim, B. K.
—; Kim, S. H.: Copolymer Composition-Dependent Light Transmission of Polymer/Liquid Crystals Composite Films, 55P
—; See Cho, Y. H., 1393P
Kim, C. K. See Roh, I. J., 1821P
Kim, D. S.
—; Suh, M. C.; Shim, S. C.: Synthesis and Properties of New Si—H-Containing Polymers, 2275C
Kim, D.-Y. See Lee, T. S., 283C
Kim, H. G.
—; Robertson, R. E.: A New Approach for Estimating the Recrystallization Rate and Equilibrium Melting Temperature, 133P
—; Robertson, R. E.: Multiple Melting Endotherms in Isothermally Melt-Crystallized Poly(butylene terephthalate), 1757P
—; See Lee, H.-J., 2881C
Kim, H.-Y. See Lee, H.-J., 301C
Kim, J.
—; Kim, K. H.; Cho, J. C.; Kwak, S.; Kim, K. U.; Jo, W. H.; Yoon, H. S.; Lim, D. S.: Comparison of Activities of Homogeneous It-Based Catalysts in the Presence of Methylaluminoxane (MAO) for Synthesis of Syndiotactic Polystyrene by UV/Visible Spectroscopic Study, 1733C
—; See Cho, J. C., 1743C
Kim, J. H. See Jang, S. S., 1637P; Lee, D. Y., 2865C
Kim, J. J. See Roh, I. J., 1821P
Kim, J.-S. See Garcia, D., 2877P
Kim, K.
—; Ree, M.: Isomeric Compositions in Amide Acids and Poly(amic acid)s Derived from 1-(Trifluoromethyl)-2,3,5,6-Benzenetetracarboxylic Dianhydride, 1755C
Kim, K. H. See Cho, J. C., 1743C; Kim, J., 1733C
Kim, K.-S. See Ni, C.-J., 749C
Kim, K. U. See Cho, J. C., 1743C; Kim, J., 1733C
Kim, S. H. See Kim, B. K., 55P
Kim, S.-H. See Park, J.-G., 2985C
Kim, S. I. See Ree, M., 1261P
Kim, W. G. See Han, S., 773C
Kim, Y. H.
Hyperbranched Polymers 10 Years After, 1685C
Kim, Y.-H.
—; Kwon, S. K.: Synthesis of a Novel Highly Conjugated Conducting Polymer, 949C
Kimizu, M. See Furuhashi, Y., 2471P
Kimura, H.
A Simple Method for the Anionic Polymerization of α-Carbonyl Acids in Water, 189C
ERRATUM: A Simple Method for the Anionic Polymerization of α-Carbonyl Acids in Water, 1683C
Erratum: Polyketomalonate by Catalytic Oxidation of Glycerol Over a CeBiPt Catalyst. II, 2995C
ERRATUM: Polyketomalonates by Catalytic Oxidation of Glycerol. I, 2993C
Poly(ketomalonate) by Catalytic Oxidation of Glycerol (4) Anionic Polymerization, 195C
Kimura, T.
—; Ezure, H.; Tanaka, S.; Ito, E.: *In Situ* FTIR Spectroscopic Study on Crystallization Process of Isotactic Polystyrene, 1227P
Kimura, Y. See Furukawa, N., 2237C
King, E. C.
—; Watkins, W. J.; Blacker, A. J.; Bugg, T. D. H.: Covalent Modification in Aqueous Solution of Poly-γ-D-Glutamic Acid from *Bacillus Iicheniformis*, 1995C
Kirchheim, R. See Grüger, A., 483P
Kise, H. See Ichinohe, D., 2593C
Kit, K. M.
—; Schultz, J. M.: Study of Bundle Formation during Crystallization in Polymer Blends, 873P
Kita, H. See Hao, J., 485C; Wang, H., 2247C
Kitaev, V.
—; Schillén, K.; Kumacheva, E.: Supramolecular Structures of Poly(γ-benzyl-L-glutamate) Self-Assembled on Mica Surface, 1567P
Kitagawa, T.
—; Murase, H.; Yabuki, K.: Morphological Study on Poly-*p*-phenylenebenzobisoxazole (PBO) Fiber, 39P
Kitajima, T. See Sato, T., 1449C
Klason, C. See Tchmutin, I. A., 1847P
Klein, J. See Budkowski, A., 2691P
Klenin, S. I. See Aseyev, V. O., 1107P
Klinger, C. See Böhme, F., 929C
Klok, H.-A.
—; Eibeck, P.; Gankema, H.; Nieuwhof, R. P.; Moller, M.; Reinhoudt, D. N.: Ion Transport across Membranes Prepared by Gel Crystallization, 383P
Knjazhanski, S. Ya.
—; Elizalde, L.; Cadenas, G.; Bulychev, B. M.: Unbridged Bivalent Lanthanidocenes for Isotactic and Stereomultiblock Polymerization of Methyl Methacrylate, 1599C
Knoesen, A. See Sekkat, Z., 1669P
Ko, J.
—; Park, Y.; Choe, S.: Molecular Relaxation in the Blends of Polystyrene/Poly(2,6-dimethyl-1,4-phenylene oxide) at Low Temperature, 1981P
Ko, Y. S.
—; Han, T. K.; Sadatoshi, H.; Woo, S. I.: Analysis of Microstructure of Ethylene-1-Hexene Copolymer Prepared over Thermally Pretreated $MgCl_2$/THF/$TiCl_4$ Bimetallic Catalyst, 291C
Kobatake, S.
—; Harwood, H. J.; Quirk, R. P.; Priddy, D. B.: Nitroxide-Mediated Styrene Polymerization Initiated by

an Oxoaminium Chloride, 2555C

Kobayashi, E.
—; Hayashi, N.; Aoshima, S.; Furukawa, J.: Copolymerization of Dienes with Neodymium Tricarboxylate-Based Catalysts and *Cis*-Polymerization Mechanism of Dienes, 1707C
—; Hayashi, N.; Aoshima, S.; Furukawa, J.: Homo- and Copolymerization of Butadiene and Styrene with Neodymium Tricarboxylate Catalysts, 241C
—; Kaita, S.; Aoshima, S.; Furukawa, J.: Polymerizations of Butadiene, Isoprene, and 2,3-Dimethylbutadiene by $Gd(OCOCCl_3)_3$-$(i\text{-}Bu)_3Al$-Et_2AlCl and the *Cis* Polymerization Mechanism for Dienes, 2283C

Kobayashi, K. See Liu, Z., 1831P

Kobayashi, M. See Ichinohe, D., 2593C

Kober, K.
—; Gorshkova, I. A.; Savitsky, A. V.; Tshmel, A. E.: Stress-Induced Straightening of Tie Chains in Oriented PE Films as Revealed by Raman (LAM) Study, 2829P

Kobryanskii, V. M.
—; Kotova, S. L.: Formation of Quinoid Fragments in Vacuum-Deposited Poly-*para*-phenylene Films: IR Spectroscopy Evidence, 1043C

Kodaira, T. See Hashimoto, T., 675C

Kodani, T. See Nomura, M., 1919C

Kohmoto, S. See Okubo, T., 603C

Kohno, T. See Suzuki, A., 1731P

Koltzenburg, S.
—; Wolff, D.; Springer, J.; Nuyken, O.: Novel Study on the Liquid Crystalline Behavior of Poly(methacrylate)s with Biphenyl Side Groups, 2669C

Komber, H. See Böhme, F., 929C

Koňák, Č. See Fleischer, G., 2931P

Kondo, T. See Okuzaki, H., 2635P

Kong, X.
—; Tang, H.; Dong, L.; Teng, F.; Feng, Z.: Miscibility and Crystallization Behavior of Solution-Blended PEEK/PI Blends, 2267P

Kopitzke, R. W.
—; Linkous, C. A.; Nelson, G. L.: Sulfonation of a Poly(phenylquinoxaline) Film, 1197C

Korolev, V. V.
—; Mamaev, A. L.; Bol'shakov, B. V.; Bazhin, N. M.: Oxygen Diffusion in Poly(methyl Methacrylate) at Low Temperatures, 127P

Koros, W. J. See Zimmerman, C. M., 1747P

Kosyanchuk, L. F.
—; Lipatova, T. E.; Vilensky, V. A.; Lipatov, Y. S.; Shtompel, V. I.: Polyurethanes Crosslinked by Metals and Their Complexes with Crown Ether, 1379C

Kotova, S. L. See Kobryanskii, V. M., 1043C

Koyama, E. See Sanda, F., 1981C

Kozaki, M. See Itoh, T., 1929C

Krajnc, P. See Zupan, M., 1699C

Kramer, E. J. See Perutz, S., 2129P

Kramer, E. J. See Stoffel, N. C., 2247P

Krause, S. See Bohon, K., 1091P

Krentsel, E. See Yu, Q. S., 1583C

Kricheldorf, H. R.
—; Eggerstedt, S.: Macrocycles IV. Macrocyclic Polylactones as Bifunctional Monomers for Polycondensations, 1373C
—; Gerken, A.; Karhinen, H.: LC-Polyimides XXXIV. Noncrystalline Thermotropic Copoly(ester-imide)s Based on PET, 1813C
—; Stukenbrock, T.: New Polymer Syntheses. XC. A–B–A Triblock Copolymers with Hyperbranched Polyester A-Blocks, 31C
—; Stukenbrock, T.: New Polymer Syntheses XCIII. Hyperbranched Homo- and Copolyesters Derived from Gallic Acid and β-(4-Hydroxyphenyl)-propionic Acid, 2347C
—; Stukenbrock, T.; Friedrich, C.: New Polymer Syntheses. XCVII. Hyperbranched LC-Polyesters Based on β-(4-Hydroxyphenyl)propionic Acid and 4-Hydroxybenzoic Acid, 1397C
—; Stukenbrock, T.; Friedrich, C.: New Polymer Syntheses. XCVI. Star-Shaped LC-Polyesters Derived from β-(4-Hydroxyphenyl)propionic Acid and 4-Hydroxybenzoic Acid, 1387C

Krishnamoorti, R. See Vaia, R. A., 2449P

Krochta, J. M. See Lin, W., 979C; Zhou, W.-J., 2971C

Kronick, P. L.
—; Cooke, P.: Destabilization of Collagen in Hide and Leather by Anionic Surfactants. II. Calorimetry of the Reaction of Collagen with Sulfates, 805P

Kruglova, V. A. See Annenkov, V. V., 931P

Kubo, M. See Itoh, T., 1929C

Kuchanov, S. I.
—; Panyukov, S. V.: Molecular Theory of Solutions and Blends of Heteropolymers. I. Thermodynamics of Amorphous Multicomponent Polymer Systems, 937P

Kühn, G. See Weidner, S., 1639C

Kulkarni, S. See Whaley, P. D., 617P

Kultys, A.
—; Podkościelny, W.; Pikus, S.: Polyesters Containing Sulfur. VI. Synthesis and Characterization of Polyesters from Naphthalene-1,4- or Naphthalene-1,5-bis(methylthioacetic acid) and Aliphatic Diols, 2359C

Kumacheva, E. See Kitaev, V., 1567P

Kumakura, M. See Hiroki, A., 1495C

Kumar, J. See Lee, T. S., 283C

Kumar, S. See Hu, X., 1407C

Kumar, S. K. See Londono, J. D., 3001P

Kunugi, T. See Okuzaki, H., 1591P, 2237P; Suzuki, A., 473P, 1731P, 2737P

Kuroda, H.
—; Tomita, I.; Endo, T.: Polymers with Electron-Deficient Olefin Moieties by Oxidation of Precursors Containing "Push–Pull" Olefin (β-

Alkylmercaptoenoate) Moieties in the Main Chain, 2589C
Kurosaki, T. See Feng, K., 685C
Kurth, M. J. See Lin, W., 979C; Zhou, W.-J., 2971C
Kusak, R. See Ościk-Mendyk, B., 2019P
Kuwabara, T. See Okuzaki, H., 2237P, 2635P
Kwak, S. See Cho, J. C., 1743C; Kim, J., 1733C
Kwan, C. M. S. See Qiu, X., 1501P
Kwan, S. C. M.
—; Hu, Q.-S.; Ma, L.; Pu, L.; Wu, C.: Characterization of Novel Optically Active Conjugated Polyarylenes and Poly(aryleneethnylene)s by a Combination of Off-Line Static and Dynamic Light Scattering with Gel Permeation Chromatography, 2615P
Kwel, T. K. See Fu, H., 1425C
Kwon, S. K. See Kim, Y.-H., 949C
Kwon, Y. K. See Bu, H., 105P
Kyoto, M. See Uedono, A., 2597P

Lacombe, L. See Herczynska, L., 137C
Lacroix-Desmazes, P.
—; Guillot, J.: Dispersion Polymerization of Styrene in Ethanol–Water Media: Monomer Partitioning Behavior and Locus of Polymerization, 325P
Lai, J.-Y.
—; Lin, S.-F.; Lin, F.-C.; Wang, D.-M.: Construction of Ternary Phase Diagrams in Nonsolvent/Solvent/PMMA Systems, 607P
Lammertink, R. G. H.
—; Versteeg, D. J.; Hempenius, M. A.; Vancso, G. J.: Morphology Control of Organometallic Domains in Phase-Separated Poly(styrene-*block*-ferrocenyldimethylsilanes), 2147C
Laurer, J. H.
—; Mulling, J. F.; Khan, S. A.; Spontak, R. J.; Bukovnik, R.: Thermoplastic Elastomer Gels. I. Effects of Composition and Processing on Morphology and Gel Behavior, 2379P
—; Mulling, J. F.; Khan, S. A.; Spontak, R. J.; Lin, J. S.; Bukovnik, R.: Thermoplastic Elastomer Gels. II. Effects of Composition and Temperature on Morphology and Gel Rheology, 2513P
Laus, M. See Ferri, D., 21P
Lazzaroni, R. See Jussiaux-Devilder, C., 319P
Le, P. V. See Busfield, W. K., 2169C
Leal, L. G. See Oberhauser, J. P., 265P
Lebedev, B. V. See Pyda, M., 2499P
Leduc, M. R.
—; Hayes, W.; Frećhet, J. M. J.: Controlling Surfaces and Interfaces with Functional Polymers: Preparation and Functionalization of Dendritic–Linear Block Copolymers via Metal Catalyzed "Living" Free Radical Polymerization, 1C
Lee, C. H. See Cho, J. C., 1743C
Lee, C.-T. See Chu, P. P., 1647P; Ma, C.-C. M., 1721P
Lee, D. See Cho, K., 1283P
Lee, D. Y.
—; Kim, J. H.: Emulsion Polymerization of Styrene Using an Alkali-Soluble Random Copolymer as Polymeric Emulsifier, 2865C
Lee, E.-M. See Lee, H.-J., 301C, 2881C
Lee, H.-J.
—; Lee, E.-M.; Lee, M.-H.; Oh, M.-C.; Ahn, J.-H.; Han, S. G.; Kim, H. G.: Crosslinkable Fluorinated Poly(arylene ethers) Bearing Phenyl Ethynyl Moiety for Low-Loss Polymer Optical Waveguide Devices, 2881C
—; Lee, M.-H.; Han, S. G.; Kim, H.-Y.; Ahn, J.-H.; Lee, E.-M.; Won, Y. H.: Synthesis and Properties of Nonlinear Optical Side Chain Soluble Polyimides for Photonics Applications, 301C
Lee, H. S. See Jo, W. H., 2683P
Lee, J.-C.
—; Litt, M. H.; Rogers, C. E.: Oxyalkylene Polymers with Alkylsulfonylmethyl Side Chains: Gas Barrier Properties, 75P
—; Litt, M. H.; Rogers, C. E.: Oxyethylene Copolymers with Chloromethyl and (Alkylthio)methyl or (Alkylsulfonyl)methyl Side Groups: Syntheses and T_g/Composition Relationships, 495C
—; Litt, M. H.; Rogers, C. E.: Synthesis and Properties of Poly(oxyethylene)s Containing Thioether, Sulfoxide, or Sulfone Groups, 793C
Lee, J. D. See Won, C.-Y., 2949C
Lee, J. Y.
—; Jang, J.: Effect of Substituents on the Curing of Liquid Crystalline Epoxy Resin, 911C
Lee, K.-H.
—; Park, J.-K.: Effect of Ion Content in Ionomer on the Ion Conductivity of Polymer Electrolytes Based on the P(MMA-*co*-LiMA)/PEG/$LiCF_3SO_3$ Blend, 991P
Lee, M. See Ahn, T. O., 201P
Lee, M.-H. See Lee, H.-J., 301C, 2881C
Lee, N.-J. See Choi, W.-M., 2177C; Park, J.-G., 1625C
Lee, S. See Ouyang, H., 163P
Lee, S. A.
—; Yamashita, T.; Horie, K.: Photoconductivity of a Polyimide with an Alicyclic Diamine: Charge Carrier Photogeneration in the Mixed Layer Packing Arrangement, 1433P
Lee, S. C. See Jo, W. H., 2683P
Lee, T. S.
—; Kim, D.-Y.; Jiang, X. L.; Li, L.; Kumar, J.; Tripathy, S.: Photoinduced Surface Relief Gratings in High-T_g Main-Chain Azoaromatic Polymer Films, 283C
Lee, V. Y. See Sekkat, Z., 1669P
Lee, Y.-D. See Hsu, T.-F., 1791C
Lee, Y. M. See Kang, I.-K., 2331C
Lee, Y.-W. See Choi, W.-M., 2177C
Legras, R. See Calberg, C., 543P; Carlier, V., 2563P; Debier, D., 2197P
Lehmann, S. See Wang, Y., 2895P
Lehmann, S. A.
—; Meltzer, A. D.; Spiess, H. W.: Microphase Separation in

RIM Polyureas as Studied by Solid-State NMR, 693P
Lenka, S. See Bhunia, H. P., 391C
Lens, J. P.
—; Terlingen, J. G. A.; Engbers, G. H. M.; Feijen, J.: Mechanism of the Immobilization of Surfactants on Polymeric Surfaces by Means of an Argon Plasma Treatment: Influence of the Chemical Structure of Surfactant and Substrate, 1829C
Lenz, R. W. See Park, W. H., 2381C, 2389C
Lesser, A. J. See Crawford, E., 1371P; Jones, N. A., 2751P
Lestel, L. See Herczynska, L., 137C
Leszczyńska, I. See Szczepaniak, B., 21C
Levesque, G. See Tabak, G., 117C
Levi, M.
—; Turri, S.: Model Structures of Thermoplastic Polyesters Having Regularly Alternated Aromatic and Fluorinated Segments, 939C
Lewis, D. A. See Jensen, R. E., 2781P
Li, F.-M. See Du, F.-S., 1111C
Li, J. See Wan, M., 2799C
Li, J. T. See Tan, J. S., 537P
Li, L. See Lee, T. S., 283C; Racz, L. M., 2887P
Li, M.
—; Sharma, P. R. S.; Frisch, H. L.: Synthesis and Characterization of Interpenetrating Polymer Networks for Nonlinear Optics, 553C
—; See Qiu, X., 1501P
Li, P.
—; Xu, J.; Wu, C.: Surface Functionalization of Polymer Latex Particles. III. A Convenient Method of Producing Ultrafine Poly(methylstyrene) Latexes with Aldehyde Groups on the Surface, 2103C
Li, Q.
—; Yamashita, T.; Horie, K.; Yoshimoto, H.; Miwa, T.; Maekawa, Y.: Preparation and Absorption Spectrum Studies of Aromatic and Alicyclic Poly(amide acid) Ammonium Salts in Water and DMF and in Films, 1329C
Li, W.-H.
—; Stöver, H. D. H.: Porous Monodisperse Poly(divinylbenzene) Microspheres by Precipitation Polymerization, 1543C
Li, Y. See Xue, G., 1219P; Zhou, L., 2905P
Li, Z.-C. See Du, F.-S., 1111C
Liang, W.-J. See Liaw, D.-J., 103C
Liao, C. L. See Chang, T. C., 2521C
Liaw, B.-R.
—; Chen, C.-C.: Synthesis and Characterization of Side-Chain Liquid-Crystalline Poly(ether ester)s Having *p*-Substituted Biphenyl Mesogenic Side Groups, 2439C
Liaw, B.-Y. See Liaw, D.-J., 103C, 1069C, 1075C, 2301C
Liaw, D.-J.
—; Huang, C.-C.; Kang, E.-T.: Photophysical and Rheological Properties of Naphthalene-Labeled Cationic Poly(dimethyl Sulfate Quaternized Acrylamide/*N,N*-Dimethylaminopropylmaleimide Copolymer), 11P
—; Liang, W.-J.; Liaw, B.-Y.: Preparation of New Polyether with Oxetane Pendant Group, 103C
—; Liaw, B.-Y.: Synthesis and Characterization of New Poly(amide-imide)s from 1,4-Bis(4-trimellitimidophenoxy)-2-*tert*-butylbenzene with Various Diamines, 2301C
—; Liaw, B.-Y.: Synthesis and Characterization of New Soluble Polyamides based on 3,3′,5,5′-Tetramethyl-2,2-Bis[4-(4-Aminophenoxy)phenyl]Propane and Various Aromatic Dicarboxylic Acids, 1075C
—; Liaw, B.-Y.: Synthesis and Properties of New Polyamides Derived from 1,4-Bis(4-aminophenoxy)-2,5-di-*tert*-butylbenzene and Aromatic Dicarboxylic Acids, 1069C
—; Tsai, J.-S.; Sang, H.-C.: Copolymerization of Carbon Monoxide and Norbornene Derivatives with Ester Groups by Palladium Catalyst, 1785C
—; See Chen, W., 357C
Licciardello, A. See Fragalà, M. E., 655P
Lichtenhan, J. D. See Romo-Uribe, A., 1857P
Lim, D. S. See Kim, J., 1733C
Lin, F.-C. See Lai, J.-Y., 607P
Lin, J. S. See Laurer, J. H., 2513P; Medellín-Rodríguez, F. J., 763P
Lin, S. See Wu, Q., 2051C
Lin, S.-F. See Lai, J.-Y., 607P
Lin, W.
—; Hu, M.; Hsieh, Y.-L.; Kurth, M. J.; Krochta, J. M.: Thermosensitive Lactitol-Based Polyether Polyol (LPEP) Hydrogels, 979C
Lin, X. See Wang, H., 2247C
Lin, Y.-C. See Hsu, T.-F., 1791C
Linert, W. See Spange, S., 1945C
Linkous, C. A. See Kopitzke, R. W., 1197C
Liotta, V.
—; Sudol, E. D.; El-Aasser, M. S.; Georgakis, C.: On-Line Monitoring, Modeling, and Model Validation of Semibatch Emulsion Polymerization in an Automated Reactor Control Facility, 1553C
Liou, G.-S.
Synthesis and Properties of Soluble Aromatic Polyimides from 2,2′-Bis(3,4-dicarboxyphenoxy)-1,1′-binaphthyl Dianhydride and Aromatic Diamines, 1937C
—; Maruyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Soluble Aromatic Polyamides from 2,2′-Bis(4-aminophenyl)biphenyl and Aromatic Dicarboxylic Acids, 2029C
—; Maruyama, M.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of New Soluble Aromatic Polyimides from 2,2′-Bis(3,4-dicarboxyphenoxy)biphenyl Dianhydride and Aromatic Diamines, 2021C
—; See Hsiao, S.-H., 1657C; Yang, C.-P., 1169C

Liou, H.-C.
—; Ho, P. S.; McKerrow, A.: The Effect of Crosslinking on Thermal and Mechanical Properties of Perfluorocyclobutane Aromatic Ether Polymers, 1383P
Lipatov, Y. S. See Kosyanchuk, L. F., 1379C
Lipatova, T. E. See Kosyanchuk, L. F., 1379C
Lissi, E. A. See Alvarez, J., 207C
Litt, M. H. See Lee, J.-C., 495C, 793C, 75P; Sachinvala, N. D., 2397C
Liu, C.-R. See Wang, C., 1361P
Liu, J.
—; Wang, C.; Campbell, G. A.; Earls, J. D.; Priester, R. D., Jr.: The Use of Tetraalkylphosphonium-Tetrafluoroborate-Tetrafluoroboric Acid in the Curing of a Liquid Crystalline Epoxy Resin, 1457C
Liu, L.
—; Gong, Z.; Zheng, Y.; Jing, X.: Synthesis of Isotactic Polystyrene with a Rare-Earth Catalyst, 1773C
Liu, L.-Z.
—; Jiang, B.: Crystallization of Micelles and Matrix in Dilute Diblock Copolymer/Homopolymer Solutions, 2961P
Liu, S. L.
—; Chung, T. S.; Lu, L.; Torii, Y.; Oikawa, H.; Yamaguchi, A.: Crystallization Kinetics of a Thermotropic Liquid Crystalline Polyimide Derived from 1,3-*bis*[4−(4′-aminophenoxy)cumyl] Benzene, 1679P
Liu, S. S. See Crivello, J. V., 1179C
Liu, T. See An, Y., 1305P
Liu, W. See Pan, C.-Y., 2899C
Liu, X. See Choi, S., 1P
Liu, Y.
—; Sun, X. D.; Xie, X.-Q.; Scola, D. A.: Kinetics of the Crosslinking Reaction of a Bisnadimide Model Compound in Thermal and Microwave Cure Processes, 2653C
—; See Pan, C.-Y., 2899C
Liu, Z.
—; Kobayashi, K.; Lodge, T. P.: Dynamic Light Scattering from Asymmetric Block Copolymers in Neutral Good Solvents: Evidence of Association in the Disordered State, 1831P
Lodge, T. P. See Liu, Z., 1831P
Londono, J. D.
—; Maranas, J. K.; Mondello, M.; Habenschuss, A.; Grest, G. S.; Debenedetti, P. G.; Graessley, W. W.; Kumar, S. K.: Chain-Packing Effects in the Thermodynamics of Polymers, 3001P
Loos, J. See Huang, Y., 439P
López-Cabarcos, E. See Ezquerra, T. A., 49P
Lopez-Quintela, A. See Paz-Abuin, S., 1001C
Lorge, O. See Briscoe, B. J., 2435P
Loriot, G.
—; Weiner, J. H.: Atomic Level Picture of Stress Relaxation in Polymer Melts, 143P
Low, H. Y.
—; Ishida, H.: Mechanistic Study on the Thermal Decomposition of Polybenzoxazines: Effects of Aliphatic Amines, 1935P
Lowe, A. B. See Patrickios, C. S., 617C
Lowe, T. L.
—; Benhaddou, M.; Tenhu, H.: Partially Fluorinated Thermally Responsive Latices of Linear and Crosslinked Copolymers, 2141P
Lu, H. L. See Chung, T. C., 1017C
Lu, L. See Liu, S. L., 1679P
Lu, X.
—; Brown, N.: Effects of γ-Irradiation on the Morphology and Slow Crack Growth in High-Density Polyethylene, 1211P
—; Brown, N.; Shaker, M.: Effect of γ-Irradiation on Slow Crack Growth in a Copolymer of Polyethylene, 2349P
—; Xu, G.; Hofstra, P. G.; Bajcar, R. C.: Moisture–Absorption, Dielectric Relaxation, and Thermal Conductivity Studies of Polymer Composites, 2259P
Lu, Z.
—; Huang, X.; Huang, J.: Synthesis and Characterization of Amphiphilic Diblock Copolymer of Polystyrene and Polyvinyl Alcohol Using Ethanolamine-Benzophenone as Photochemical Binary Initiation System, 109C
Luca, C. See Barboiu, V., 1615C
Lüchow, H. See Hölderle, M., 1821C
Luo, X. See Ma, D., 2961C
Lustiger, A.
—; Marzinsky, C. N.; Mueller, R. R.: Spherulite Boundary Strengthening Concept for Toughening Polypropylene, 2047P

Ma, C.-C. M.
—; Wu, H.-D.; Lee, C.-T.: Strength of Hydrogen Bonding in the Novolak-Type Phenolic Resin Blends, 1721P
Ma, D.
—; Zhang, G.; Huang, Z.; Luo, X.: Synthesis and Chain Structure of Ethylene Terephthalate-ε-Caprolactone Copolyesters, 2961C
Ma, G.-H. See Omi, S., 367C
Ma, K.
—; Chung, T.-S.; Good, R. J.: Surface Energy of Thermotropic Liquid Crystalline Polyesters and Polyesteramide, 2327P
Ma, L. See Kwan, S. C. M., 2615P
Ma, X. See Tsou, L., 1235P
Ma, Z.-G. See Chen, M., 1265C
Macosko, C. W. See Neff, R., 573P
Madan, R. See Varma, I. K., 2427C
Madruga, E. L. See DE LA Fuente, J. L., 2913C
Maekawa, Y. See Li, Q., 1329C
Magdinets, V. V. See Tsarik, L. Y., 371C
Maiti, S. See Bag, D. S., 1509C
Malavašič, T. See Brecl, M., 2135C
Mallapragada, S. K. See Ngui, M. O., 2771P
Mamaev, A. L. See Korolev, V. V., 127P
Mandal, H.
—; Hay, A. S.: Polycyclic Phosphonate Resins: Thermally Cross-Linkable Intermediates for Flame-Retardant Materials, 1911C

—; Hay, A. S.: Synthesis and Characterization by MALDI-TOF MS of Polycyclic Siloxanes Derived from *p*-Substituted Novolac Resins by MALDI-TOF MS, 2429C

Manke, C. W. See Gerhardt, L. J., 1911P

Manohar, S. B. See Sodaye, H. S., 983P

Mao, L.

—; Shen, Q.: (Diisopropylamido)bis(methylcyclopentadienyl)lanthanides as Single-Component Initiators for Polymerization of Methyl Methacrylate, 1593C

Maranas, J. K. See Londono, J. D., 3001P

Marino, T. L. See Feng, K., 1667C

Mark, J. E. See McCarthy, D. W., 1167P, 1191P

Marques, M. M. See Chien, J. C. W., 319C

Martin, D. See Feng, K., 1667C

Martínez, M. B. See Pinilla, I. M., 67C

Martinez-Salazar, J. See Cruz, V. L., 1157C

Maruyama, M. See Liou, G.-S., 2021C, 2029C

Marzinsky, C. N. See Lustiger, A., 2047P

Masegosa, R. M. See Sanchis, A., 95P

Masuda, T. See Sata, T., 2489C; Teraguchi, M., 2721C

Masuda, Y. See Watanabe, S., 2229C

Masuko, T. See Yonetake, K., 413C

Mata, F. Z. See Pinilla, I. M., 67C

Mateo, J. L. See Bosch, P., 2775C, 2785C

Matevossyan, N. E. See Petrosyan, V. P., 2665P

Mather, P. T. See Romo-Uribe, A., 1857P; Tan, L.-S., 2637C

Mathias, L. J.

—; Grubb, T. L.; Tullos, G. L.: Vapor Phase Deposition of Polybenzoxazoles, 1317C

—; Tregre, G. J.: Synthesis, Cure, and Composite Properties of Mixed Allyl/Propargyl Cyclopentadiene Resins, 2869P

Matsukawa, K. See Shimoyama, M., 1529P

Matsumoto, K.

—; Deguchi, M.; Nakano, M.; Yamaoka, H.: Synthesis of Carbosilane Block Copolymers by Means of a Living Anionic Polymerization of 1,1-Diethylsilacyclobutane, 2699C

—; Shimazu, H.; Yamaoka, H.: Synthesis and Characterization of Polysilabutane Having Oligo (oxyethylene) phenyl Groups on the Silicon Atom, 225C

Matsumoto, T. See Feng, K., 685C

Matsuo, J.

—; Nakano, S.; Sanda, F.; Endo, T.: Ring-Opening Polymerization of Cyclic Carbonates by Alcohol–Acid Catalyst, 2463C

Matsusaki, K. See Sata, T., 49C

Matyjaszewski, K.

—; Beers, K. L.; Kern, A.; Gaynor, S. G.: Hydrogels by Atom Transfer Radical Polymerization. I. Poly(*N*-Vinylpyrrolidinone-*g*-Styrene) via the Macromonomer Method, 823C

—; See Coca, S., 1417C

Mau, A. W. H. See Gong, X., 633C

Maurer, F. H. J. See Schmidt, M., 1061P

Mauritz, K. A. See Robertson, M. A. F., 595P

Mayer, J.

—; Szreder, T.; Szadkowska-Nicze, M.; Faucitano, A.: Ionic and Excited Intermediates in Pulse-Irradiated Polypropylene Doped with Aromatics, 1217C

—; See Szadkowska-Nicze, M., 1209C

Mazyar, N. L. See Annenkov, V. V., 931P

McCarthy, D. W.

—; Mark, J. E.; Clarson, S. J.; Schaefer, D. W.: Synthesis, Structure, and Properties of Hybrid Organic–Inorganic Composites Based on Polysiloxanes. II. Comparisons between Poly(Methylphenylsiloxane) and poly(Dimethylsiloxane), and between Titania and Silica, 1191P

—; Mark, J. E.; Schaefer, D. W.: Synthesis, Structure, and Properties of Hybrid Organic–Inorganic Composites Based on Polysiloxanes. I. Poly(Dimethylsiloxane) Elastomers Containing Silica, 1167P

McDowell, C. C.

—; Freeman, B. D.; McNeely, G. W.; Haider, M. I.; Hill, A. J.: Synthesis, Physical Characterization, and Acetone Sorption Kinetics in Random Copolymers of Poly(ethylene terephthalate) and Poly(ethylene 2,6-naphthalate), 2981P

McFaddin, D. See Reinking, M. K., 2889C

McGervey, J. D. See Peng, Z. L., 861P

McHugh, A. J. See Andrews, N. C., 1401P; Immaneni, A., 181P

McKellop, H. A. See Yeom, B., 329C

McKerrow, A. See Liou, H.-C., 1383P

McNeely, G. W. See McDowell, C. C., 2981P

McQueen, D. H. See Tchmutin, I. A., 1847P

Mead, D. W. See Oberhauser, J. P., 265P

Medellín-Rodríguez, F. J.

—; Phillips, P. J.; Lin, J. S.; Avila-Orta, C. A.: Triple Melting Behavior of Poly(ethylene terephthalate *co*-1,4-cyclohexylene dimethylene terephthalate) Random Copolyesters, 763P

Meier, T. M. See Peng, Z. L., 861P

Meira, G. R. See Berek, D., 1363C

Mejzlík, J. See Merceš Marques, M., 573C

Meltzer, A. D. See Lehmann, S. A., 693P

Memon, N. A.

Rheological Properties and the Interface in Polycarbonate/Impact Modifier Blends: Effect of Modifier Shell Molecular Weight, 1095P

—; Muller, R.: Interface, Morphology, and the Rheological Properties of Polymethylmethacrylate/Impact Modifier Blends, 2623P

Mendenhall, G. D.
Fractal Notation for Nearly-Symmetrical Dendrimers, 2979C
Menescal, R. K. See Sachinvala, N. D., 2397C
Merceê Marques, M.
—; Tait, P. J. T.; Mejzlík, J.; Romaõ Dias, A.: Polymerization of Ethylene Using High-Activity Ziegler-Type Catalysts: Active Center Determination, 573C
Merlo, E. See Abis, L., 1557P
Mertens, M. See Calberg, C., 543P
Mezghani, K.
—; Spruiell, J. E.: High Speed Melt Spinning of Poly(L-lactic acid) Filaments, 1005P
Mi, Y. See Zheng, S., 2291P
Michalke, D. See Molenberg, A., 169C
Michel, A. See Pesneau, I., 2573P
Mijović, J. See Andjelić, S., 641P
Mikado, T. See Uedono, A., 2597P
Miles, M. J. See Schultz, J. M., 2311P
Miller, R. D. See Sekkat, Z., 1669P
Milne, J. See Amaratunga, W., 379C
Minegishi, S.
—; Kameyama, A.; Nishikubo, T.: Synthesis of Polysulfonates Containing Reactive Pendant Chloromethyl Groups by the Polyaddition of Bisepoxides with Disulfonyl Chlorides, 249C
Miwa, T. See Li, Q., 1329C
Miyata, T. See Inui, K., 281P
Mo, Z. See An, Y., 1305P
Mochizuki, A. See Seino, H., 2261C
Molenberg, A.
—; Michalke, D.; Moller, M.; Pieper, T.: Poly[(S)-(+)-2-methylbutyl]pentylsiloxane, 169C
Moliton, J. P. See Jussiaux-Devilder, C., 319P
Möller, M. See Klok, H.-A., 383P; Molenberg, A., 169C
Mondello, M. See Londono, J. D., 3001P
Mondragon, I. See Oyanguren, P. A., 1349P
Montaudo, G.
—; Puglisi, C.; Samperi, F.: Chemical Reactions Occurring in the Thermal Treatment of PC/PMMA Blends, 1873C
Monti, P. See Tsukada, M., 2717P
Montserrat, S. See Cortés, P., 113P; Godard, M.-E., 583P
Moon, H.-S.
—; Park, J.-K.: Structural Effect of Polymeric Acid Dopants on the Characteristics of Doped Polyaniline Composites: Effect of Hydrogen Bonding, 1431C
Moon, T. J. See Han, S., 773C
Morbidelli, M. See Ghielmi, A., 1127C; Tredici, A., 1117C
Morgan, D. R. See Nunez, C. M., 2111C
Moriya, O. See Iida, T., 655C
Mormann, W.
—; Grimm, A.: Polymers from Multifunctional Isocyanates 14. Alternating Copolymers from Isocyanato Alkenes: Copolymerization of 2-Propenyl Isocyanate with Trimethylsilyl Methacrylate as Electron Acceptor Monomer, 611C
Morozov, V. F. See Petrosyan, V. P., 2665P
Moteki, Y. See Hoei, Y., 1293P
Moulinié, P. R. See Wang, Z. Y., 425P
Mudarra, M.
—; Belana, J.; Cañadas, J. C.; Diego, J. A.: Polarization Time Effect of PMMA Space-Charge Relaxation by TSDC, 1971P
Mueller, R. R. See Lustiger, A., 2047P
Mülhaupt, R. See Hölderle, M., 1821C
Muller, R. See Memon, N. A., 2623P
Mulling, J. F. See Laurer, J. H., 2379P, 2513P
Munõz, M. E. See Tormes, M., 253P
Munõz-Escalona, A. See Cruz, V. L., 1157C
Murakami, M. See Ogawa, T., 755P
Muralidharan, V.
—; Tihminlioglu, A.; Antelmann, O.; Duda, J. L.; Danner, R. P.; De Haan, A.: Temperature and Concentration Dependence of Diffusion Coefficients in Ethylene–Propylene-Diene Copolymers, 1713P
Muranaka, T. See Ichinohe, D., 2593C
Murase, H. See Kitagawa, T., 39P
Murata, H.
—; Sanda, F.; Endo, T.: Synthesis and Radical Polymerization of a Novel Acrylamide Having an α-Helical Peptide Structure in the Side Chain, 1679C
Murata, J. See Sanda, F., 2037C
Murata, M. See Watanabe, S., 2229C
Murayama, H. See Watanabe, S., 2229C
Mutin, P. H. See Bourget, L., 2415C
Myler, U.
—; Xu, X. L.; Coleman, M. R.; Simpson, P. J.: Ion Implant-Induced Change in Polyimide Films Monitored by Variable Energy Positron Annihilation Spectroscopy, 2413P

Nagata, M.
—; Okano, F.; Sakai, W.; Tsutsumi, N.: Separation and Enzymatic Degradation of Blend Films of Poly(L-lactic acid) and Cellulose, 1861C
Nah, J.-W.
—; Jeong, Y.-I.; Cho, C.-S.: Clonazepam Release from Core-Shell Type Nanoparticles Composed of Poly(γ-benzyl L-glutamate) as the Hydrophobic Part and Poly(ethylene oxide) as the Hydrophilic Part, 415P
Naik, S. S. See Zhou, W.-J., 2971C
Naito, Y. See Wang, J.-S., 1695P
Nakamura, M. See Sanda, F., 2681C
Nakamura, S. See Saegusa, Y., 429C
Nakano, M. See Matsumoto, K., 2699C
Nakano, S. See Matsuo, J., 2463C
Nakano, T. See Wu, J., 2013C
Nakashio, F. See Yoshida, M., 2727C
Nando, G. B. See Bhunia, H. P., 391C
Natori, I.
—; Imaizumi, K.; Yamagishi, H.; Kazunori, M.: Hydrocarbon Polymers Containing Six-Membered Rings in the Main Chain. Microstructure and

Properties of Poly(1,3-cyclohexadiene), 1657P
Nauman, E. B. See Cavanaugh, T. J., 2191P
Navard, P. See Dubois, J., 2005P
Neckers, D. C. See Feng, K., 1667C
Neff, R.
—; Adedeji, A.; Macosko, C. W.; Ryan, A. J.: Urea Hard Segment Morphology in Flexible Polyurethane Foam, 573P
Nelson, G. L. See Kopitzke, R. W., 1197C
Neoh, K. G. See Chen, W., 357C
Nga, H. N. See Eloundou, J. P., 2911P
Ngai, K. L.
—; Schönhals, A.: Interpretation of the Observed Influence of Mesophase Structures on the β-Relaxation in Side Chain Liquid Crystal Polymers, 1927P
Ngui, M. O.
—; Mallapragada, S. K.: Understanding Isothermal Semicrystalline Polymer Drying: Mathematical Models and Experimental Characterization, 2771P
Nguyen, T. Q. See Yu, G., 1483P
Ni, C.-J.
—; Kim, K.-S.; Katsuraya, K.; Okuyama, K.; Kato, T.; Uryu, T.: Synthesis, Liquid Crystallinity, and Mechanical Properties of Thermotropic Polyquinolines, 749C
Niemczura, W. P. See Sachinvala, N. D., 2397C
Nieuwhof, R. P. See Klok, H.-A., 383P
Niino, H.
—; Yabe, A.: Formation of Conjugated Polyene and Polyyne Structure by KrF Excimer Laser-Induced Dehydrochlorination on Polyvinylidenechloride Film, 2483C
Ninomiya, T. See Shimoyama, M., 1529P
Nishikubo, T.
—; Kameyama, A.; Ito, M.; Suzuki, A.: Synthesis of Polymers with Pendant Hydroxyl Groups by Polyaddition of Bis(oxetane)s with Dithiols, 2873C
—; See Minegishi, S., 249C
Nishimoto, A. See Uedono, A., 1919P
Nishi, N. See Tojima, T., 1965C
Nishi, S. See Takeshita, Y., 2493C
Nishi, T. See Ohishi, H., 2839C
Noda, M. See Iriyama, Y., 2043C
Noel, C. See Gangadhara, 2531C
Nogales, A.
—; Sauer, B. B.: Cooperative Motions in PVC Studied by Thermally Stimulated Currents: Comparison with A.C. Dielectric Derivative Analysis, 913P
Nomura, M.
—; Kodani, T.; Ojima, J.; Kihara, Y.; Fujita, K.: Kinetics and Mechanisms of Emulsion Polymerization of Vinylidene Chloride. I. Effects of Operating Variables on the Rate of Polymerization and the Number of Polymer Particles Produced, 1919C
Nomura, R.
—; Shibasaki, Y.; Endo, T.: Transformation of the Cationic Growing Center of Poly(tetrahydrofuran) into an Anionic One by Bis(pentamethylcyclopentadienyl)samarium, 2209C
—; See Sata, T., 2489C
Norder, B. See Veenstra, H., 1795P
Novikov, O. N. See Tsarik, L. Y., 371C
Nozaki, T. See Ouchi, T., 1283C
Nozaki, Y. See Tabata, M., 217C
Nunez, C. M.
—; Andrady, A. L.; Guo, R. K.; Baskir, J. N.; Morgan, D. R.: Mechanical Properties of Blends of PAMAM Dendrimers with Poly(vinyl chloride) and Poly(vinyl acetate), 2111C
Nuyken, O. See Koltzenburg, S., 2669C

Obendorf, S. K. See Sundararajan, N., 1443P
Ober, C. K. See Shiota, A., 31P
Oberhauser, J. P.
—; Leal, L. G.; Mead, D. W.: The Response of Entangled Polymer Solutions to Step Changes of Shear Rate: Signatures of Segmental Stretch? 265P
O'Brien, E. See Jensen, R. E., 2781P
Ogawa, T.
—; Suzuki, T.; Murakami, M.: Characterization of Poly(silylenemethylene)s by Positron Annihilation Lifetime Spectroscopy. I., 755P
Oh, M.-C. See Lee, H.-J., 2881C
Ohdaira, T. See Uedono, A., 2597P
Ohishi, H.
—; Ohwaki, T.; Nishi, T.: A Novel Process for Synthesizing Polystyrene and Polyarylate Block Copolymers Utilizing Telechelic Polystyrene, 2839C
Ohno, K.
—; Tsujii, Y.; Fukuda, T.: Synthesis of a Well-Defined Glycopolymer by Atom Transfer Radical Polymerization, 2473C
Ohwaki, T. See Ohishi, H., 2839C
Ohya, Y. See Ouchi, T., 1283C
Oikawa, H. See Liu, S. L., 1679P
Oikawa-Handa, S. See Ichikawa, R., 1035C
Oishi, T.
—; Sase, K.; Tsutsumi, H.: Syntheses and Thermostabilities of *N*-[4 – (*N'*-Substituted Aminocarbonyl)phenyl] maleimide Polymers, 2001C
Ojima, J. See Nomura, M., 1919C
Okamoto, K.-I. See Hao, J., 485C; Wang, H., 2247C
Okamoto, Y. See Fu, H., 1425C; Wu, J., 2013C
Okano, F. See Nagata, M., 1861C
Okay, O. See Kayaman, N., 1313P
Okimoto, N. See Ichikawa, R., 1035C
Okubo, M.
—; Ahmad, H.: Enzymatic Activity of Trypsin Adsorbed on Temperature-Sensitive Composite Polymer Particles, 883C
—; Ise, E.; Yamashita, T.: Production of Micron-Sized Monodispersed Polymer Particles by Seeded Polymerization for the Dispersion of Highly Monomer-Swollen Particles Prepared with Submicron-Sized Polymer Seed Particles Utilizing the Dynamic Swelling Method, 2513C
Okubo, T.
—; Kohmoto, S.; Yamamoto, M.; Yamada, K.: Synthesis,

Hydrophilicity, and Oxygen Permeability of Poly[(trimethylsilyl)propyne]-*gr*-poly(*N*,*N*-dimethylacrylamide), 603C
Okuyama, K. See Ni, C.-J., 749C
Okuzaki, H.
—; Kunugi, T.: Rapid Communication, 1591P
—; Kuwabara, T.; Kondo, T.: Role and Effect of Dopant Ion on Sorption-Induced Motion of Polypyrrole Films, 2635P
—; Kuwabara, T.; Kunugi, T.: Theoretical Study of Sorption-Induced Bending of Polypyrrole Films, 2237P
Olson, B. G. See Peng, Z. L., 861P
Olson, D. J.
—; Brown, E. F.; Burghardt, W. R.: Second Normal Stress Difference Relaxation in a Linear Polymer Melt Following Step-Strain (Note), 2671P
Omi, S.
—; Yuyama, H.; Ma, G.-H.: Note on the Numerical Solution of the Smith-Ewart Equation of $\bar{n}$ Modified for the Isolated Monomer Droplets in a Particular Suspension Polymerization, 367C
Orf, G. See Reinking, M. K., 2889C
Orgueira, H. A.
—; Bueno, M.; Funes, J. L.; Galbis, J. A.; Varela, O.: Synthesis and Characterization of Chiral Polyamides Derived from Glycine and (*S*)-5-Amino-4-methoxypentanoic Acid, 2741C
Ościk-Mendyk, B.
—; Gawdzik, B.; Kusak, R.: Studies on Adsorptive Properties of Porous Copolymers for HPLC, 2019P
Oshima, M. See Kanbara, T., 2155C
Osoba, W. See Borek, J., 1839P
Ou, Y.
—; Yang, F.; Yu, Z.-Z.: A New Conception on the Toughness of Nylon 6/Silica Nanocomposite Prepared via *In Situ* Polymerization, 789P
Ou, Y.-C. See Yu, Z.-Z., 1987P
Ouchi, T.
—; Seike, H.; Nozaki, T.; Ohya, Y.: Synthesis and Characteristics of Polydepsipeptide with Pendant Thiol Groups, 1283C
Ouyang, H.
—; Chen, C.-C.; Lee, S.; Yang, H.: Acetone Transport in Poly(ethylene Terephthalate) and Related Phenomena, 163P
Oyanguren, P. A.
—; Riccardi, C. C.; Williams, R. J. J.; Mondragon, I.: Phase Separation Induced by a Chain Polymerization: Polysulfone-Modified Epoxy/Anhydride Systems, 1349P
Oyumi, Y.
Ablation Characteristics of Silicone Insulation, 233C
Ozaki, Y. See Shimoyama, M., 1529P

Painter, P. C. See Coleman, M. M., 1579P
Paiva, A.
—; Foster, M. D.; Von Meerwall, E. D.: Mobility of a Tackifying Resin in a Pressure-Sensitive Adhesive, 373P
Pal, G. See Ghosh, P., 1973C
Palaniappan, S. See Anand, J., 2291C
Pan, C.-Y.
—; Liu, Y.; Liu, W.: Cationic Polymerization of 1,3-Dioxepane in the Presence of 2,2-Bis(hydroxymethyl)butanol, 2899C
Pan, Y. V.
—; Barrios, E. Z.; Denton, D. D.: *In situ* FTIR Investigation of MMA Plasmas, Plasma-Polymerized Films, and Reaction Mechanisms, 587C
Panas, A. See Soutzidou, M., 2805P
Pang, Y. See Jia, X., 1291C
Panyukov, S. V. See Kuchanov, S. I., 937P
Papanagopoulos, D. See Christopoulou, V., 1051P
Parcher, J. F. See Edwards, R. R., 2537P
Paredes, N.
—; Rodríguez-Galán, A.; Puiggalí, J.: Synthesis and Characterization of a Family of Biodegradable Poly(ester amide)s Derived from Glycine, 1271C
Park, C. E. See Ree, M., 1261P
Park, C. R. See Jang, S. S., 1637P
Park, J.-G.
—; Choi, W.-M.; Lee, N.-J.; Ha, C.-S.; Cho, W.-J.: Syntheses and Biological Activities of α-Methoxy-3,6-*endo*-methylene-1,2,3,6-tetrahydrophthaloyl-5-fluorouracil and Its Polymers, 1625C
—; Kim, S.-H.; Ha, C.-S.; Cho, W.-J.: Syntheses and Antitumor Activities of Medium Molecular Weight Polymers Containing 5-Fluorouracil, 2985C
Park, J.-K. See Cheong, S.-H., 1725C; Lee, K.-H., 991P; Moon, H.-S., 1431C
Park, K. H.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of New Soluble Aromatic Polybenzoxazoles from 4,4′-Diamino-3,3′-dihydroxytriphenylamines and Aromatic Dicarboxylic Acids, 1987C
—; Tani, T.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of New Soluble Aromatic Polyimides from Diaminotetraphenylimidazolinone and Aromatic Tetracarboxylic Dianhydrides, 1767C
Park, K. Y. See Park, S. H., 447P
Park, S. H.
—; Park, K. Y.; Suh, K. D.: Compatibilizing Effect of Isocyanate Functional Group on Polyethylene Terephthalate/Low Density Polyethylene Blends, 447P
Park, S. S.
—; Chae, S. H.; Im, S. S.: Transesterification and Crystallization Behavior of Poly(butylene succinate)/Poly(butylene terephthalate) Block Copolymers, 147C
Park, S. Y. See Roh, I. J., 1821P
Park, W. H.
—; Lenz, R. W.; Goodwin, S.: Epoxidation of Bacterial Polyesters with Unsaturated Side Chains. III. Crosslinking of Epoxidized Polymers, 2389C

—; Lenz, R. W.; Goodwin, S.: Epoxidation of Bacterial Polyesters with Unsaturated Side Chains. II. Rate of Epoxidation and Polymer Properties, 2381C

Park, Y. See Ko, J., 1981P

Park, Y.-H. See Ree, M., 1261P

Parnell, R. A. See Porter, T. L., 673P

Pascault, J. P. See Eloundou, J. P., 2911P

Pasquale, A. J.
—; Sheares, V. V.: Alkyl-Substituted Poly(2,5-benzophenone)s Synthesized via Ni(0)-Catalyzed Coupling of Aromatic Dichlorides and Their Miscible Blends, 2611C

Patrickios, C. S.
—; Forder, C.; Armes, S. P.; Billingham, N. C.: Near-Monodisperse, *n*-Alkyl, End-Functionalized Poly(Methyl Vinyl Ether)s: Synthesis by Living Cationic Polymerization and Solution Characterization, 2547C
—; Lowe, A. B.; Armes, S. P.; Billingham, N. C.: ABC Triblock Polymethacrylates: Group Transfer Polymerization Synthesis of the ABC, ACB, and BAC Topological Isomers and Solution Characterization, 617C

Paul, D. R. See Ruiz-Trevinõ, F. A., 1037P

Paz-Abuin, S.
—; Lopez-Quintela, A.; Pazos Pellin, M.; Varela, M.; Prendes, P.: Autoacceleration and Inhibition: Free Volume. Epoxy-Amine Kinetics, 1001C

Pazos Pellin, M. See Paz-Abuin, S., 1001C

Pearce, R.
—; Vancso, G. J.: Observations of Crystallization and Melting in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends by Hot-Stage Atomic-Force Microscopy, 2643P

Pecchini, R. See Tredici, A., 1117C

Pelesko, J. A. See Guidotti, P., 2941P

Penã, J. J. See Tormes, M., 253P

Penczek, P. See Szczepaniak, B., 21C

Peng, Z. L.
—; Olson, B. G.; Srithawatpong, R.; McGervey, J. D.; Jamieson, A. M.; Ishida, H.; Meier, T. M.; Halasa, A. F.: Study of Free Volume in High-Vinyl Polybutadiene/*cis*-Polyisoprene Blends Using Positron Annihilation Spectroscopy, 861P

Penlidis, A. See D'Agnillo, L., 831C; Polic, A. L., 813C; Vivaldo-Lima, E., 2081C

Penn, L. S. See Ibieta, J. B., 1309C

Pérez, E.
—; Cerrada, M. L.; Vanderhart, D. L.: Rapid Determination of Comonomer Content, Crystallinity, and Long Spacing by Multiple-Pulse Proton NMR in Ethylene-Vinyl Alcohol Copolymers, 2103P

Perutz, S.
—; Kramer, E. J.; Baney, J.; Hui, C.-Y.; Cohen, C.: Investigation of Adhesion Hysteresis in Poly(dimethylsiloxane) Networks Using the JKR Technique, 2129P

Pesneau, I.
—; Cassagnau, P.; Fulchiron, R.; Michel, A.: Crystallization from the Melt at High Supercooling in Finely Dispersed Polymer Blends: DSC and Rheological Analysis, 2573P

Petermann, J. See Huang, Y., 439P

Petrosyan, V. P.
—; Matevossyan, N. E.; Morozov, V. F.; Haroutiunian, S. G.: Hydrostatic Pressure Influence on Static Dielectric Permeability of Polymers, 2665P

Petrović, Z. S.
—; Javni, I.; Bánhegy, G.: Mechanical and Dielectric Properties of Segmented Polyurethane Elastomers Containing Chemical Crosslinks in the Hard Segment, 237P
—; Javni, I.; Divjaković, V.: Structure and Physical Properties of Segmented Polyurethane Elastomers Containing Chemical Crosslinks in the Hard Segment, 221P

Peuvrel-Disdier, E. See Dubois, J., 2005P

Pfromm, P. H. See Dorkenoo, K. D., 797P

Pham, H. See Feng, J., 1129P

Pham, T.-N. See Tabak, G., 117C

Phillips, P. J. See Medellín-Rodríguez, F. J., 763P

Phillips, R. A.
Morphology and Melting Behavior of Nascent Ultra-High Molecular Weight Polyethylene, 495P

Pieper, T. See Molenberg, A., 169C

Pikus, S. See Kultys, A., 2359C

Pinilla, I. M.
—; Martínez, M. B.; Mata, F. Z.; Galbis, J. A.: Synthesis and Properties of Stereoregular Poly(ester amides) Derived from Carbohydrates, 67C

Pinnau, I. See Singh, A., 289P

Pinzino, C.
—; Angelone, R.; Benvenuti, F.; Carlini, C.; Raspolli Galletti, A. M.; Sbrana, G.: Electron Paramagnetic Resonance Studies on Oxidative Polymerization Mechanism of Furan Derivatives, 1901P

Pittman, C. U., Jr. See Wu, Z., 861C, 873C

Po, R.
—; Cardi, N.; Santi, R.; Romano, A. M.; Zannoni, C.; Spera, S.: Polymerization of Styrene with Nickel Complex/Methylaluminoxane Catalytic Systems, 2119C

Pò, R. See Abis, L., 1557P

Podkościelny, W. See Kultys, A., 2359C

Polic, A. L.
—; Duever, T. A.; Penlidis, A.: Case Studies and Literature Review on the Estimation of Copolymerization Reactivity Ratios, 813C

Polk, M. B. See Hu, X., 1407C; Jenkins, S., 1473C

Polowinski, S. See Herczynska, L., 137C

Pönitsch, M. See Grüger, A., 483P

Ponomarenko, A. T. See Tchmutin, I. A., 1847P

Ponrathnam, S. See Gopakumar, T. G., 2707C

Porter, R. S. See Endo, R., 1419P, 2551P; Sawai, D., 629P

Porter, T. L.
—; Hagerman, M. E.; Reynolds, B. P.; Eastman, M. P.; Parnell, R. A.: Inorganic/Organic Host-Guest Materials: Surface and Interclay Reactions of Styrene with Copper(II)-Exchanged Hectorite, 673P
Posthuma De Boer, A. See Veenstra, H., 1795P
Pragliola, S. See Di Maio, L., 433P; Iannelli, P., 263C
Prasman, E.
—; Thomas, E. L.: High-Strain Tensile Deformation of a Sphere-Forming Triblock Copolymer/Mineral Oil Blend, 1625P
Prendes, P. See Paz-Abuin, S., 1001C
Priddy, D. B. See Kobatake, S., 2555C
Priester, R. D., Jr. See Liu, J., 1457C
Prolongo, M. G. See Sanchis, A., 95P
Prud'homme, R. E. See Boiko, Y. M., 567P
Pu, L. See Kwan, S. C. M., 2615P
Puglisi, C. See Montaudo, G., 1873C
Puglisi, O. See Fragala`, M. E., 655P
Puiggalí, J. See Paredes, N., 1271C
Pujari, P. K. See Sodaye, H. S., 983P
Pünt, I. G. M. See Bos, A., 1547P
Puskas, J. E.
—; Wilds, C. J.: Multiarm-Star Polyisobutylenes by Living Carbocationic Polymerization, 85C
Pyda, M.
—; Boller, A.; Grebowicz, J.; Chuah, H.; Lebedev, B. V.; Wunderlich, B.: Heat Capacity of Poly(trimethylene terephthalate), 2499P

Qi, Z.-N. See Yu, Z.-Z., 1987P
Qian, R. See Wang, Y., 783P
Qiu, K. Y. See Wang, H., 695C, 1301C; Zhou, W., 1607C
Qiu, X.
—; Li, M.; Kwan, C. M. S.; Wu, C.: Light-Scattering Study of the Coil-to-Globule Transition of Linear Poly(*N*-isopropylacrylamide) Ionomers in Water, 1501P
Quiram, D. J. See Kalika, D. S., 65P
Quirk, R. P. See Cho, J. C., 1743C; Kobatake, S., 2555C; Summers, G. J., 1233C

Rachkov, A. E. See Cheong, S.-H., 1725C
Racz, L. M.
—; Li, L.; Abedian, B.: Cure Kinetics of Light-Activated Polymers, 2887P
Radu, I. See Barboiu, V., 1615C
Raghavan, K. V. See Surianarayanan, M., 2503C
Rajan, C. R. See Gopakumar, T. G., 2707C
Ramakrishnan, S. See Jayakannan, M., 309C
Randall, J. C.
Sequence Distributions versus Catalyst Site Behavior of in Situ Blends of Polypropylene and Poly(ethylene-*co*-propylene), 1527C
Rasmussen, P. G. See Jang, T., 2619C
Raspolli Galletti, A. M. See Pinzino, C., 1901P
Rathinamuthu, K.
—; Victoria, R.; Vaidyanathan, S.; Gopalan, A.: Polymerization of *N,N'*-Methylenebis (acrylamide) Using Potassium Peroxydiphosphate-Thiocarboxylic Acid Redox Systems: A Comparison, 11C
Rausch, M. D. See Chien, J. C. W., 319C
Rawat, S. P. S.
—; Khali, D. P.: Clustering of Water Molecules during Adsorption of Water in Wood, 665P
Reber, N. See Hiroki, A., 1495C
Reddy, K. A. See Sundararajan, G., 2601C
Ree, M.
—; Shin, T. J.; Park, Y.-H.; Kim, S. I.; Woo, S. H.; Cho, C. K.; Park, C. E.: Residual Stress and Optical Properties of Fully Rod-Like Poly(*p*-phenylene pyromellitimide) in Thin Films: Effects of Soft-Bake and Thermal Imidization History, 1261P
—; See Kim, K., 1755C
Register, R. A. See Dean, D. M., 2821P; Kalika, D. S., 65P
Reimers, C. See Stribeck, N., 1423P
Reinhoudt, D. N. See Klok, H.-A., 383P
Reinking, M. K.
—; Orf, G.; McFaddin, D.: Novel Mechanism for the Formation of Long-Chain Branching in Polyethylene, 2889C
Rejdych, J. See Szczepaniak, B., 21C
Remenar, J. F. See Trollsås, M., 2793C
Rempel, G. L. See Thompson, M. R., 2371C
Ren, C.
—; Chen, C.; Xi, F.: Helix-Sense-Selective Copolymerization of Phenyl[bis(2-pyridyl)]methyl Methacrylate, Diphenyl(2-pyridyl)methyl Methacrylate and Triphenylmethyl Methacrylate with Chiral Anionic Initiators, 2127C
Reuter, A. See Spange, S., 1945C
Reynolds, B. P. See Porter, T. L., 673P
Reyx, D. See Gangadhara, 2531C, 2807C
Rezac, M. E. See Dorkenoo, K. D., 797P
Riccardi, C. C. See Oyanguren, P. A., 1349P
Rittig, F. See Fleischer, G., 2931P
Roberts, S. M. See Binns, F., 2069C
Robertson, M. A. F.
—; Mauritz, K. A.: Infrared Investigation of the Silicon Oxide Phase in [Perfluorocarboxylate/sulfonate (Bilayer)]/[Silicon Oxide] Nanocomposite Membranes, 595P
Robertson, R. E. See Kim, H. G., 133P, 175P
Rodríguez-Galán, A. See Paredes, N., 1271C
Rodríguez-Pérez, M. A.
—; Alonso, O.; Duijsens, A.; De Saja, J. A.: Thermal Expansion of Crosslinked Closed-Cell Polyethylene Foams, 2587P
Roessner, D. See Weidner, S., 1639C
Rogers, C. E. See Lee, J.-C., 495C, 793C, 75P
Rogers, D. F. See Fang, X., 461C
Roh, I. J.
—; Park, S. Y.; Kim, J. J.; Kim, C. K.: Effects of the Polyamide Molecular Structure on the Performance

of Reverse Osmosis Membranes, 1821P
Romano, A. M. See Po, R., 2119C
Romaõ Dias, A. See Merceês Marques, M., 573C
Romo-Uribe, A.
—; Mather, P. T.; Haddad, T. S.; Lichtenhan, J. D.: Viscoelastic and Morphological Behavior of Hybrid Styryl-Based Polyhedral Oligomeric Silsesquioxane (POSS) Copolymers, 1857P
Rongshi, C. See Xiaohu, Y., 2677P
Roviello, A. See Caruso, U., 2371P; Di Maio, L., 433P; Iannelli, P., 263C
Ruckenstein, E.
—; Zhang, H.: A Novel Route to Poly(2-hydroxyethyl methacrylate) and Its Amphiphilic Block Copolymers, 1865C
Rudnik, E. See Szczepaniak, B., 21C
Rueda, D. R. See Zolotukhin, M. G., 1251C
Ruiz-Trevinõ, F. A.
—; Paul, D. R.: A Quantitative Model for the Specific Volume of Polymer–Diluent Mixtures in the Glassy State, 1037P
Ruotoistenmäki, J. See Bergström, C. H., 1633C
Russell, T. P. See Stoffel, N. C., 2247P
Russo, M. V.
—; Furlani, A.; D'Amato, R.: Synthesis and Properties of *p*-Nitrophenylacetylene-Phenylacetylene Copolymers, 93C
Rusu, D. See Dubois, J., 2005P
Rutledge, G. C. See Foulger, S. H., 727P
Ryan, A. J. See Neff, R., 573P
Rysz, J. See Budkowski, A., 2691P
Ryvkina, N. G. See Tchmutin, I. A., 1847P
Rzaev, Z. M. O.
Tin Effect in Formation and Photocross-linking Reactions of Tri-*n*-Butylstannyl Methacrylate-Allyl Chloroacetate Copolymer, 2339C
—; Akovali, G.; Salamova, Ü.: Effects of Complex Formation and Cyclization in Radical Copolymerization of Allyl(metha)acrylates with Maleic Anhydride, 1501C

Saam, J. C.
Low-Temperature Polycondensation of Carboxylic Acids and Carbinols in Heterogeneous Media, 341C
Saarinen, K. See Dlubek, G., 1513P
Sachdev, V. K.
—; Yahsi, U.; Jain, R. K.: Equation of State of Poly(dimethylsiloxane) Melts, 841P
Sachinvala, N. D.
—; Winsor, D. L.; Menescal, R. K.; Ganjian, I.; Niemczura, W. P.; Litt, M. H.: Sucrose-Based Epoxy Monomers and Their Reactions with Diethylenetriamine, 2397C
Sadahiro, Y. See Tabata, M., 217C, 2457C
Sadatoshi, H. See Ko, Y. S., 291C
Saegusa, Y.
—; Horikiri, M.; Sakai, D.; Nakamura, S.: Preparation and Characterization of Fluorine-Containing Aromatic Condensation Polymers. VI. Aromatic Polybenzothiazoles from 4,4′-(Hexafluoroisopropylidene)-dibenzoic Acid and Tetrafluoroterephthalic Acid and 2,5-Diamino-1,4-benzenedithiol Dihydrochloride, 429C
Sáenz De Buruaga, A.
—; Capek, I.; De La Cal, J. C.; Asua, J. M.: Kinetics of the Photoinitiated Inverse Microemulsion Polymerization of 2-Methacryloyl oxyethyl trimethyl ammonium chloride, 737C
Safari Ardi, M. See Simon, G. P., 1465P
Saiter, J.-M. See Godard, M.-E., 583P, 2865P
Saitoh, K. See Umeda, S., 901C
Sakaguchi, M.
—; Yamamoto, K.; Shimada, S.; Sakai, M.: Molecular Motion of Ends of Isolated Poly(isobutylene) Chains Tethered on the Poly(tetrafluoroethylene) Surface *In Vacuo*, 2095P
Sakai, D. See Saegusa, Y., 429C
Sakai, M. See Sakaguchi, M., 2095P
Sakai, W. See Nagata, M., 1861C
Sakairi, N. See Tojima, T., 1965C
Salamova, Ü. See Rzaev, Z. M. O., 1501C
Salom, C. See Sanchis, A., 95P
Salovey, R. See Yeom, B., 329C
Salvetti, G. See Tombari, E., 303P
Samperi, F. See Montaudo, G., 1873C
Samuelson, L. See Balogh, L., 703C
Sánchez-Cuesta, M. See Ezquerra, T. A., 49P
Sanchis, A.
—; Prolongo, M. G.; Salom, C.; Masegosa, R. M.: Melting Behavior, Miscibility, and Hydrogen-Bonded Interactions of Poly(ϵ-caprolactone)/Poly(4-hydroxystyrene-*co*-methoxystyrene) Blends, 95P
Sanda, F.
—; Koyama, E.; Endo, T.: Synthesis and Reactions of a Poly(methacrylate) from an Optically Active Amino Alcohol, 1981C
—; Murata, J.; Endo, T.: Synthesis and Radical Ring-Opening Polymerization of Vinylcyclopropanes Bearing Vinylsilane Groups, 2037C
—; Nakamura, M.; Endo, T.: Syntheses and Radical Polymerization Behavior of Novel Optically Active Methacrylamides Having (L)-Leucine Structure in the Side Chains, 2681C
Sanda, F. See Choi, W., 79C, 1189C; Hitomi, M., 2823C; Matsuo, J., 2463C; Murata, H., 1679C; Toneri, T., 1957C
Sang, H.-C. See Liaw, D.-J., 1785C
Sangen, O. See Kawatsuki, N., 1521C
Sano, T. See Kaji, E., 2735C
Santagati, A. See Amaratunga, W., 379C
Santamaría, A. See Tormes, M., 253P
Santi, R. See Po, R., 2119C
Sasabe, H. See Sata, T., 2489C
Sasaki, T. See Ichinohe, D., 2593C
Sase, K. See Oishi, T., 2001C

Sastri, S. B.
—; Keller, T. M.: Phthalonitrile Cure Reaction with Aromatic Diamines, 1885C
Sata, T.
—; Nomura, R.; Wada, T.; Sasabe, H.; Masuda, T.: Polymerization of *N*-Carbazolylacetylene by Various Transition Metal Catalysts and Polymer Properties, 2489C
—; Yamane, Y.; Matsusaki, K.: Preparation and Properties of Anion Exchange Membranes Having Pyridinium or Pyridinium Derivatives as Anion Exchange Groups, 49C
Sathyanarayana, D. N. See Anand, J., 2291C
Sato, M.
—; Ujiie, S.; Tada, Y.; Goto, Y.: Preparation and Thermotropic Liquid Crystalline Properties of Semirigid Copolyurethanes Composed of Biphenyl Units and Partially Fluorinated Aliphatic Chains, 1243C
Sato, T.
—; Kitajima, T.; Seno, M.; Hayashi, Y.: Kinetic and ESR Studies on Radical Copolymerization of *p-tert*-Butoxystyrene and Di-*n*-butyl Maleate in Benzene, 1449C
—; Shimooka, S.; Seno, M.: Radical Polymerization of Ortho-(1,3-Dioxolan-2-yl)phenyl Ethyl Fumarate Involving Intramolecular Hydrogen Abstraction and Ring Opening of Cyclic Acetal, 563C
—; See Seno, M., 2905C; Shimomura, O., 1779C
Sato, Y. See Suzuki, A., 473P
Satoh, T. See Umeda, S., 901C
Sauer, B. B. See Nogales, A., 913P
Sauer, J. A. See Tsou, L., 1235P
Savitsky, A. V. See Kober, K., 2829P
Sawaguchi, T.
—; Seno, M.: Controlled Thermal Degradation of Polystyrene Leading to Selective Formation of End-Reactive Oligomers, 209C
Sawai, D.
—; Yamane, A.; Takahashi, H.; Kanamoto, T.; Ito, M.; Porter, R. S.: Development of High Ductility and Tensile Properties by a Two-Stage Draw of Poly(acrylonitrile): Effect of Molecular Weight, 629P
Sbrana, G. See Pinzino, C., 1901P
Schaefer, D. W. See McCarthy, D. W., 1167P, 1191P
Schawe, J. E. K.
Description of Thermal Relaxation of Polystyrene Close to the Thermal Glass Transition, 2165P
Scheffold, F. See Budkowski, A., 2691P
Schieber, J. D. See Andrews, N. C., 1401P
Schillén, K. See Kitaev, V., 1567P
Schleyer, D. See Wutz, C., 2033P
Schmidt, M.
—; Maurer, F. H. J.: Pressure–Volume–Temperature Properties and Free Volume Parameters of PEO/PMMA Blends, 1061P
Schönhals, A. See Ngai, K. L., 1927P
Schönherr, H.
—; Vancso, G. J.: Surface Properties of Oxidized LDPE by Scanning Force Microscopy with Chemically Modified Probes, 2483P
Schultz, J. M.
—; Miles, M. J.: AFM Study of Morphological Development During the Melt-Crystallization of Poly(Ethylene Oxide), 2311P
—; See Kit, K. M., 873P
Schultz, J. W.
—; Chartoff, R. P.; Ullett, J. S.: Photopolymerization of Nematic Liquid Crystal Monomers for Structural Applications: Linear Viscoelastic Behavior and Cure Effects, 1081P
Sclavons, M. See Calberg, C., 543P
Scola, D. A. See Fang, X., 461C; Liu, Y., 2653C
Seike, H. See Ouchi, T., 1283C
Seino, H.
—; Mochizuki, A.; Haba, O.; Ueda, M.: A Positive-Working Photosensitive Alkaline-Developable Polyimide with a Highly Dimensional Stability and Low Dielectric Constant Based on Poly(amic acid) as a Polyimide Precursor and Diazonaphthoquinone as a Photosensitive Compound, 2261C
—; See Haba, O., 2309C
Seisa, E. A. See Hamza, A. A., 555P
Seker, F.
—; Ellis, A. B.: Correlation of Chemical Structure and Swelling Behavior in *N*-Alkylacrylamide Hydrogels, 2095C
Sekkat, Z.
—; Knoesen, A.; Lee, V. Y.; Miller, R. D.: Influence of the Polymer Structure on the Achievement of Polar Orientation in High Glass Transition Temperature Nonlinear Optical Polyimides by Photo-Assisted Poling, 1669P
Sen, M.
—; Guven, O.: Determination of Solubility Parameter of Poly (*N*-Vinyl 2-Pyrrolidon/Ethylene Glycol Dimethacrylate) Gels by Swelling Measurements, 213P
Seno, M.
—; Fukunaga, H.; Sato, T.: Kinetic and ESR Studies on Radical Polymerization of Methyl Methacrylate in the Presence of Fullerene, 2905C
—; See Sato, T., 563C, 1449C; Sawaguchi, T., 209C
Seppälä, J. V. See Bergström, C. H., 1633C
Serizawa, T.
—; Chen, M.-Q.; Akashi, M.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. XVIII. Poly(styrene) Nanospheres with Novel Thermosensitive Poly(*N*-vinylisobutyramide)s on Their Surfaces, 2581C
Serrano, J. See Bosch, P., 2775C, 2785C
Seto, K. See Echigo, Y., 1961C
Sevely, J. See Jussiaux-Devilder, C., 319P
Seytre, G. See Eloundou, J. P., 2911P
Shackleton, J. S. See Hoei, Y., 1293P
Shah, A.
—; Stepanov, E. V.; Capaccio, G.; Hiltner, A.; Baer, E.: Stepwise Fatigue Crack Propagation in Polyethylene

Resins of Different Molecular Structure, 2355P
Shaker, M. See Lu, X., 2349P
Sharma, P. R. S. See Li, M., 553C
Sheares, V. V. See Pasquale, A. J., 2611C
Shelby, M. D.
—; Wilkes, G. L.: Thermodynamic Characterization of the Oriented State of Bisphenol A Polycarbonate as it Pertains to Enhanced Physical Aging, 2111P
Shen, D. See Wang, Y., 783P
Shen, Q. See Mao, L., 1593C
Shen, Q.-D.
—; Yang, C.-Z.: Transition Metal Complexes of *N*-Picolyl Polyurethane, 1539P
Shenoy, S. L.
Osmotic Deswelling of Polymer Gels, 2525P
Sherman, M. A.
—; Kennedy, J. P.: Novel Polyisobutylene/Poly(dimethylsiloxane) Bicomponent Networks. I. Synthesis and Characterization, 1891C
—; Kennedy, J. P.: Novel Polyisobutylene/Poly(dimethylsiloxane) Bicomponent Networks. II. Network Structure and Property Characterization, 1901C
Sheu, Y. M. See Chang, C. H., 1481C
Shevchenko, V. G. See Tchmutin, I. A., 1847P
Shi, F. F.
—; Economy, J.: Moisture Transport Studies on Newly Developed Aromatic and Aromatic/Aliphatic Copolyester Thin Films, 1025P
Shi, L. See Wan, D., 2927C
Shibasaki, Y. See Nomura, R., 2209C; Yang, M., 2315C
Shim, S. C. See Kim, D. S., 2275C
Shimada, S. See Sakaguchi, M., 2095P
Shimazu, H. See Matsumoto, K., 225C
Shimomura, O.
—; Sato, T.; Tomita, I.; Suzuki, M.; Endo, T.: Synthesis and Properties of Novel Polymers Having *S*-Methyldibenzothiophenium Salt Moieties, 1779C
Shimooka, S. See Sato, T., 563C
Shimoyama, M.
—; Hayano, S.; Matsukawa, K.; Inoue, H.; Ninomiya, T.; Ozaki, Y.: Discrimination of Ethylene/Vinyl Acetate Copolymers with Different Composition and Prediction of the Content of Vinyl Acetate in the Copolymers and Their Melting Points by Near-Infrared Spectroscopy and Chemometrics, 1529P
Shin, T. J. See Ree, M., 1261P
Shindo, Y. See Hasegawa, M., 827P
Shinton, S. See Simon, G. P., 1465P
Shiota, A.
—; Ober, C. K.: Smectic Networks Obtained from Twin LC Epoxy Monomers—Mechanical Deformation of the Smectic Networks, 31P
Shirakawa, H. See Kijima, M., 2691C
Shiue, H.-C. See Chern, Y.-T., 785C
Shoemake, K. A. See Storey, R. F., 471C
Shtompel, V. I. See Kosyanchuk, L. F., 1379C
Sieiro, C. See Bosch, P., 2775C, 2785C
Siemiarczuk, A. See Feng, J., 1115P
Sikorski, P.
—; Cooper, S. J.; Atkins, E. D. T.; Jaycox, G. D.; Vogl, O.: Helical Conformations of Isotactic Polyacetaldehyde and Other Isotactic Polytrihaloacetaldehydes, 1855C
Simon, G. P.
—; Safari Ardi, M.; Goodwin, A. A.; Zipper, M. D.; Andrews, S. R.; Shinton, S.; Williams, G.; Galop, M.; Trimmer, M.: Molecular Mobility of Substituted Poly(*p*-phenylenes) Characterized by a Range of Polymer Relaxation Techniques, 1465P
Simon, G. P. See Hodge, R. M., 463P
Simpson, P. J. See Myler, U., 2413P
Singh, A.
—; Freeman, B. D.; Pinnau, I.: Pure and Mixed Gas Acetone/Nitrogen Permeation Properties of Polydimethylsiloxane [PDMS], 289P
—; See Zimmerman, C. M., 1747P
Singru, R. M. See Haldar, B., 969P
Sirigu, A. See Caruso, U., 2371P; Di Maio, L., 433P; Iannelli, P., 263C
Sirivat, A. See Sukpisan, J., 743P
Sloan, J. M. See Hong, S. U., 337P
Soares, J. B. P. See D'Agnillo, L., 831C
Sobkowiak, M. See Coleman, M. M., 1579P
Sodaye, H. S.
—; Pujari, P. K.; Goswami, A.; Manohar, S. B.: Measurement of Free-Volume Hole Size Distribution in Nafion-117 Using Positron Annihilation Spectroscopy, 983P
Södergård, A.
Preparation of Poly(ϵ-caprolactone)-*co*-Poly(acrylic acid) by Radiation-Induced Grafting, 1805C
Soga, K.
—; Kaji, E.; Uozumi, T.: Propene Polymerization with the $MgCl_2$-Supported Dichlorobis(β-Diketonato) titanium Catalysts Activated by Ordinary Alkylaluminums, 129C
—; See Arai, T., 421C; Ban, H. T., 2269C; Kaji, E., 2735C
Soini, A. E. See Chernyshev, A. V., 2757C
Sone, T. See Tabata, M., 217C, 2457C
Soutzidou, M.
—; Panas, A.; Viras, K.: Differential Scanning Calorimetry (DSC) and Raman Spectroscopy Study of Poly(dimethylsiloxane), 2805P
Spange, S.
—; Reuter, A.; Vilsmeier, E.; Heinze, T.; Keutel, D.; Linert, W.: Determination of Empirical Polarity Parameters of the Cellulose Solvent *N,N*-Dimethylacetamide/LiCl by means of the Solvatochromic Technique, 1945C
Spera, S. See Po, R., 2119C
Sperlich, B. R. See Bergström, C. H., 1633C

Spiess, H. W. See Lehmann, S. A., 693P
Spohr, R. See Hiroki, A., 1495C
Spontak, R. J. See Laurer, J. H., 2379P, 2513P
Springer, J. See Ferri, D., 21P; Koltzenburg, S., 2669C
Spruiell, J. E. See Mezghani, K., 1005P; Supaphol, P., 681P
Spry, R. J. See Tan, L.-S., 713C
Srinivasan, K. R. See Tan, L.-S., 713C
Srithawatpong, R. See Peng, Z. L., 861P
Stavber, S. See Zupan, M., 1699C
Stein, R. S. See Whaley, P. D., 617P
Stepanov, E. V. See Shah, A., 2355P
Stevens, M. P. See Fang, X., 461C
Stoeva, S.
—; Kartalov, P.; Jankova, K.: Combined Relaxation Study of Poly(vinyl chloride) Blends with Chlorinated Poly(ethylene), Hydroxyl-Terminated Poly(butadiene), and Ethylene-Propylene-Diene Terpolymer, 1595P
Stoeva, V. See Feng, J., 1129P
Stoffel, N. C.
—; Kramer, E. J.; Volksen, W.; Russell, T. P.: Imidization and Interdiffusion of Poly(amic ethyl ester) Precursors of PMDA/3,4′-ODA, 2247P
Storey, R. F.
—; Shoemake, K. A.: Effect of Reaction Conditions on Synthesis and Properties of MultiArm Star-Branched Polyisobutylenes, 471C
Storti, G. See Ghielmi, A., 1127C
Stöver, H. D. H. See Frank, R. S., 2223C; Li, W.-H., 1543C
Strathmann, H. See Bos, A., 1547P
Streba, E. See Barboiu, V., 1615C
Stribeck, N.
—; Reimers, C.; Ghioca, P.; Buzdugan, E.: Mechanical Properties and the Two-Phase Structure Inside the Heterophase Domains of Blends from HDPE and SBS Star Block Copolymers, 1423P
Strutz, S. J.
—; Brower, S. C.; Hayden, L. M.: Temperature Dependence of the Activation Volume in a Nonlinear Optical Polymer: Evidence for Chromophore Reorientation Induced by Sub-*Tg* Relaxations, 901P
—; Hayden, L. M.: Effect of Pressure and Temperature on Chromophore Reorientation in a Side-Chain Nonlinear Optical Polymer, 2793P
Stukenbrock, T. See Kricheldorf, H. R., 31C, 1387C, 1397C, 2347C
Su, J. See Zhou, S., 889P
Sudol, E. D. See Liotta, V., 1553C
Sugita, A. See Yoshida, E., 2059C
Sugizaki, T. See Iida, T., 655C
Suh, K. D. See Park, S. H., 447P
Suh, M. C. See Kim, D. S., 2275C
Sukpisan, J.
—; Kanatharana, J.; Sirivat, A.; Wang, S. Q.: The Specific Viscosity of Partially Hydrolyzed Polyacrylamide Solutions: Effects of Degree of Hydrolysis, Molecular Weight, Solvent Quality and Temperature, 743P
Summers, G. J.
—; Quirk, R. P.: Anionic Synthesis of Aromatic Amide and Carboxyl Functionalized Polymers. Chain-end Functionalization of Poly(styryl)lithium with *N,N*-Diisopropyl-4-(1-Phenylethenyl)benzamide, 1233C
Sun, X. D. See Liu, Y., 2653C
Sundararajan, G.
—; Vasudevan, V.; Reddy, K. A.: Synthesis of Triblock Copolymers—(*poly*A-*poly* butadiene-*poly*A)—via Metathesis Polymerization, 2601C
Sundararajan, N.
—; Obendorf, S. K.: Mapping of Chemically Accessible Regions in Semicrystalline Polymers, 1443P
Sung, Y. K. See Kang, I.-K., 2331C
Supaphol, P.
—; Spruiell, J. E.: Nonisothermal Bulk Crystallization Studies of High Density Polyethylene Using Light Depolarizing Microscopy, 681P
Surianarayanan, M.
—; Vijayaraghavan, R.; Raghavan, K. V.: Spectroscopic Investigations of Polyacrylonitrile Thermal Degradation, 2503C
Suzuki, A.
—; Endo, A.; Kunugi, T.: Application of the High-Tension Multiannealing to Nylon 46 Fibers, 2737P
—; Kohno, T.; Kunugi, T.: Application of Zone-Drawing and Zone-Annealing Method to Poly(*p*-phenylene sulfide) Fibers, 1731P
—; Sato, Y.; Kunugi, T.: Application of Continuous Zone-Drawing/Zone-Annealing Method to Poly(ethylene Terephthalate) Fibers, 473P
—; See Nishikubo, T., 2873C
Suzuki, M. See Iwamura, T., 1491C, 1515C; Shimomura, O., 1779C
Suzuki, R. See Uedono, A., 2597P
Suzuki, T. See Ogawa, T., 755P
Szadkowska-Nicze, M.
—; Mayer, J.: Pulse Radiolysis Studies of Poly(methyl methacrylate) Containing Pyrene, 1209C
—; See Mayer, J., 1217C
Szczepaniak, B.
—; Penczek, P.; Warchałowska, M.; Rejdych, J.; Leszczyńska, I.; Rudnik, E.: Liquid Crystalline Epoxy Resins by Polyaddition of Diglycidyl Ether of 4,4′-Dihydroxybiphenyl and Difunctional Aromatic Compounds, 21C
Szreder, T. See Mayer, J., 1217C
Szwarc, M.
Electron Photoejection and Its Application in Studies of Electron Transfers, vC
Living Polymers. Their Discovery, Characterization, and Properties, ixC

Tabak, G.
—; Pham, T.-N.; Levesque, G.; Haraoubia, R.: Synthesis of Thioamide-Containing Polystyrenes by Friedel–Crafts Reaction and by Thioamidation of (co)Polydithioesters, 117C

Tabata, M.
—; Sadahiro, Y.; Sone, T.; Yokota, K.; Ishikawa, Y.: Unusually Facil *Cis* to *Trans* Isomerization of a Polypropiolate Bearing a Long Alkyl Chain Polymerized Using a p(norbornadiene)Cl_2 Catalyst: An ESR Study, 2457C
—; Sone, T.; Sadahiro, Y.; Yokota, K.; Nozaki, Y.: Pressure-Induced *Cis* to *Trans* Isomerization of Aromatic Polyacetylenes Prepared Using a Rh Complex Catalyst: A Control of π-Conjuction Length, 217C
Tada, Y. See Sato, M., 1243C
Tadjbakhsch, S. See Alig, I., 1703P, 2949P
Tait, P. J. T. See Mercês Marques, M., 573C
Takahashi, H. See Sawai, D., 629P
Takahashi, M. See Yonetake, K., 413C
Takatsuka, H. See Kawatsuki, N., 1521C
Takaya, K.
—; Itoh, C.; Uunno, Y.: Synthesis of Poly(hydroxymethylene-*co*-ethylene) by Hydrogenation of the Ethylene and Carbon Monoxide Copolymer Obtained by Radical Initiator with Ru/α-Alumina and Oxygen Gas Permeability, 889C
Takeshita, Y.
—; Ichino, T.; Nishi, S.: Physical Properties and Structure of a Poly(styrene-*co*-butadiene) Rubber/Poly(acrylonitrile-*co*-butadiene) Rubber Latex Mixture Film, 2493C
Tam, K. C.
—; Farmer, M. L.; Jenkins, R. D.; Bassett, D. R.: Rheological Properties of Hydrophobically Modified Alkali-Soluble Polymers—Effects of Ethylene–Oxide Chain Length, 2275P
Tamai, S.
—; Yamashita, W.; Yamaguchi, A.: Preparation and Properties of Processable Polyimides Having Bulky Pendent Ether Groups, 971C
—; Yamashita, W.; Yamaguchi, A.: Thermo-Oxidatively Stable Polyimides and Their Chemical Structures, 1717C
Tamai, T. See Kataoka, K., 455P
Tan, J. S.
—; Harrison, C. A.; Li, J. T.; Caldwell, K. D.: Characterization of Soluble Polyelectrolyte-Gelatin Complexes by Differential Size-Exclusion Chromatography and Flow Field-Flow Fractionation, 537P
Tan, K. L. See Chen, W., 357C
Tan, L.-S.
—; Srinivasan, K. R.; Bai, S. J.; Spry, R. J.: New Aromatic Benzazole Polymers II: Synthesis and Conductivity of Benzobisthiazole-*co*-polymers Incorporated with 4-*N*,*N*-Dimethylaminotriphenylamine Groups, 713C
—; Venkatasubramanian, N.; Mather, P. T.; Houtz, M. D.; Benner, C. L.: Synthesis and Thermal Properties of Thermosetting Bis-benzocyclobutene–terminated Arylene Ether Monomers, 2637C
Tanabe, M. See Watanabe, S., 2229C
Tanaka, K. See Hao, J., 485C; Wang, H., 2247C
Tanaka, S. See Kimura, T., 1227P
Tang, H. See Kong, X., 2267P
Tani, T. See Park, K. H., 1767C
Tanida, F. See Tojima, T., 1965C
Tanigawa, S. See Uedono, A., 1919P, 2597P
Tao, Y. See Edwards, R. R., 2537P
Taylor, A. See Binns, F., 2069C
Tchmutin, I. A.
—; Ponomarenko, A. T.; Shevchenko, V. G.; Ryvkina, N. G.; Klason, C.; McQueen, D. H.: Electrical Transport in 0-3 Epoxy Resin-Barium Titanate-Carbon Black Polymer Composites, 1847P
Teng, F. See Kong, X., 2267P
Tenhu, H. See Aseyev, V. O., 1107P; Lowe, T. L., 2141P
Teraguchi, M.
—; Masuda, T.: Polymerization of Diphenylacetylenes Having Very Bulky Silyl Groups and Polymer Properties, 2721C
Terlingen, J. G. A. See Lens, J. P., 1829C
Termonia, Y.
Coagulation of a Polymer Solution: Effect of Initial Dispersion of Polymer in Solvent, 2493P
Thammongkol, V. See Jenkins, S., 1473C
Thomas, E. L. See Prasman, E., 1625P
Thomas, M. See Gangadhara, 2531C, 2807C
Thompson, M. R.
—; Tzoganakis, C.; Rempel, G. L.: A Parametric Study of the Terminal Maleation of Polypropylene through an Alder Ene Reaction, 2371C
Tihminlioglu, A. See Muralidharan, V., 1713P
Tirrell, D. A.
Synthesis of Alkoxyamine Initiators for Controlled Radical Polymerization, 2667C
Tobita, H.
General Matrix Formula for the Weight-Average Molecular Weights of Crosslinked Polymer Systems, 2423P
Markovian Approach to Nonlinear Polymer Formation: Free-Radical Polymerization with Chain Transfer to Polymer, 357P
Structural Requirements for Gel Formation, 2015P
Tojima, T.
—; Katsura, H.; Han, S.-M.; Tanida, F.; Nishi, N.; Tokura, S.; Sakairi, N.: Preparation of an α-Cyclodextrin-Linked Chitosan Derivative via Reductive Amination Strategy, 1965C
Tokura, S. See Tojima, T., 1965C
Tombari, E.
—; Ferrari, C.; Salvetti, G.; Johari, G. P.: Dielectric Spectroscopy and Calorimetry during Postcuring of a Linear Chain Polymer Thermoset Formed from a Diepoxide and Cyclohexylamine, and the Nature of the Products, 303P
Tomita, I. See Iwamura, T., 1491C, 1515C; Kuroda, H., 2589C; Shimomura, O., 1779C
Toneri, T.
—; Sanda, F.; Endo, T.: Polymerization of Epoxide by a Fluorenyltriphenylphosphonium

Salt as a Thermally Latent Initiator, 1957C
Torii, Y. See Liu, S. L., 1679P
Tormes, M.
—; Munõz, M. E.; Penã, J. J.; Santamaría, A.: Rheology of Rodrun Liquid-Crystalline Polymers, 253P
Tran-Cong, Q. See Kataoka, K., 455P
Tredici, A.
—; Pecchini, R.; Morbidelli, M.: Self-Propagating Frontal Copolymerization, 1117C
Tregre, G. J. See Mathias, L. J., 2869P
Tretinnikov, O. N.
—; Ikada, Y.: Surface Characterization of Ion-Implanted Polyethylene, 715P
Trimer, M. See Vaia, R. A., 2449P
Trimmer, M. See Dean, D., 2971P; Simon, G. P., 1465P
Tripathy, S. See Lee, T. S., 283C
Trollsås, M.
—; Hawker, C. J.; Remenar, J. F.; Hedrick, J. L.; Johansson, M.; Ihre, H.; Hult, A.: Highly Branched Radial Block Copolymers via Dendritic Initiation of Aliphatic Polyesters, 2793C
—; Hedrick, J. L.; Dubois, Ph.; Jérôme, R.: Synthesis of Acid-Functional Asymmetric Aliphatic Polyesters, 1345C
Tsai, J.-S. See Liaw, D.-J., 1785C
Tsarik, L. Y.
—; Novikov, O. N.; Magdinets, V. V.: Copolymerization of Divinyl Monomers with Maleic and Fumaric Acid Derivatives, 371C
Tshmel, A. E. See Kober, K., 2829P
Tsou, L.
—; Ma, X.; Sauer, J. A.; Hara, M.: Blends of Poly(methyl methacrylate) (PMMA) with PMMA Ionomers: Mechanical Properties, 1235P
Tsuda, M. See Ichikawa, R., 1035C
Tsuji, H.
—; Ikada, Y.: Properties and Morphology of Poly(L-lactide). II. Hydrolysis in Alkaline Solution, 59C
Tsujii, Y. See Ohno, K., 2473C
Tsukada, M.
—; Freddi, G.; Kasai, N.; Monti, P.: Structure and Molecular Conformation of Tussah Silk Fibroin Films Treated with Water-Methanol Solutions: Dynamic Mechanical and Thermomechanical Behavior, 2717P
Tsushima, M. See Feng, K., 685C
Tsutsumi, H. See Oishi, T., 2001C
Tsutsumi, N. See Nagata, M., 1861C
Tullos, G. L. See Mathias, L. J., 1317C
Tunca, Ü.
—; Hizal, G.: Synthesis and Characterization of Aromatic Poly(ether ketone)s Containing Cyclotriphosphazene Units, 1227C
Tuncel, A. See Çiçek, H., 527, 543C
Turri, S. See Levi, M., 939C
Tyan, H.-L.
—; Wei, K.-H.: Miscibility and Transesterification in Blends of Liquid Crystalline Copolyesters and Polyarylate, 1959P
Tzoganakis, C. See Thompson, M. R., 2371C

Ueda, M. See Haba, O., 2309C; Seino, H., 2261C; Yonetake, K., 413C
Uedono, A.
—; Suzuki, R.; Ohdaira, T.; Uozumi, T.; Ban, M.; Kyoto, M.; Tanigawa, S.; Mikado, T.: Open Spaces in the Subsurface Region of Polyethylene Probed by Monoenergetic Positron Beams, 2597P
—; Tanigawa, S.; Watanabe, M.; Nishimoto, A.: Open Spaces and Molecular Motions of Polyether-Based Network Polymers Probed by Positron Annihilation, 1919P
Uehara, H. See Endo, R., 2551P
Uezu, K. See Yoshida, M., 2727C
Uhlig, W.
Convenient Approach to Novel Functional Substituted and Branched Poly(silylenemethylenes), 725C
Ujihira, Y. See Ito, K., 1141P
Ujiie, S. See Sato, M., 1243C
Ullett, J. S. See Schultz, J. W., 1081P
Umapathy, S. See Vivekanandam, T. S., 2715C
Umeda, S.
—; Satoh, T.; Saitoh, K.; Yokota, K.; Kakuchi, T.: Synthesis of (1 → 6)-2,5-Anhydro-D-glucitol through Cyclopolymerization of 3,4-Di-*O*-allyl-1,2 : 5,6-dianhydro-D-mannitol and Optical Resolution Ability of Its Derivative in HPLC, 901C
Ungar, G. See Ezquerra, T. A., 49P
Uozumi, T. See Arai, T., 421C; Ban, H. T., 2269C; Kaji, E., 2735C; Soga, K., 129C; Uedono, A., 2597P
Uragami, T. See Inui, K., 281P
Uryu, T. See Ni, C.-J., 749C; Yoshida, T., 841C
Uunno, Y. See Takaya, K., 889C

Vaia, R. A.
—; Krishnamoorti, R.; Benner, C.; Trimer, M.: Chain Conformation of Rod-Like Polymers in the Melt: Small-Angle Neutron Scattering of Poly(benzoyl paraphenylene), 2449P
Vaidyanathan, S. See Rathinamuthu, K., 11C
Vancso, G. J. See Lammertink, R. G. H., 2147C; Pearce, R., 2643P; Schönherr, H., 2483P;
Vanderhart, D. L. See Hu, X., 1407C; Pérez, E., 2103P
Van Duin, M.
—; Aussems, M.; Borggreve, R. J. M.: Graft Formation and Chain Scission in Blends of Polyamide-6 and −6.6 with Maleic Anhydride Containing Polymers, 179C
Van Eijndhoven-Rivera, M. J.
—; Wagner, N. J.; Hsiao, B.: Correlation of the Minor-Phase Orientation to the Flow-Induced Morphological Transitions in Thermotropic Liquid Crystalline Polymer/PBT Blends, 1769P
Van Turnhout, J. See Boersma, A., 815P, 2835P
Varela, M. See Paz-Abuin, S., 1001C
Varela, O. See Orgueira, H. A., 2741C
Varma, I. K.
—; Madan, R.; Anand, R. C.: ERRATUM: Studies on

Metathetical and Thermal Polymerization of 5-Norbornene 2,3-dicarboximide End-Capped Resins Pt-II, 2427C

Vasilets, V. N.
—; Hirata, I.; Iwata, H.; Ikada, Y.: Photolysis of a Fluorinated Polymer Film by Vacuum Ultraviolet Radiation, 2215C

Vasudevan, T. See Vivekanandam, T. S., 2715C

Vasudevan, V. See Sundararajan, G., 2601C

Veenstra, H.
—; Hoogvliet, R. M.; Norder, B.; Posthuma De Boer, A.: Microphase Separation and Rheology of a Semicrystalline Poly(ether-ester) Multiblock Copolymer, 1795P

Venkatasubramanian, N. See Tan, L.-S., 2637C

Versteeg, D. J. See Lammertink, R. G. H., 2147C

Victoria, R. See Rathinamuthu, K., 11C

Vigier, G. See Alexander-Katz, R., 2069P; Ferry, L., 2057P

Vijayaraghavan, R. See Surianarayanan, M., 2503C

Vilensky, V. A. See Kosyanchuk, L. F., 1379C

Vilsmeier, E. See Spange, S., 1945C

Vinti, V. See Auriemma, F., 395P

Vioux, A. See Bourget, L., 2415C

Viras, K. See Soutzidou, M., 2805P

Vivaldo-Lima, E.
—; Wood, P. E.; Hamielec, A. E.; Penlidis, A.: Kinetic Model-Based Experimental Design of the Polymerization Conditions in Suspension Copolymerization of Styrene/Divinylbenzene, 2081C

Vivekanandam, T. S.
—; Gopalan, A.; Vasudevan, T.; Umapathy, S.: Polymerization of Acrylamide in the Presence of Ultrasound and Peroxomonosulfate, 2715C

Vogl, O. See Sikorski, P., 1855C

Volksen, W. See Stoffel, N. C., 2247P

Von Meerwall, E. D. See Paiva, A., 373P

Vrentas, C. M. See Vrentas, J. S., 171P, 2607P

Vrentas, J. S.
—; Vrentas, C. M.: Dissolution of Rubbery and Glassy Polymers, 2607P
—; Vrentas, C. M.: Integral Sorption in Rubbery Polymers, 171P

Wada, T. See Sata, T., 2489C

Waddon, A. J. See White, M. L., 2811P

Wagner, N. J. See Van Eijndhoven-Rivera, M. J., 1769P

Waigh, T. See He, C., 1617P

Wajs, A. See Briscoe, B. J., 2435P

Wallace, W. E. See Beck Tan, N. C., 155P

Wan, D.
—; Shi, L.; Huang, J.: Spontaneous Alternating Copolymerization of N-Phenylmaleimide with Ethyl α-Phenylacrylate, 2927C

Wan, M.
—; Fan, J.: Synthesis and Ferromagnetic Properties of Composites of A Water-Soluble Polyaniline Copolymer Containing Iron Oxide, 2749C
—; Li, J.: Synthesis and Electrical-Magnetic Properties of Polyaniline Composites, 2799C

Wang, C.
—; Liu, C.-R.: Transcrystallization of PTFE Fiber/PP Composites—III. Effect of Fiber Pulling on the Crystallization Kinetics, 1361P
—; See Liu, J., 1457C; Wei, Y., 761C

Wang, C.-S.
—; Yang, R.-W.; Hsu, K.-R.: Synthesis and Properties of a Novel Perfluorononenyloxy Group Containing Polyarylates, 645C

Wang, D.-M. See Lai, J.-Y., 607P

Wang, G. P. See Chang, T. C., 2521C

Wang, H.
—; Dong, J. H.; Qiu, K. Y.: Synthesis and Characterization of ABA-Type Block Copolymer of Poly(trimethylene carbonate) with Poly(ethylene glycol): Bioerodible Copolymer, 695C
—; Dong, J. H.; Qiu, K. Y.; Gu, Z. W.: Synthesis of Poly(1,4-dioxan-2-one-*co*-trimethylene carbonate) for Application in Drug Delivery Systems, 1301C
—; Lin, X.; Tanaka, K.; Kita, H.; Okamoto, K.-I.: Preparation of Plasma-Grafted Polymer Membranes and Their Morphology and Pervaporation Properties toward Benzene/Cyclohexane Mixtures, 2247C

Wang, J. See Jensen, R. E., 2781P

Wang, J.-S.
—; Kamiya, Y.; Naito, Y.: Effects of CO_2 Conditioning on Sorption, Dilation, and Transport Properties of Polysulfone, 1695P

Wang, L. F. See Chang, C. H., 1481C

Wang, S. Q. See Sukpisan, J., 743P

Wang, W.-L. See Chern, Y.-T., 1257C, 2185C

Wang, Y.
—; Lehmann, S.: Dynamic Rheo-Optical Characterization of Uniaxially Oriented Polyamide 11, 2895P
—; Shen, D.; Qian, R.: Subglass-Transition-Temperature Annealing of Poly(ethylene terephthalate) Studied by FTIR, 783P

Wang, Z. Y.
—; Moulinié, P. R.; Handa, Y. P.: Gas Transport Properties of Novel Poly(arylene ether ketone)s Containing Dibenzoylbiphenyl and Benzonaphthone Moieties, 425P
—; See Bender, T. P., 1349C

Warchałowska, M. See Szczepaniak, B., 21C

Ward, I. M. See Brooks, N. W. J., 2177P

Ward, T. C. See Jensen, R. E., 2781P

Wasylyshyn, D. A.
—; Johari, G. P.: Steric Hindrance Effects on Dielectric Relaxation and Polymerization Kinetics of a Monoamine-Triepoxide Mixture, Thermochemistry, and Diffusion Control, 2703P

Watanabe, M. See Uedono, A., 1919P

Watanabe, S.
—; Murayama, H.; Murata, M.; Masuda, Y.; Tanabe, M.; Imai, Y.: Synthesis and Characterization of New Aromatic Polyesters and a Polyether Derived from 2,2-Bis(4-Hydroxyphenyl)-1,2-Diphenylethanone, 2229C
Watkins, W. J. See King, E. C., 1995C
Wei, K.-H. See Tyan, H.-L., 1959P
Wei, Y.
—; Connors, E. J.; Jia, X.; Wang, C.: Controlled Free Radical Ring-Opening Polymerization and Chain Extension of the "Living" Polymer, 761C
—; See Zhou, W., 1607C
Weidner, S.
—; Kühn, G.; Decker, R.; Roessner, D.; Friedrich, J.: Influence of Plasma Treatment on the Molar Mass of Poly(ethylene terephthalate) Investigated by Different Chromatographic and Spectroscopic Methods, 1639C
Weimer, M. W.
—; Fréchet, J. M. J.; Gitsov, I.: Importance of Active-Site Reactivity and Reaction Conditions in the Preparation of Hyperbranched Polymers by Self-Condensing Vinyl Polymerization: Highly Branched *vs.* Linear Poly[4-(chloromethyl)styrene] by Metal-Catalyzed "Living" Radical Polymerization, 955C
Weiner, J. H. See Loriot, G., 143P
Wells, P. S. See Edwards, R. R., 2537P
Wesslén, B. See Deŕand, H., 803C
Wessling, M. See Bos, A., 1547P
Whaley, P. D.
—; Kulkarni, S.; Ehrlich, P.; Stein, R. S.; Winter, H. H.; Conner, W. C.; Beaucage, G.: Isotactic Polypropylene Foams Crystallized from Compressed Propane Solutions, 617P
White, M. L.
—; Waddon, A. J.; Atkins, E. D. T.; Farris, R. J.: Copolymerization of Hexafluoropropylene and Tetrafluoroethylene: Effect on Chain Conformation and Crystal Structure, 2811P
Whittaker, A. K. See Hodge, R. M., 463P
Whittaker, M. R. See Hodge, R. M., 463P
Wiesner, U. See Zielinski, J. M., 1739P
Wilds, C. J. See Puskas, J. E., 85C
Wilkes, G. L. See Shelby, M. D., 2111P
Williams, G. See Simon, G. P., 1465P
Williams, R. J. J. See Oyanguren, P. A., 1349P
Windle, A. H. See He, C., 1617P
Winnik, M. A. See Feng, J., 1115P, 1129P
Winsor, D. L. See Sachinvala, N. D., 2397C
Winter, H. H. See Whaley, P. D., 617P
Wolff, D. See Ferri, D., 21P; Koltzenburg, S., 2669C
Won, C.-Y.
—; Chu, C.-C.; Lee, J. D.: Synthesis and Characterization of Biodegradable Poly(L-aspartic acid-*co*-PEG), 2949C
Won, Y. H. See Lee, H.-J., 301C
Wong, B.
—; Zhang, Z.; Handa, Y. P.: High-Precision Gravimetric Technique for Determining the Solubility and Diffusivity of Gases in Polymers, 2025P
Woo, E. M.
—; Wu, F. S.: Polymorphic Crystal Forms and Morphology of Syndiotactic Polystyrene in Miscible States, 2725P
Woo, S. H. See Ree, M., 1261P
Woo, S. I. See Ko, Y. S., 291C
Wood, P. E. See Vivaldo-Lima, E., 2081C
Wu, C. See Kwan, S. C. M., 2615P; Li, P., 2103C; Qiu, X., 1501P
Wu, F. S. See Woo, E. M., 2725P
Wu, H.-D. See Chu, P. P., 1647P; Ma, C.-C. M., 1721P
Wu, J.
—; Nakano, T.; Okamoto, Y.: Asymmetric Anionic Polymerization of (2-Fluorophenyl)(4-fluorophenyl)(2-pyridyl)methyl Methacrylate Leading to a Helical Polymer, 2013C
Wu, K. H. See Chang, T. C., 2521C
Wu, Q.
—; Ye, Z.; Gao, Q.; Lin, S.: Atactic Polymerization of Propylene Catalyzed by Mono (η^5-cyclopentadienyl)titanium Tribenzyloxide Combined with Methylaluminoxane, 2051C
Wu, W. L. See Beck Tan, N. C., 155P
Wu, Z.
—; Cao, L.; Pittman, C. U., Jr.: Cationic Copolymerization of Cyclic Ketene Acetals: The Effect of Substituents on Reactivity, 861C
—; Pittman, C. U., Jr.: $BF_3 \cdot OEt_2$-Initiated Polymerization of 2-Methylene-1,3-Dioxepanes, 873C
Wunderlich, B. See Bu, H., 105P; Pyda, M., 2499P
Wutz, C.
—; Schleyer, D.: Conformation of Spacers in Smectic Poly(ester imide)s, 2033P

Xi, F. See Ren, C., 2127C
Xiangling, X.
—; Xuewu, G.; Yadong, Y.; Zhicheng, Z.; Ju, Z.; Aizheng, N.: Seeded Microemulsion Polymerization of Butyl Acrylate, 2631C
Xiao, L. See Chen, Y., 2653P
Xiaohu, Y.
—; Xuehai, Y.; Rongshi, C.: Studies of the Solution Properties of Sulfonated-(Styrene-(Ethyrene-CO-Butylene)-Styrene) Block Copolymer, 2677P
Xie, M.
—; Blum, F. D.: Segmental Dynamics of Poly(styrene-*b*-2-vinylpyridine) in Bulk and at the Surface/Air Interface, 1609P
Xie, X.-Q. See Liu, Y., 2653C
Xu, G. See Lu, X., 2259P
Xu, H.
—; Hu, X.-Z.: New Synthetic Route for Weak Base Anion Exchangers Based on Crosslinked Polystyrene, 2151C
Xu, J. See Li, P., 2103C
Xu, S. See Edwards, R. R., 2537P
Xu, X.
—; Zhang, Z.; Ge, X.; Zhang, M.: Effect of Dose Rate on

Emulsion and Microemulsion Polymerization of Styrene, 257C
Xu, X. L. See Myler, U., 2413P
Xue, G.
—; Ji, G.; Li, Y.: Rapid Crystallization and Thermoreversible Gelation of Poly(ethylene terephthalate) in Polymer/Oligomer Binary System, 1219P
—; See Zhou, L., 2905P
Xuehai, Y. See Xiaohu, Y., 2677P
Xuewu, G. See Xiangling, X., 2631C

Yabe, A. See Niino, H., 2483C
Yabuki, K. See Kitagawa, T., 39P
Yadong, Y. See Xiangling, X., 2631C
Yahsi, U. See Sachdev, V. K., 841P
Yamada, K. See Okubo, T., 603C
Yamagishi, H. See Natori, I., 1657P
Yamaguchi, A. See Liu, S. L., 1679P; Tamai, S., 971C, 1717C
Yamamoto, K. See Sakaguchi, M., 2095P
Yamamoto, M. See Okubo, T., 603C
Yamamoto, T.
—; Honda, K.: Preparation of Poly(aryleneethynylene)-Type Copolymers Containing Flexible Linking Methylene Units. Optical Properties of the Copolymers Suggesting Occurrence of Energy Transfer between π-Conjugated Local Units, 2201C
—; See Furuhashi, Y., 2471P; Kawatsuki, N., 1521C
Yamane, A. See Sawai, D., 629P
Yamane, Y. See Sata, T., 49C
Yamaoka, H. See Matsumoto, K., 225C, 2269C
Yamashita, J. See Hiroki, A., 1495C
Yamashita, T. See Ito, K., 1141P; Lee, S. A., 1433P; Li, Q., 1329C; Okubo, M., 2513C
Yamashita, W. See Tamai, S., 971C, 1717C
Yang, C.-C. See Yang, C.-P., 919C
Yang, C.-P.
—; Hsiao, S.-H.; Yang, C.-C.: New Poly(amide-imide) Syntheses. XXI. Synthesis and Properties of Aromatic Poly(amide-imide)s Based on 2,6-Bis(4-trimellitimidophenoxy)-naphthalene and Aromatic Diamines, 919C
—; Jeng, S.-H.; Liou, G.-S.: Synthesis and Properties of Poly(amide-imide)s Based on the Diimide-Diacid Condensed from 2,2′-Bis(4-aminophenoxy)biphenyl and Trimellitic Anhydride, 1169C
Yang, C.-Y. See Hsiao, S.-H., 215C
Yang, C.-Z. See Shen, Q.-D., 1539P
Yang, F. See Ou, Y., 789P
Yang, H. See Ouyang, H., 163P
Yang, J.
—; Zeng, Z.; Chen, Y.: Amine-Linked Thioxanthones as Water-Compatible Photoinitiators, 2563C
Yang, M.
—; Shibasaki, Y.: Mechanisms of Thermal Degradation of Polystyrene, Polymethacrylonitrile, and Their Copolymers on Flash Pyrolysis, 2315C
Yang, R.-W. See Wang, C.-S., 645C
Yang, T.-C. See Chen, M., 1265C
Yang, Y. Q. See Huang, Y., 439P
Yano, K. See Cheong, S.-H., 1725C
Yasuda, H. K. See Yu, Q. S., 1583C
Ye, Z. See Wu, Q., 2051C
Yeo, J. K. See Cho, J. C., 1743C
Yeom, B.
—; Yu, Y.-J.; McKellop, H. A.; Salovey, R.: Profile of Oxidation in Irradiated Polyethylene, 329C
Yokota, K. See Tabata, M., 217C, 2457C; Umeda, S., 901C
Yonetake, K.
—; Takahashi, M.; Masuko, T.; Ueda, M.: Synthesis and Characterization of Liquid Crystalline Copolyester of 4-Hydroxy-2,3,5,6-tetrafluorobenzoic Acid with 6-Hydroxy-2-naphthoic Acid, 413C
Yoon, H. G. See Han, S., 773C
Yoon, H. S. See Kim, J., 1733C
Yoshida, E.
—; Fujii, T.: Living Radical Polymerization of Methylstyrenes by a Stable Nitroxyl Radical, and Stability of the Aminoxy Chain End, 269C
—; Sugita, A.: Synthesis of Poly(styrene-*b*-tetrahydrofuran-*b*-styrene) Triblock Copolymers by Transformation from Living Cationic into Living Radical Polymerization Using 4-Hydroxy-2,2,6,6-tetramethylpiperidine-1-oxyl as a Transforming Agent, 2059C
Yoshida, M.
—; Uezu, K.; Nakashio, F.; Goto, M.: Spacer Effect of Novel Bifunctional Organophosphorus Monomers in Metal-Imprinted Polymers Prepared by Surface Template Polymerization, 2727C
—; See Hiroki, A., 1495C
Yoshida, T.
—; Hattori, K.; Choi, Y.; Arai, M.; Funaoka, H.; Uryu, T.: Synthesis and Ring-Opening Polymerization of New 1,4-Anhydro-glucopyranose Derivatives, 841C
Yoshimoto, H. See Li, Q., 1329C
Youk, J. H. See Jang, S. S., 1637P
Yu, C.-H. See Hsiao, S.-H., 1847C
Yu, G.
—; Nguyen, T. Q.; Kausch, H.-H.: Birefringence of Dilute PS Solutions in Transient Elongational Flow, 1483P
Yu, L.
—; Hay, A. S.: Synthesis and Characterization of Poly(aryl ether)s Containing the Pyrimidine Moiety, 1107C
Yu, Q.
—; Zhu, S.; Zhou, W.: Peroxide Induced Crosslinking and Degradation of Polyvinyl Chloride, 851C
Yu, Q. S.
—; Krentsel, E.; Yasuda, H. K.: Optical Emission Diagnostics in Cascade Arc Plasma Polymerization and Surface Modification Processes, 1583C
Yu, Y.-J. See Yeom, B., 329C
Yu, Z. See Chien, J. C. W., 319C
Yu, Z.-Z.
—; Ou, Y.-C.; Qi, Z.-N.; Hu, G.-H.: Toughening of Nylon 6 with a Maleated Core-Shell Impact Modifier, 1987P

—; See Ou, Y., 789P
Yuasa, M. See Furukawa, N., 2237C
Yun, H. See Fu, H., 1425C
Yun, K. S. See Edwards, R. R., 2537P
Yuyama, H. See Omi, S., 367C

Zahouily, K. See Decker, C., 2571C
Zang, H. See Feng, K., 1667C
Zannoni, C. See Abis, L., 1557P; Po, R., 2119C
Zeng, Z. See Yang, J., 2563C
Zhang, G. See Ma, D., 2961C
Zhang, H. See Ruckenstein, E., 1865C
Zhang, M. See Xu, X., 257C
Zhang, W. See Kerres, J., 1441C
Zhang, Y. See Zielinski, J. M., 1739P
Zhang, Z.
—; Handa, Y. P.: An *In Situ* Study of Plasticization of Polymers by High-Pressure Gases, 977P
—; See Bu, H., 105P; Wong, B., 2025P; Xu, X., 257C
Zhao, H.
—; Huang, B.: Compatibilization of Blends of Polybutadiene and Poly(methyl methacrylate) with Poly(butadiene-*block*-methyl methacrylate), 85P
Zhao, Y. See Chen, Y., 2653P
Zheng, S.
—; Guo, Q.; Mi, Y.: Examination of Miscibility at Molecular Level of Poly(Hydroxyether of Bisphenol A)/Poly(*N*-vinyl Pyrrolidone) Blends by Cross-Polarization/Magic Angle Spinning ^{13}C Nuclear Magnetic Resonance Spectroscopy, 2291P
Zheng, Y. See Liu, L., 1773C
Zhicheng, Z. See Xiangling, X., 2631C
Zhong, Z.
—; Guo, Q.: Crosslinkable Interpolymer Complexes of Novolac Resin and Poly(ethylene oxide), 401C
Zhou, C.
—; Hobbie, E. K.; Bauer, B. J.; Han, C. C.: Equilibrium Structure of Hydrogen-Bonded Polymer Blends, 2745P
Zhou, L.
—; Li, Y.; Xue, G.: Electrochemical Fabrication of All Organic Heterojunction for Polythiophene and Its Derivatives, 2905P
Zhou, S.
—; Su, J.; Chu, B.: Water-Induced Micellar Structure Change in Pluronic P103/Water/*o*-Xylene Ternary System, 889P
Zhou, W.
—; Dong, J. H.; Qiu, K. Y.; Wei, Y.: Preparation and Properties of Poly(styrene-*co*-maleic anhydride)/Silica Hybrid Materials by the in Situ Sol-Gel Process, 1607C
—; See Yu, Q., 851C
Zhou, W.-J.
—; Naik, S. S.; Kurth, M. J.; Hsieh, Y.-L.; Krochta, J. M.: Synthesis and Characterization of Random Hydrophilic/Hydrophobic Copolymers of Styrene and D-Lactose-*O*-Vinylbenzylhydroxime, 2971C
Zhu, S. See Gu, L., 705P; Yu, Q., 851C
Zielinski, J. M.
—; Heuberger, G.; Wiesner, U.; Zhang, Y.: Probe Diffusion in Homogeneous Diblock Copolymers, 1739P
Žigon, M. See Brecl, M., 2135C
Zimmerman, C. M.
—; Singh, A.; Koros, W. J.: Diffusion in Gas Separation Membrane Materials: A Comparison and Analysis of Experimental Characterization Techniques, 1747P
Zipper, M. D. See Simon, G. P., 1465P
Zolotukhin, M. G.
—; De Abajo, J.; Alvarez, J. C.; De La Campa, J. G.; Rueda, D. R.: Synthesis of Novel Polyaryl(ether-ketones) with *tert*-Butyl Pendent Groups, 1251C
Zosel, A. See Alig, I., 1703P
Zupan, M.
—; Krajnc, P.; Stavber, S.: The Role of Multifunctionalized Amine Structure and Reaction Conditions on the Transformations of Crosslinked Copoly(styrene-*p*-nitrophenylacrylate), 1699C

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 36

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. Author Index—Volume 36, 1998. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Ab initio calculation, 1901P
ABA-type block copolymers, 695C
ABC triblock copolymers, 617C
Ablation, 233C
Absolute rate constants, 1065C
Absorption spectrum, 2563C
Acetals, 2547C
Acetone, 163P, 2981P
Acetone/nitrogen separation, 289P
Acetylene derivative, 949C
Acid dichlorides, 1189C
Acid functional, 1345C
Acid-catalyzed deprotection mechanism, 1035C
Acidity, 1945C
Acrylamide, 1491C, 1509C, 1515C, 1679C, 2715C
Acrylate, 1081P
Acrylates, 2571C
Acrylic acid, 1805C
Acrylic-type copolymers, 1703P
Acrylonitrile, 2169C
Acrylonitrile/methyl methacrylate copolymer, 1081C
Acryloyl-L-proline methyl ester (A-ProOMe), 1495C
Actinometric optical emission spectroscopy, 1873P, 1881P
Activated chain mechanism, 2899C
Activated monomer mechanism, 2463C, 2899C
Activation by trialkylaluminum with or without diisopropyldimethoxysilane, 2735C
Activation volume, 901P, 2793P
Active centers, 573C, 2019P
Actuator, 1591P
Acyl chlorides, 1821P
Adamantane, 785C
Addition reaction, 1929C
Addition reactions, 1615C
Adhesion, 2571C
Adhesion hysteresis, 2129P
Adhesive-free adhesion, 357C
Adsorption, 883C, 2727C, 665P
Adsorption azeotropic point, 2019P
Affine deformation model, 1483P
Affine strain, 1625P
AFM, 2197P, 2311P
Aggregate, 2865C
Alcohol, 2463C
Alder Ene reaction, 2371C
Aliphatic dicarboxylic acids, 341C
Aliphatic diols, 341C
Aliphatic hydroxy carboxylic acids, 341C
Aliphatic polyester, 201P
Aliphatic polyesters, 2793C
Aliphatic polyimides, 39C
Alkaline solution, 59C
Alkali-soluble random copolymer, 2865C
Alkenyl-bonded silica, 437C
Alkoxyamine, 2161C
Alkyl spacer, 2135C
Alkylene diphenyl dicarbamates, 1243C
All hydrocarbon side chain, 2849C
Allyl acrylate, 1501C
Allyl methacrylate, 1501C
Alternating, 1349C
Alternating copolymer, 2927C
Alternating copolymerization, 611C
α-alumina support, 889C
Ambient temperature, 1129P
AMGLU, 841C
Amic acid, 1573C
Amide acid, 1755C
Amine, 889C, 2911P
Amino acids, 1699C
ω-Amino acids, 2741C
Amino alcohols, 1699C
(3-Aminopropyl)triethoxysilane, 1607C
Aminoxy chain end, 269C
Amorphous, 1443P
Amorphous polystyrene (a-PS), 2725P
Amphiphiles, 2547C
Amphiphilic block copolymer, 1865C, 2473C
Amphiphilic copolymer, 2971C
Analysis of positron lifetime spectra, 969P
Analysis of variance, 587C
Angular discrimination, 55P
(1 → 6)-2,5-anhydro-D-glucitol, 901C
Anion exchange membrane, 49C
Anion exchangers, 2151C
Anionic, 805P
Anionic asymmetric copolymerization, 2127C
Anionic copolymerization, 2653P
Anionic polymerization, vC 189C, 195C, 225C, 1065C, 1865C, 2013C, 2209C
Anionic polymerization of ethylene oxide, 803C
Anisotropic expansion, 2237P
Annealing, 555P
Anomalous viscosity, 1425C
Antiplasticization, 1037P
Aprotic polar solvent, 1961C
Aqueous solution, 1425C
Argon plasma treatment, 1829C
Aromatic bisketene, 1929C
Aromatic carboxylation, 1233C
Aromatic dithiol, 2873C
Aromatic polyacetylene, 217C
Aromatic polyamides, 1929C, 2029C
Aromatic polybenzothiazoles, 429C
Aromatic polybenzoxazoles, 1987C

Aromatic polyester, 727P
Aromatic polyesters, 1929C
Aromatic polyether, 2229C
Aromatic poly(ether ketone), 1227C
Aromatic polyimide, 1341C
Aromatic polyimides, 1937C, 2021C
Aromatization, 277C
Arrhenius and VTF dependences, 1201P
Artificial muscle, 1091P
Arylene ether monomers, 2637C
Aspartic acid anhydride, 2949C
Associations, 2931P
Associative polymers, 2275P
Asymmetric epoxidation, 2161C
Asymmetric polymerization, 2013C
Asymptotic analysis, 2941P
Atactic polypropylene, 2051C
A6TMG, 841C
Atom transfer radical polymerization, 823C, 2473C, 2933C
Atom transfer radical polymerization (ATRP), 1417C
Atomic force microscopy, 191P, 1567P
Atomic-force microscopy, 2643P
Autoacceleration, 1001C
Average molecular weight, 1625C
Average molecular weights, 2985C
Avrami equation, 2887P
Azoaromatic group, 283C
Azobenzene, 2155C
Azobenzene mesogenic group, 2135C

Back-biting coordination, 1707C, 2283C
Back-biting coordination model, 241C
Back-biting reaction, 2315C
Bacterial polyesters, 2381C, 2389C
Bare silica gel, 1363C
Barium titanate, 1847P
Barrier polymer, 75P
Basicity, 1945C
Bending, 2237P, 2635P
Benzene permselectivity, 281P
Benzene/cyclohexane mixture, 281P
Benzene/cyclohexane separation, 2247C
Benzenediamines, 1821P
Benzocyclobutene, 2637C
Benzoquinone diimines, 1929C
Benzoquinones, 1929C
Benzyl alcohol, 1345C
BF_3-diethyl ether, 2905P
Bicomponent networks, 1891C, 1901C
Bicyclo ortho ester, 2823C
Bicyclo[2.2.2]octane, 277C
Bifunctional five-membered cyclic dithiocarbonates, 79C, 1189C
Bifunctional monomer, 2727C
Bilayer smectic phases, 2135C
Binodal curve, 607P
Biodegradability, 1283C
Biodegradable polymers, 2949C
Biodegradation, 1271C
Biopolymer, 1995C
Biphenyl, 2669C
Biphenyl and phenyl ligands, 2269C
Biphenyl epoxy, 773C
Biphenyl unit, 1243C
Birefringence, 181P, 555P, 1261P, 2471P
2,2′-bis(4-aminophenoxy)biphenyl, 1169C
2,2′-Bis(4-aminophenyl)biphenyl, 2029C
1,4-bis(4-aminophenoxy)-2,5-di-*tert*-butylbenzene (**BADTB**), 1069C
2,6-bis(4-aminophenoxy)-naphthalene, 919C
2,2′-Bis(3,4-dicarboxyphenoxy)-1,1′-binaphthyl dianhydride, 1937C
2,2′-Bis(3,4-dicarboxyphenoxy)biphenyl dianhydride, 2021C
2,6-Bis(3,4-dicarboxyphenoxy)-naphthalene dianhydride, 1657C
Bisepoxide, 249C
Bis(ether anhydride), 1649C
2,2-Bis(hydroxymethyl)butanol, 2899C
2,2-Bis(4-hydroxyphenyl)-1,2-diphenylethanone, 2229C
Bisnadimide, 2653C
Bis(oxetane), 2873C
Bisphenol A polycarbonate, 2111P
Bis(tributyltin)oxide, 655C
2,2′-bis(4-trimellitimidophenoxy)-biphenyl, 1169C
2,6-bis(4-trimellitimidophenoxy)-naphthalene, 919C
1,4-Bis(4-trimellitimidophenoxy)-2-*tert*-butylbenzene (BTTB), 2301C
Bivalent organolanthanides, 1599C
Blend, 75P, 201P, 815P, 1423P, 1889P, 1981P, 1987P, 2573P
Blend film, 1861C
Blending, 2725P
Blends, 1873C, 2111C, 2291C, 2611C, 95P, 2643P, 2961P
Block copolymer, 1C, 109C, 147C, 2699C, 2839C, 21P, 415P, 1831P, 2379P, 2513P
Block copolymerization, 703C, 2209C
Block copolymers, 693P, 1423P, 1609P, 1625P, 1739P
Block sequence, 617C
Block-segmented copolymers, 573P
Boron trifluoride etherate, 873C
Both the chain ends, 2059C
Boundary effect, 2315C
BPFCB, 1383P
Branched poly(ethylene terephthalate), 309C
Branched polymer, 2015P
Branched polymers, 357P
Branching, 705P
Breaking thread, 1947P
Brill transformation, 2401P
Brownian dynamics, 1401P
Bulk modulus, 345P, 1451P, 1781P
Bulk-isothermal crystallization, 1293P
Bulky pendent ether groups, 971C
1-butenyl glycidyl ether, 1179C
Butyl acrylate, 2631C
Butyl acrylate-methyl methacrylate, 2913C

C_{60}, 1111C
Calixarenes, 383P
Calorimetry, 303P, 805P, 2703P
Candida antarctica lipase, 2069C
^{13}C and ^{29}Si CP/MAS NMR, 437C
Carbanion, 189C, 195C
Carbohydrate-based polymers, 67C
Carbolic acids, 1821C
Carbon black, 1847P
Carbon dioxide, 1911P, 2435P, 2537P
Carbon molecular sieve, 1747P
Carbon monoxide, 1785C
Carbon yields, 2869P
Carbon-carbon composites, 2869P
Carboxylic acid groups, 1829C
Carboxyl-terminated polystyrene, 2839C
Cardanol, 391C
Cascade arc, 1583C
Case II diffusion, 2941P
Castor oil, 805P
Catalysis, 573C
Catalyst, 249C, 1457C, 2873C
Catalyst activation by ordinary trialkylaluminums, 129C
Catalyst site distribution, 1527C
Catalysts, 2889C
Catalytic activity, 1733C
Catalytic oxidation, 2103C
Catalytic polyaddition, 21C

Cationic copolymerization, 861C
Cationic equilibrium polymerization, 2823C
Cationic polymerization, 675C, 873C, 1957C, 2209C
Cationic ring-opening polymerization, 2439C, 2899C
^{13}C CP-MAS, 2503C
CD spectrum, 2593C
Cellulose, 1861C, 1945C
Cellulose polymers, 319P
Cesium fluoride, 2637C
Chain alignment, 1431C
Chain conformation, 929C, 2449P
Chain folding, 2401P
Chain growth reactions, 1501C
Chain transfer agents, 157C
Chain transfer constants, 2913C
Chain transfer to polymer, 2015P
Chalcone-containing polymers, 685C
Characterization, 1257C, 1291C, 2185C
Charge carrier, 1433P
Charge transfer, 1329C
Charge transfer complex, 1501C
Charge-transfer complex, 109C
Chemical and physical changes, 641P
Chemical derivatization, 1443P
Chemical force microscopy, 2483P
Chemical modification, 1C
Chemical recycle, 209C
Chemical resistance, 939C
Chemical structure, 2961C
Chemically amplified resist, 1035C
Chemically modified polymers, 1615C
Chemometrics, 1529P, 2877P
Chiral polyamides, 2741C
Chiral polymers, 67C
Chitosan, 1965C, 1275P
Chlorine-attached polystyrene, 2555C
Cholesteric order, 439P
Chromophore reorientation, 1013P
Chymotrypsin, 543C
cis-1,4 polymerization mechanism, 241C, 2283C
Cis-1,4 polymerization mechanism, 1707C
Cis-poly(2,3-dimethylbutadiene), 1707C
Cis-trans isomerization, 2155C
cis-transoid, 217C
Cleavage, 1981C
Clonazepam, 415P
Closed-cell foams, 2587P
Cloud points, 2547C
Clustering, 289P, 665P, 2211P
^{13}C NMR, 1557P
^{13}C-NMR, 1527C
CO_2 gas separation, 485C
Coagulation, 2493P
Coalescence, 2153P, 2191P
Coatings, 2111C
Cocontinuity, 1889P
Cocrystallization, 2047P
Cold crystallization, 919P
Collagen, 805P
Column packing, 1363C
Comb copolymer, 705P
Comb-burst dendrimers, 1685C
Commercialization, 505C
Comonomer content, 2103P
Compartmentalizationn, 1127C
Compatibility, 447P
Compatibilization, 85P
Compatibilizer, 1423P
Compensation law, 1927P
Complex shear modulus, 1703P
Complex stoichiometry, 537P
Composite, 2225P
Composite materials, 1769P
Composites, 1167P, 1191P, 2821P
Composition dependence of *Tg*, 861P
Composition inhomogeneities, 2923P
Compressed gases, 977P
Compressibility, 841P, 1061P
Computer simulations, 2761P
Concentrated solution, 1219P
Condensation, 1167P
Condensation polymerization, 2275C
Condensing agent, 2309C
Conditioning effect, 1695P
Conducting polymer, 1431C
Conducting polymers, 713C, 969P
Conductivity, 1093C, 1431C, 2291C, 1201P, 2911P
Conformation, 783P
Conformational change, 1107P
Conjugated polyacetylene, 949C
Constant strain rate tests, 2301P
Contact angle, 2327P
Contact lens, 603C
Contact-charge transfer complex, 2927C
Continuous stirred-tank reactor, 2015P
Continuous zone-drawing/zone-annealing, 473P
Contraction, 1591P
Controlled free radical polymerization, 1417C
Controlled particle energy, 1265C
Controlled/living radical polymerization, 2473C
Conversion, 2911P
Cooperativity, 2781P
Coordination interaction, 1539P
Copoly(ester imide)s, 1791C
Copolyimide, 1349C
Copolymer, 495C, 793C, 2201C, 55P, 1529P
Copolymer particles, 2223C
Copolymer reactivity, 1481C
Copolymerization, 371C, 873C, 1157C, 1291C, 1501C, 2081C, 2169C, 2339C, 2971C, 1637P
Copolymerization of butadiene and styrene, 241C
Copolymerization of dienes, 1707C
Copolymerization of ethene and 1-octene, 2269C
Copolymerization of ethene with propene, 2735C
Copolymerization of ethene with 1-octene, 421C
Copolymerization reactivity ratios, 813C
Copolymers, 93C, 713C, 763P, 2981P
Core first method, 85C
Core-shell impact modifier, 1987P
Correlation, 2665P
Correlation length, 1321P
Coupling agent, 1805P
Coupling reaction, 1743C
Coupling yield, 1743C
Covalent modification, 1995C
Crack tip diameter, 1283P
Crazes, 2751P
Creep, 2301P, 2971P
Crosslinkable, 401C
Crosslinked, 1543C, 221P, 237P
Crosslinked copoly(styrene-*p*-nitrophenylacrylate), 1699C
Crosslinked membranes, 1441C
Crosslinked polymer, 1725C
Crosslinked polystyrene, 2151C
Crosslinking, 179C, 675C, 851C, 1383P, 2081C, 2653C
Cross-linking, 959P
Crosslinking and long-chain branching, 1127C
Crosslinking polyesters, 2381C, 2389C
Crosslinks, 1211P
Crown ether, 1379C
Crown ether complex, 2873C
Crownethers, 383P
Crystal, 2811P
Crystal growth, 2311P
Crystal growth rate, 1361P
Crystal plasticity, 2177P
Crystal size, 39P
Crystalline, 555P
Crystallinity, 39C, 179C, 681P, 1061P, 1219P, 1795P, 2103P, 2225P, 2499P
Crystallization, 253P, 403P, 447P, 495P, 763P, 873P, 1335P, 2197P, 2267P, 2311P, 2393P, 2401P, 2573P, 2643P, 2849P, 2895P, 2923P, 2961P

Crystallization behavior, 147C
Crystallization kinetics, 1679P, 2949P
Crystallization process, 1227P
Cure kinetics, 773C, 2887P
Cure mechanism, 773C
Curing, 911C, 2339P, 2911P
Curing agent, 1885C
Curing effect, 1433P
Curing reaction, 2461P
Cutting, 1283P
Cyclic acetal, 563C
Cyclic carbonate, 2463C
Cyclic ketene acetal, 873C
Cyclic ketene acetals, 861C
Cyclic olefin copolymers, 1633C
Cyclic oligomer, 519C
Cyclic voltammetry, 2619C
Cyclization, 1501C, 2503C
α-Cyclodextrin, 1965C
Cyclopentadiene, 2869P
Cyclopolymerization, 1179C
Cyclosiloxanes, 137C
Cyclotriphosphazene, 1227C

Dark field imaging, 1443P
Debye length, 2835P
Deformation mechanism, 2895P
Degradation, 59C, 851C, 2521C, 2057P, 2069P
Degree of deswelling, 2525P
Degree of randomness, 1637P
Dehydrochlorination, 2483C
Dehydrocoupling, 2275C
Dendrimer, 1C, 2979C
Dendrimers, 1685C
Dendritic initiation, 2793C
Dendritic polymer, 2111C
Density, 463P, 555P
Density of valence states, 319P
Depolymerization, 2315C, 2823C
Desilylation, 2037C
Desorption, 1591P
Deuterium labeling effect, 2691P
Deuterium NMR, 1609P
Devitrification, 919P
Diacrylates, 665C
Diamantane, 785C, 1257C, 2185C
Diamine, 79C
Diaminoalkanes, 1699C
2,5-diamino-1,4-benzenedithiol, 429C
Diaminotetraphenylimidazolinone, 1767C
4,4′-Dianilinobiphenyl, 2193C
Diaryliodonium salts, 1179C
Diastereomers, 2269C
Diazonaphthoquinone, 2261C
Diblock copolymers, 2547C
Dibromoalkane, 1189C
Dibutyl maleate, 1449C
4,5-Dicyanoimidazoles, 2619C
Dielectric, 913P, 1465P
Dielectric loss, 2259P
Dielectric permeability, 2665P
Dielectric properties, 237P, 641P, 1847P
Dielectric relaxation spectroscopy, 851P, 2461P
Dielectric spectroscopy, 815P, 2835P
Dielectrics, 303P, 2703P
Diethyl fumarate, 371C
Differential scanning calorimetry, 391C, 583P, 1191P, 2573P
Differential scanning calorimetry (DSC), 133P, 1757P
Diffuse reflectance spectroscopy, 1529P
Diffusion, 337P, 373P, 567P, 1695P, 1713P, 2211P, 2237P, 2435P, 2635P, 2703P, 2771P, 2923P, 2981P
Diffusion coefficient, 127P, 519P
Diffusivity, 2025P
Diisocyanates, 1189C
(Diisopropylamido)bis(methylcyclopentadienyl)lanthanides, 1593C
Dilation, 1695P, 2435P
Dilatometry, 1061P
Dilatometry atactic-polystyrene, 2111P
Diluents, 1037P
Dilute polystyrene solution, 1483P
(Dimethylamino)-ethyl methacrylate, 617C
4,7-Dimethyl-2-methylene-1,3-dioxepane, 873C
4,5-Dimethyl-2-methylene-1,3-dioxolane, 861C
Dinuclear *ansa*-zirconocene catalyst, 2269C
1,4-Dioxan-2-one, 1301C
Dipole correlation factor, 2665P
Direct polycondensation, 429C, 919C, 1031C, 1069C, 1075C, 1341C, 2301C, 2309C
Discovery, ixC, 505C
Discrete dynamic compliance spectra, 2301P
Disinterspersion, 2525P
Disorder, 1423P, 2811P
Disordered systems, 1167P
Dispersion, 2493P
Dispersion polymerization, 325P
Disulfonyl chloride, 249C
Dithiol, 79C, 1189C
Divinyl ether, 675C
Divinyl monomer, 11C
Divinyl monomers, 371C
Divinylbenzene, 371C, 1543C, 2223C, 2019P
DMA/LiCl, 1945C
Dodecanethiol, 2913C
Doi-Edwards model, 2671P
Doping level, 1431C
Double-step strain rate, 265P
Drug delivery system, 1301C
Drying, 2771P
DSC, 461C, 113P, 495P, 2165P, 2805P
DSC thermogram, 1731P
Dye-sensitized photopolymerization, 1509C
Dynamic light scattering, 11P, 1567P, 1831P
Dynamic mechanical, 1095P, 1465P
Dynamic mechanical analysis, 543P, 755P, 851P, 1081P, 1595P, 2717P
Dynamic mechanical thermal analyzer, 391C
Dynamic rheo-optical spectra, 2895P
Dynamic swelling method, 2513C
Dynamic viscoelasticity, 253P
Dynamic-mechanical measurements, 1703P
Dynamic-mechanical properties, 939C
Dynamics, 181P, 1557P

EB, 1805C
Effect of Lewis bases on catalyst isospecificity, 129C
Effect of molecular weight, 629P
Effective volume, 1095P
Elastic distortion, 483P
Elasticity, 1889P
Elastomer, 1283P
Electric field, 1591P
Electrical conductivity in polymer electrolytes, 969P
Electrical transport, 1847P
Electrical-magnetic properties, 2799C
Electroconductive polymer, 1031C
Electrodialysis, 49C
Electromechanical actuators, 1091P
Electron beam, 1805C
Electron donor, 1111C
Electron energy loss spectroscopy, 319P
Electron microscopy, 439P, 2401P
Electron paramagnetic resonance, 1901P
Electron photoejection, vC
Electron spin resonance, 851C
Electron transfer, vC, 827P
Electron-deficient olefin, 2589C
Electrooptics, 301C
Electropolymerization, 2905P
Electrorheological fluids (ERFs), 1091P
Elongation at breakpoint, 2493C
Emeraldine base (EB), 2799C
Emulsion pathway, 2291C
Emulsion polymerization, 157C,

257C, 883C, 1127C, 1919C, 2513C
1,4-Enchainment, 1743C
End group titration, 1309C
End-capping, 1309C
End-functionalized polymers, 2547C
End-linking, 1891C
End-reactive oligomer, 209C
Entangled polymer solution, 265P
Enthalpy, 2499P
Enthalpy relaxation, 113P, 583P
Entropy, 2499P
Enzymatic degradation, 1861C
Enzymatic polymerization, 2069C
Enzyme, 883C, 2593C
Enzyme immobilization, 543C
Epitaxy, 2821P
Epoxidation of polyesters, 2381C, 2389C
Epoxide, 1957C
Epoxy, 1457C, 1805P, 2339P, 2911P
Epoxy allyl sucroses, 2397C
Epoxy crotyl sucroses, 2397C
Epoxy resin, 1219P, 1847P
Epoxy resins, 21C, 1371P
Epoxyacrylate, 665C
Epoxy-anhydride networks, 1349P
Equation of state, 345P, 1061P, 1781P
Equation-of-state theory, 2683P
Equilibrium melting temperature, 133P
Erosion, 59C
ESR, 1449C, 2457C, 2775C, 2785C, 2095P
ESR spectrum, 2905C
Ester interchange reaction, 1637P
1,2-ethanedithiol oxidation, 379C
Ether ketones, 1251C
Ethoxylation, 803C
α-Ethoxy-3,6-*endo*-methylene-1,2,3,6-tetrahydrophthaloyl-5-fluorouracil (EMTFU), 2985C
Ethyl α-(hydroxymethyl)acrylate, 1291C
Ethyl α-phenylacrylate, 2927C
Ethylene, 573C, 1157C
Ethylene CO copolymer, 889C
Ethylene–propylene-diene, 1713P
Ethylene/vinyl acetate copolymer, 1529P
Ethylene-vinyl alcohol copolymers, 2103P
Ethylene-1-hexene copolymer, 291C
Even–odd nylons, 1153P
Excess adsorption isotherm, 2019P
Excess volume, 1061P
Exchange reactions, 1873C
Experimental designs, 2081C
Extended-chain crystals, 1293P
Extensional flow, 1401P
Extractables, 1891C

Fatigue, 2355P, 2751P
γ-Fe_2O_3, 2749C
Ferroelectric, 403P
Ferromagnetic properties, 2749C
F/H ratio, 2043C
Fiber formation, 1005P
Fibers, 433P, 1567P, 2371P, 2471P
Fibroin, 2717P
Filled elastomers, 1167P
Fillers, 2057P, 2069P
Film casting, 1051P
Film formation, 1703P, 2949P
Fine structure, 413C
Flame retardance, 1911C
Flexible groups, 749C
Flocculants, 737C
Flory-Huggins theory, 607P
Flow, 2005P
Flow birefringence, 265P, 1483P
Flow field-flow fractionation, 537P
Fluctuations, 1831P
Fluorenyltriphenylphosphonium salt, 1957C
Fluorescence, 1209C, 2563C, 1129P, 1433P
Fluorescence emission technique, 11P
Fluorescence energy transfer, 1115P
Fluorescence quenching, 827P
Fluorescence structural self-quenching effect, 1111C
Fluorinated poly(arylene ether), 2881C
Fluorinated polymer, 2215C
Fluorination, 1583C
Fluorine, 939C
Fluorine-containing diols, 1243C
Fluorine-containing polymers, 429C
Fluorocarbon-containing comonomers, 2141P
Fluoromethanes, 2043C
Fluorone dye, 1667C
(2-Fluorophenyl)(4-fluorophenyl)(2-pyridyl)methyl methacrylate, 2013C
5-Fluorouracil (5-FU), 2985C
Forced Rayleigh scattering, 1739P
Form II, 395P
Form-IV, 395P
Fourier transform infrared (FTIR), 1617P
Fox equation, 495C, 2781P
Fractal, 2979C
Fractal geometry, 1167P
Fracture, 2355P
Fracture toughness, 1371P
Free enthalpy, 2499P
Free radical, 611C, 2169C
Free radical grafting, 1053C, 2763C
Free radical polymerization, 2581C, 2757C, 2839C
Free radical polymerization and copolymerization, 117C
Free radicals, 633C
Free volume, 1001C, 463P, 755P, 797P, 861P, 1061P, 1141P, 1465P, 1513P, 1739P, 1839P, 2111P
Free volume in polymers, 969P
Free-volume, 983P, 1911P
Free-volume size distribution, 983P
Free-volume theory, 1713P
Freezing-thawing treatment, 2677P
Friction coefficient, 1001C
Friedel–Crafts reaction aromatic dithioesters, 117C
Friedel-Crafts acetylation, 2151C
Frontal copolymerization, 1117C
FTIR, 985C, 95P
FT-IR, 2503C
FTIR spectroscopy, 1227P
Fullerene 60, 2905C
[60]Fullerene, 2653P
Fullerene radical, 2905C
Functional polyisoprene, 437C
Functionalization, 1233C
Functionalization of polymer latexes, 2103C
Functionalized polymaleimides, 2531C
Functionalized polystyrene, 1233C
Functionalized silica, 437C
Functionalized silica gel, 655C
Furan, 1901P

G value, 655P
Gallic acid (GA), 2347C
Gamma phase, 2821P
Gas, 2025P
Gas diffusion, 1557P
Gas permeability, 2721C, 425P
Gas permeation, 1547P
Gas separation, 797P
Gas solubility, 519P
$Gd(OCOCCl_3)_3$ catalyst, 2283C
Gel crystallization, 383P
Gel effect, 1553C
Gel formation, 1127C
Gel permeation chromatography, 2615P
Gelatin, 537P
Gelation, 675C, 2275C, 253P, 1167P, 1507P, 2015P
Gelation theory, 357P, 2423P

Geminate pair, 127P
Generating function, 2339P
Glass formers, 641P
Glass transformation, 2665P
Glass transition, 861P, 913P, 1037P, 1061P, 1371P, 2165P, 2461P, 2499P
Glass transition temperature, 495C, 793C, 1785C, 2531C, 75P, 1721P, 2911P
Glasses, 1201P
Glass-rubber relaxation, 1703P
Glass-transition, 2111P
Glassy polymer, 1695P
Glassy polymers, 2607P
Glassy state, 113P
Gloss, 1321P
Glow discharge, 1265C
Glow discharge emission spectroscopy, 2043C
Glycerol, 195C
Glycidyl methacrylate, 1053C, 2247C, 2763C
Glycidyl phenyl ether, 1957C
Glycine, 1271C, 2741C
Glyoxylic acid, 189C
GPC calibration, 2615P
Graft copolymer, 603C, 2521C
Graft copolymerization, 1805C
Graft formation, 179C
Grafting, 803C, 1821C, 2571C, 705P
Grafting characterization, 437C
Grafting onto silica, 437C
Gravimetric sorption, 1713P
Group transfer polymerization, 617C
Growth, 2887P
Growth rate, 1335P, 2393P

Hairy ASR layer, 2865C
Hardness, 715P
Hard segment content, 2961C
Hardener, 773C
H-bonding, 1935P
Heat capacity, 345P, 1451P, 1781P, 2165P, 2499P
Heats of transition, 2499P
Hectorite, 673P
Helical conformation, 1855C
Helical peptide, 1679C
[5]Helicene, 1349C
Helix, 2013C
α-Helix structure, 2717P
Heparin immobilization, 2331C
Heteroatom effect, 665C
Heterocyclic ring, 455C
Heterogeneous nucleation, 1361P
Heterojunction, 2905P
Heteropolymers, 937P
4,4′-(hexafluoroisopropylidene)-dibenzoic acid, 429C
Hexagonal columnar mesophase, 169C
1-hexene, 1157C
High-conversion model, 2757C
High-density polyethylene, 681P
High glass transition temperature, 1669P
High-impact polypropylenes, 1527C
High pressure, 345P, 2435P
High surface areas, 617P
Highly branched radial block copolymers, 2793C
Highly dimensional stability, 2261C
High-modulus, 473P, 2737P
High-performance polymer, 1201C
High-pressure, 1451P, 1781P
High-pressure DSC, 977P
High-temperature polyamide, 2185C
High-temperature soluble polymers, 429C
High-temperature solution condensation, 645C
High-temperature zone-drawing, 2737P
High-tension multiannealing, 2737P
Hole theory, 841P
Holographic material, 283C
Homogeneity of active species, 2735C
Homogeneity of copolymers, 2735C
Homogeneous It-based catalyst, 1733C
Homopolymerization, 703C
Horseradish peroxidase, 2593C
Host-guest complex, 1965C
HPLC, 901C
H-Transfer reactions, 2785C
Hybrid material, 1607C
Hybrid polymers, 1857P
Hydrodynamic size, 537P
Hydrogel, 979C, 2095C, 463P
Hydrogels, 213P
Hydrogen abstraction, 563C
Hydrogen bond, 1141P
Hydrogen bond interactions, 95P
Hydrogen bonding, 1431C, 2135C, 1721P, 2745P
Hydrogen bonds, 929C, 1579P, 2895P
Hydrogenated derivatives, 1657P
Hydrogenation, 889C
Hydrogen-bonded living polymers, 1617P
Hydrogen-bonding schemes, 1153P
Hydrogen-transfer polymerization, 1491C
Hydrolysis, 59C, 1515C, 1167P
Hydrolytic stability, 929C
Hydrophilicity, 603C
Hydrophilicity of anion exchange membrane, 49C
Hydrophobic, 2275P
Hydrophobic interaction, 1141P
Hydrophobicity and hydrophilicity, 2141P
Hydrosilation, 1891C, 1969C
Hydrosilylation, 2275C
4-Hydroxybenzocyclobutene, 2637C
2-Hydroxyethyl acrylate, 1417C
Hydroxyethylmethacrylate, 527C, 543C
Hydroxyl-terminated polybutadiene, 2601C
4-(1-hydroxy-1-methylethyl)-styrene-*co*-styrene, 85C
6-hydroxy-2-naphthoic acid, 413C
4-hydroxy-2,3,5,6-tetrafluorobenzoic acid, 413C
Hyperbranched, 955C
Hyperbranched polyesters, 1397C
Hyperbranched polymer, 1685C

Ibuprofen, 1481C
Imidazole, 1615C
Imidization, 827P, 1261P, 2247P
Impact strength, 1987P
Impedance spectroscopy, 641P
In situ FTIR plasma diagnostic, 587C
In situ FTIR/ATR diagnostic, 587C
In situ monitoring, 641P
In situ polymerization, 789P
In vitro cytotoxicities, 2985C
In vitro cytotoxicity, 1625C, 2177C
In vivo antitumor activity, 1625C, 2177C, 2985C
Incompatibility, 1051P
Incomplete crystallinity, 1291C
Induction period, 1227P
Infrared dichroism, 1081P, 2471P
Infrared spectra, 783P
Infrared spectroscopy, 461C, 337P, 1247P, 1579P, 2981P
Inhibition, 1001C
Initiation, vC, 2169C, 2933C
Initiator absorbance, 207C
Insulation, 233C
Integral sorption, 171P
Interaction parameter, 607P
Interchain aggregation, 1501P
Interdiffusion, 2247P
Interface, 1095P, 1889P, 1947P, 2153P, 2623P
Interface structure, 1115P
Interfaces, 567P
Interfacial free energy, 1293P
Interfacial polarization, 815P, 2835P
Interfacial synthesis, 939C

Interfacial tension, 815P, 1947P, 2683P
Interfacial thickness, 1095P
Intermolecular interaction, 1275P, 1433P
Internal spherulite structure, 2923P
Interpenetrating networks, 553C
Interpenetrating polymer networks, 1507P, 2461P
Interpolymer complexes, 401C, 931P
Intrachain coil-to-globule transition, 1501P
Intrinsic stress, 1261P
Inverse gas chromatography, 1713P
Inverse microemulsion polymerization, 737C
Iodine doping, 713C
Iodonium borate salts, 1667C
Ion beam, 655P
Ion beam irradiation, 319P
Ion conductivities, 991P
Ion content, 991P
Ion exchange resin, 2727C
Ion implantation, 715P, 2413P
Ion recombination, 1209C
Ion-conducting polymers, 1093C
Ionomer, 991P
Ionomer precursor polymer, 1235P
Ionomers, 2877P
Ion-selective membranes, 383P
IR, 595P
IR spectroscopy, 1043C
γ-irradiation, 1211P, 2349P
Irradiation, 1805C
Irradiation polymerization, 257C
Isocyanate functional group, 447P
Isolated chain, 2095P
Isomeric unit, 1755C
Isomerization, 217C, 2457C
Isopropenylisocyanate, 611C
Isopropylacrylamide, 527C, 543C
Isotactic, 1855C
Isotactic polypropylene foams, 617P
Isotactic polystyrene, 1773C, 2119C, 1227P
Isotacticity, 543P
Isothermal melt crystallization, 1757P

Jacobsen's catalyst, 2161C
JKR technique, 2129P

Ketomalonic acid, 189C
Ketomalonic acid, 195C
Ketoprofen, 1481C
Kinetic, 1457C
Kinetic analysis, 2237C
Kinetic constants, 2785C
Kinetic nonideality, 1973C
Kinetic parameter, 2359C
Kinetic sorption, 1747P
Kinetics, 157C, 461C, 665C, 851C, 1919C, 2653C, 1305P, 1335P, 1507P, 1959P, 2153P, 2393P
Kink bands, 395P
Kohlrausch–Williams–Watts relaxation, 455P
KrF excimer laser, 2483C

Lactitol, 979C
LAM, 2829P
Lamellae, 2047P
Lamellar crystals, 1153P, 2401P
Laminates, 2835P
Laser light scattering, 889P, 1501P, 2615P
Latex, 2493C, 999P
Latex films, 1115P, 1129P
Lattice image, 105P
Lewis acid, 2371C
Light scattering, 743P, 2005P
Light-activated polymers, 2887P
Linear latices, 2141P
Linear polyesters containing sulfur, 2359C
Linear thermal expansion coefficient, 2587P
Linear-chain thermoset, 303P
Liquid chromatography, 1363C
Liquid crystal, 21P
Liquid crystal polymer, 727P
Liquid crystalline, 263C, 1457C, 2371P
Liquid crystalline copolyesters, 1959P
Liquid crystalline epoxy resin, 911C
Liquid crystalline polymer, 413C, 429C, 749C, 2691C, 815P, 1769P
Liquid crystalline polymers, 21C, 1473C, 1791C, 1617P, 2327P
Liquid crystals, 2669C, 2849C, 31P, 1081P
Liquid-crystalline, 433P
Liquid-crystalline alignment, 1521C
Liquid-crystalline polymer, 1521C
Living, 1345C
Living anionic polymerization, 1233C, 1657P
Living cationic polymerization, 2547C
Living free radical polymerization, 2161C
"Living" free radical polymerization, 761C
Living free-radical polymerization, 1C
Living polymer, 1743C
Living polymerization, ixC, 85C, 2555C
Living radical, 955C
Living radical polymerization, 269C, 2059C
(L)-Leucine, 2681C
Local orientation angle, 1483P
Long spacing, 2103P
Long-chain branching, 2889C
Long-term stability, 985C
Low density polyethylene, 447P
Low dielectric constant, 2261C, 1383P
Low molecular weight linear polyethylene, 1293P
Low temperature relaxations, 1981P
Low-density polyethylene, 2483P
Low-temperature direct polyesterification, 341C
Low-temperature radiolysis, 1217C
(L)-Phenylalaninol, 1981C
Luminescence, 999P
Luminescence quenching, 127P
Lyapunov exponents, 2761P

Macrocyclic polymerization, 1373C
Macroinitiator, 85C
Macromolecules, 439P
Macromonomer, 2581C
Macromonomer method, 823C
MADQUAT, 737C
Magnetic field, 1509C, 21P
MALDI-MS, 1417C
MALDI-TOF, 2429C
MALDI-TOF-MS, 519C
Maleation, 2371C
Maleic anhydride, 179C, 371C, 1053C, 1501C, 1573C, 2223C
Maleimide, 1291C
Mannich amination, 2151C
Mannich base, 1935P
Markovian statistics, 1527C
Mass sorption, 2435P
Mass spectrometry, 1873C
Mass transport, 163P
Mathematical simulation, 931P
Matrix assisted laser desorption ionization time of flight mass spectrometry, 2429C
Matrix-assisted laser desorption ionization-time of flight mass spectrometry, 1911C
Mechanical, 237P
Mechanical behavior, 1625P
Mechanical loss factor, 555P
Mechanical properties, 473P, 1235P, 1423P, 1731P, 2211P
Mechanical property, 749C
Mechanism, 11C, 2653C, 2715C

Mechanism of formation of selenotrisulfide polymers, 379C
Melt polyaddition, 2359C
Melt polycondensation, 1243C, 2359C
Melt reaction kinetics, 1573C
Melt rheology, 1397C, 2671P
Melt spinning, 1473C, 1005P
Melting, 763P, 2225P, 2499P
Melting behavior, 95P
Membrane, 485C, 2247C, 797P, 2413P
Membrane formation, 607P
Membrane separation processes, 1747P
Membranes, 959P
Mesophases, 49P
Metal catalyzed, 955C
Metal complex, 207C
Metal complexes, 1379C
Metallocene catalyst, 2051C
Metallocene catalysts, 1633C
Metallocenes, 319C
Metathesis polymerization, 2489C, 2601C, 2721C
Methacrylamide, 2681C
Methacrylate, 1981C
Methacrylic acid, 617C
Methacryloyl-L-proline methyl ester (MA-ProOMe), 1495C
Methanol treatment, 2717P
Methanol-water mixed solvent, 1141P
α-Methoxy-3,6-*endo*-methylene-1,2,3,6-tetrahydrophthaloyl-5-fluorouracil (MMTFU), 1625C
α-Methoxy-exo-3,6-epoxy-1,2,3,6-tetrahydrophthaloyl-5-fluorouracil (METFU), 2177C
Methyl methacrylate, 587C, 617C, 985C, 1509C, 1599C, 1973C, 2905C
Methylaluminoxane, 1733C, 2051C, 2119C
Methylene blue, 1509C
2-Methylene-1,3-dioxane, 861C
2-methylene-1,3-dioxepane, 761C
2-Methylene-1,3-dioxepane, 873C
2-Methylene-1,3-dioxolane, 861C
3-Methylfuran, 1901P
4-Methyl-2-methylene-1,3-dioxane, 861C
4-Methyl-2-methylene-1,3-dioxolane, 861C
Methylstyrene, 269C
5-Methyl-2-vinyldibenzothiophenium tetrafluoroborate, 1779C
$MgCl_2$-supported dichlorobis(β-diketonato)titanium catalysts, 129C
Micellar formation and structure, 889P
Micelle, 85P, 2961P
Micelles, 617C
Microdielectrometry, 2911P
Microelectronics, 1025P
Microemulsion polymerization, 257C, 2631C
Microfibers, 1769P
Microgel, 2141P
Micron-diameter, 999P
Micron-size, 2513C
Microphase separation, 573P
Microphase separation transition, 1795P
Microscopy, 2751P
Microspheres, 2223C
Microstructure, 1081C, 1633C, 1743C, 473P, 1657P
Microwave cure, 2653C
Miscibility, 95P, 201P, 827P, 1721P, 1959P, 2267P
Miscible polyester blend, 1637P
Mitsunobu condensation, 2807C
Mixed gas permeation, 289P
Mixed layer packing, 1433P
Mixing, 2153P
Mixtures, 1037P
MMA, 1593C
MO calculation of σ-allylnickel complex, 2283C
Model, 2493P
Model compounds, 1573C
Model networks, 1891C
Modeling, 705P, 2771P
Modification, 103C
Modified Flory model, 2525P
Modifier morphology, 1947P
Modulus, 2493C
Moisture, 1025P
Moisture absorption, 155P
Moisture-absorption, 2259P
Molecular aggregation, 1433P, 2677P
Molecular diffusion, 1739P
Molecular dynamics, 143P, 519P
Molecular imprinting, 2727C
Molecular in-plane orientation, 1261P
Molecular modeling, 1349C, 727P
Molecular motion, 2095P
Molecular ordering, 1261P
Molecular relaxation, 1981P
Molecular simulation, 1355C
Molecular structure, 1247P
Molecular weight, 2177C
Molecular weight between crosslinks, 1891C, 1901C
Molecular weight distribution, 831C, 1127C, 357P, 705P, 2015P, 2355P, 2423P
Molecular weight of the linear polymer, 2525P
Molecular weights, 737C
Monoamine-triepoxide, 2703P
Monodisperse, 1543C, 2513C
Monomer reactivity ratios, 2001C
Monte Carlo, 727P
Monte Carlo method, 1637P
Monte Carlo simulation, 519P
Morpholine-sulfur dioxide complex, 1973C
Morphology, 179C, 883C, 1821C, 2247C, 1191P, 1443P, 1769P, 1889P, 2057P, 2267P, 2551P, 2573P, 2623P, 2849P, 2961P
Morphology and tensile properties, 629P
Moving boundaries, 171P
MTEMPO, 269C
Multiarm star-branched polyisobutylenes, 471C
Multiarm-star, 85C
Multiblock copolymer, 1795P
Multicomponent, 337P
Multidimensional Stefan-like Problem, 2941P
Multiple end groups, 1309C
Multiple melting, 495P
Multiple scattering, 2069P
Multiple-pulse proton NMR, 2103P
Multivariate data analysis, 1529P

Nafion, 983P
n-Alkanes thermodynamic melting temperature, 2563P
N-Alkylacrylamide, 2095C
Nanocomposite, 789P
Nanometer materials, 2749C
Nanoparticle, 415P
Nanosphere, 2581C
Naproxen, 1481C
Narrow molecular weight distribution, 341C
Nascent morphology, 495P
n-butyl ester of abietic acid, 373P
N-Carbazolylacetylene, 2489C
Near-infrared spectroscopy, 1529P
Neighbor effect, 931P
Nematic, 1791C, 31P
Nematic phase, 1243C, 1387C, 1397C
Neodymium, 1773C
Neodymium tricarboxylate, 241C, 1707C
N-ethyl-2-ethyl-pyridinium, 703C
Network, 911C, 433P
Network functionality, 1891C
Network polymer, 1919P
Network properties, 1901C
Network structure, 1901C
Neutron scattering, 1167P
New crystal structure, 2849P
New reactive polymer, 2873C
Ni(0)-catalyzed coupling polymerization, 2611C
Nickel catalysts, 2119C
NIR, 2877P

N-Isopropylacrylamide, 2141P
N-Isopropylacrylamide, 2095C
Nitrogen, 1873P
Nitrogenated plasma polymers, 1881P
Nitroxide, 2555C
Nitroxide trapping, 2169C
N-methyl-(L)-leucine, 2681C
NMR, 1081C, 1251C, 1633C, 2237C, 1201P
NMR spectroscopy, 2827C, 693P
N,N-diisopropylamide, 1233C
N,N-diisopropyl-4-(1-phenylethenyl)-benzamide, 1233C
4-*N,N*-dimethylamino-triphenylamine, 713C
Nomenclature, 2979C
Noncovalent molecular imprinting, 1725C
Nonequilibrium copolymerization, 137C
Nonhydrolytic condensation, 2415C
Nonionic polymeric surfactants, 2547C
Nonisothermal, 2225P, 2393P
Nonisothermal crystallization, 1305P
Nonisothermal crystallization kinetics, 681P
Nonlinear dynamics, 2761P
Nonlinear optical polyimides, 1669P
Nonlinear optical polymer, 1013P, 2793P
Nonlinear optics, 553C
Nonlinear polymerization, 357P, 705P, 2423P
Nonlinear viscoelasticity, 2301P
non-Newtonian viscosity, 1911P
Nonrandom crosslinking, 2423P
Nonsymmetric monomer, 2309C
Norbornene, 1633C
Norbornene ester, 1785C
Noryl®, 505C
Novolac resin, 401C
Novozym 435®, 2069C
N-phenylated polyamides, 2193C
N-phenylmaleimide, 2927C
N-Substituted maleimide, 2001C
N-Substituted pyrrole, 2691C
Nuclear magnetic resonance, 379C
Nuclear magnetic resonance spectroscopy, 1755C
Nuclear relaxation times, 1557P
Nucleation, 737C, 2887P
Nucleation mechanism, 257C
Nucleophilic substitution, 1699C, 1539P
Numerical simulation, 873P
Numerical solution, 367C
Nylon 2 4, 2401P
Nylon 46 fiber, 2737P
Nylon 6, 1987P
Nylon 6, silica, 789P
Nylon oligoamides, 2849P
N-(2-(vinyloxy)ethyl)-1,8-naphthalimide, 1111C

Olefin polymerization, 291C
Olefin polymerizations, 319C
Oligomer, 1219P
Oligooxyethylene, 225C
Oligo[(glycolic acid)-*alt*-(L-cysteine)], 1283C
One-pot oxidation polymerization, 79C
One-pot polymerization, 455C, 1201C
One-pot syntheses, 1189C
Open space, 2597P
Optical anisotropy, 1521C
Optical emission spectroscopy, 1583C
Optical microscopy, 573P
Optical properties, 2201C
Optical resolution, 901C
Optically active copolymer, 2127C
Optically active polymer, 2013C
Optically active polymeric amine, 1981C
Optically active polymers, 169C, 2615P
Order-disorder transition, 2513P
Ordered polymer, 2309C
Organic solvent, 2593C
Organometallic domains, 2147C
Organosilicon polymer, 725C
Organotin copolymer, 2339C
Orientation, 39P, 555P, 1361P, 2111P
Ortho-(1,3-dioxolan-2-yl)phenyl ethyl fumarate, 563C
Orthopedic prosthesis, 329C
Oscillatory shear flow, 2085P
Ostwald ripening, 2191P
7-Oxanorbornene-dicarboximide monomers, 2807C
Oxazoline-functionalized polymer particles, 1821C
Oxetane, 103C
Oxidation, 195C, 793C, 985C, 1201C, 2589C
Oxidative coupling, 505C
Oxidative polymerization, 2593C, 1901P
Oxoaminium salt, 2555C
Oxyethylene, 495C, 75P
Oxygen, 1873P
Oxygen permeability, 603C
Oxytrimethylene, 75P

PA, 179C
PA6, 1805P
Packing factor, 2525P
Palierne's model, 2573P
Palladium catalyst, 1785C
Palladium complex, 2155C
Palladium-catalyzed, 2201C
PAN, 2503C
Partial least-squares regression, 1529P
Partial molar volume, 2435P
Partial oxidation, 1441C
Particle, 883C, 2513C, 999P
Particle size, 2835P
Particle size sensor, 1553C
Partitioning behavior, 325P
Pattern formation, 873P
PBZT, 1407C
PCAM, 1647P
PDLC, 55P
Peak-shift method, 583P
PEEK, 1335P, 2225P, 2393P
PEG, 1721P
PEI, 1557P
PEN, 1557P
Pendant primary hydroxyl group, 2873C
Pendant thiol group, 1283C
Pendent group, 1201C
Penultimate effect, 1449C
PEO, 1647P, 1721P
PEO and PPO linkage, 979C
Percolation, 2211P
5-(perfluorononenyloxy)-isophthaloyl chloride, 645C
Perfluoropolyether, 939C
Perfluoro(sulfonate/carboxylate) bilayer, 595P
Periodical lamellar structure, 439P
Permeability, 289P, 959P, 2413P
Permeability coefficient, 75P
Permselectivity between two anions, 49C
Peroxide modification, 851C
Peroxomonosulfate, 2715C
Persistence length, 1995P, 2449P
Pervaporation, 2247C, 281P
Perylenetetracarboxydiimide, 827P
PET, 1557P
PET fiber, 473P
PFCB, 1383P
PGSE-NMR, 373P
Phase continuity, 2493C
Phase diagram, 1P, 937P
Phase inversion, 1889P
Phase separation, 191P, 693P, 1507P, 1539P
Phase transition, 403P
Phase transitions, 2531C, 49P
Phase-transfer catalyst, 103C
Phenol-formaldehyde resin, 2429C
Phenolformaldehyde resins, 1911C
Phenolic, 1647P, 1721P
Phenyl ethynyl, 2881C

Phenylacetylene, 93C
Phenylenediamine, 2593C
Phenylphosphine oxide, 519C
Phenyl[bis(2-pyridyl)]methyl methacrylate, 2127C
Phloritic acid, 1387C, 1397C
Phosphorous, 519C
Phosphorus pentoxide/methanesulfonic acid, 429C
Photo-assisted poling, 1669P
Photocalorimetry, 2775C
Photoconductivity, 1433P
Photocrosslinking, 685C
Photocrosslinking kinetics, 455P
Photocrosslinking polymers, 1615C
Photocross-linking reaction, 2339C
Photocure, 2887P
Photodimerization of anthracene, 455P
Photoinduced radical polymerization, 1667C
Photoinitiated cationic polymerization, 1179C
Photoinitiated polymerization, 207C
Photoinitiator, 1667C
Photolysis, 2215C
Photooxidation, 2215C
Photopolymer network, 1081P
Photopolymerization, 665C, 737C, 1625C, 1973C, 2177C, 2563C, 2887P
Photopolymerization kinetics, 2775C
Photoreaction, 1521C
Photoreactive polyimides, 685C
Photoreactive polymer blends, 455P
Photosensitive, 685C
Photosensitive polyimide, 2261C
Photosensitivity, 2339C
Photostabilization, 2571C
Phthalazinone, 455C
Phthalonitrile monomer, 1885C
Physical aging, 113P, 1025P, 2111P, 2971P
Physical gel, 2379P, 2513P
Physical quantities of relaxation transitions, 1595P
Physicochemical and tensile properties, 2359C
Plasma, 1639C
Plasma graft polymerization, 2247C
Plasma polymerization, 587C, 633C, 1265C, 1583C, 2043C
Plasma polymers, 985C
Plasma-enhanced chemical vapor deposition, 1873P
Plasma/surface interactions, 1881P
Plasticization, 977P, 1547P
Plasticization of polymers, 1839P
Plateau temperature, 681P
Pluronic P103, 889P
PMDA/3,4′-ODA, 2247P
PMMA, 655P, 1235P, 2197P
PNIPA, 1141P
p-nitrophenylacetylene, 93C
PNLC, 1393P
Polarization, 55P, 1971P, 2665P
Polarized UV photoreaction, 1521C
Poly-1,3,4-oxadiazoles, 1847C
Poly(ε-caprolactone), 1345C, 1373C
Poly(1,1-diethylsilabutane), 2699C
Poly(1,3-cyclohexadiene), 1657P
Poly(1,3-dioxepane) triol, 2899C
Poly(2,6-dimethyl-1,4-phenylene oxide), 1981P
Poly[(trimethylsilyl)propyne], 603C
Poly[1-(trimethylsilyl)-1-propyne], 519P
Poly(4,4′-oxydiphenylene-pyromellitimide), 1961C
Poly(4,4′-phenylene-3,3′,4,4′-biphenyltetracarboxyimide), 1961C
Polyacetaldehyde, 1855C
Poly((acetoacetoxy)ethyl methacrylate-*co*-ethylhexyl methacrylate), 1129P
Polyacrylamide gels, 1313P
Polyacrylamides, 743P
Polyacrylonitrile, 543P
Poly(acrylonitrile), 629P
Poly(acrylonitrile-*co*-butadiene) rubber (NBR), 2493C
Polyaddition, 249C, 2873C
Polyalcohol, 889C
Poly(alkyl methacrylates), 1013P
Polyalkylpropiolate, 2457C
Polyalkylthiophenes, 2905P
Poly(amic acid), 1755C, 2261C
Poly(amic acid) precursor, 1261P
Polyamide, 179C, 2309C, 1947P
Polyamide 11, 2895P
Poly(amide acid) ammonium salts, 1329C
Poly(amide acid)s, 1329C
Poly(amide-*graft*-ethylene oxide), 803C
Poly(amide-imide)s, 919C, 1169C, 2301C
Polyamides, 785C, 1069C, 1075C, 1257C
Polyamidines, 929C
Polyamines, 2619C
Poly(aminostyrene), 1821P
Polyampholytes, 617C
Polyaniline, 633C, 1431C, 2749C
Polyaniline (PANI), 2799C
Poly(aryl ether ketone)s, 851P
Poly(aryl ether)s, 1107C
Polyarylate, 2839C, 1959P
Polyarylates, 413C, 645C, 2229C
Poly(arylene ether), 519C, 1201C
Poly(arylene ether ketone), 425P
Poly(arylene ether)s, 455C
Poly(arylene sulfone), 1201C
Poly(arylene thioether), 1201C
Poly(arylene thioether)s, 455C
Poly(aryleneethynylene), 2201C
Poly(aryl-ether-ether-ketone) (PEEK), 919P
Poly(benzazoles), 277C
Poly(benzobisthiazole), 713C
Polybenzoxazines, 1935P
Polybenzoxazoles, 1317C
Poly(β-D,L-butyrolactone), 1373C
Poly(β-hydroxybutyrate), 1305P
Polybutadiene, 85P
Poly(butadiene-*block*-methyl methacrylate), 85P
Poly(butyl methacrylate), 1129P
Poly(butyl methacrylate-*co*-butyl acrylate), 1115P
Poly(butylene succinate), 147C
Poly(butylene terephthalate), 147C, 1757P, 2573P
Poly(butylene terephthalate) (PBT), 133P
Polycaprolactone, 1805C
Polycarbonate, 357C, 1873C, 2197P
Poly(carbonate-urethane)/polyvinyl pyridine, 1507P
Polycarbosilane, 225C
Polychloroalkanes, 2933C
Polychloroprene, 2949P
Poly(*cis*-butadiene), 1829C
Polycondensation, 39C, 1373C, 1407C
Polycondensation reactions, 67C
Polycondensations, 31C
Polycyclic dimethylsiloxanes, 2429C
Polycyclic diphenylsiloxanes, 2429C
Polycyclic methylphosphonates, 1911C
Polycyclic phenylphosphonates, 1911C
Poly(δ-valerolactone), 1373C
Poly(dimethyl siloxane) gels, 1091P
Poly(dimethylsiloxane), 1891C, 1901C
Polydimethylsiloxane, 289P
Poly(dimethylsiloxane), 1167P, 1191P
Polydimethylsiloxane, 1911P
Poly(dimethylsiloxane), 2129P, 2805P
Poly(diphenylacetylene), 2721C
Polydisulfide, 79C

Poly(disulfide) polymers, 379C
Polyelectrolyte solutions, 743P
Polyelectrolytes, 1107P, 1401P
Poly(EMTFU), 2985C
Poly(EMTFU-*co*-AA), 2985C
Poly(EMTFU-*co*-VAc), 2985C
Polyene and polyyne structures, 2483C
Polyester, 939C, 2069C, 555P
Poly(ester amide)s, 1271C
Polyester block, 21P
Poly(ester imide)s, 2033P
Poly(ester-imide)s, 1813C
Polyesters, 1557P
Polyether, 103C, 189C, 195C, 1919P
Poly(ether ester)s, 2439C
Poly(ether ether ketone) (PEEK), 65P
Poly(ether ether kotone), 2267P
Poly(ether imide)s, 1657C
poly(ether ketone ketone) (PEKK), 65P
Polyether polyol, 979C
Polyether polyol, 573P
Poly(ether sulfone imide), 1649C
Poly(ether urethane), 2331C
Poly(ether-ester), 1795P
Poly(ether-imide) (PEI), 919P
Polyethylene, 831C
Poly(ethylene), 1829C
Polyethylene, 2763C, 2889C, 495P, 715P, 1211P, 1423P, 1513P, 1947P, 2177P, 2349P, 2355P, 2573P, 2597P, 2829P
Poly(ethylene 2,6-naphthalate), 2981P
Poly(ethylene glycol), 2949C, 1219P
Polyethylene glycol polyblend, 1275P
Poly(ethylene oxide), 401C, 2311P, 2643P
Poly(ethylene terephthalate), 1813C, 163P
Polyethylene terephthalate, 447P
Poly(ethylene terephthalate), 783P, 1219P, 1443P, 2981P
Poly(ethylene terephthalate) (PET), 1639C
Poly(ethylene-*co*-vinyl alcohol-*graft*-ethylene oxide), 803C
Poly(ethylene-propylene), 373P
Poly(γ-benzyl-L-glutamate), 1567P
Poly-γ-D-glutamic acid, 1995C
Polyglutarimide, 2197P
Poly(glycidyl ether), 1919P
Poly(HPB), 949C
Polyhydrazides, 1847C
Polyhydroxyalkanoates, 2381C, 2389C
Poly(hydroxyether of bisphenol A), 2291P
Polyimide, 485C, 1201C, 1717C, 1547P, 1679P, 1747P, 2247P, 2267P, 2413P
Polyimide blends, 827P
Polyimide-carbon black composite, 1031C
Polyimides, 301C, 461C, 155P, 827P, 1247P
Polyimides with alicyclic diamines, 1433P
Polyimine, 543P
Polyisobutylene, 85C, 1891C, 1901C
Poly(isobutylene), 1781P
Polyisobutylene, 2095P
Polyisoprene, 373P
Polyisoprene-grafted silica, 437C
Poly(lactide), 59C
Polylactide, 1005P
Poly(L-aspartic acid-*co*-PEG), 2949C
Poly(L-lactic acid), 1861C
Polymer, 337P, 901P, 977P, 1713P, 1889P, 2025P
Polymer blend, 1647P, 1805P, 2291P
Polymer blends, 1P, 191P, 861P, 873P, 1061P, 1115P, 1579P, 1769P, 2191P, 2745P, 2835P, 2923P
Polymer chain, 1117C
Polymer chain extension, 21C
Polymer composite, 2259P
Polymer diffusion, 1129P
Polymer dissolution, 2607P
Polymer dynamics, 1669P
Polymer electrolyte, 991P, 1919P
Polymer electrolytes, 1201P
Polymer films, 1265C
Polymer gel, 1141P
Polymer glasses, 1037P
Polymer micelle, 2379P
Polymer micelles, 1609P
Polymer microspheres, 1543C
Polymer miscibility, 2291P
Polymer mixtures, 1051P
Polymer modification, 357P
Polymer molecular weight, 1483P
Polymer morphology, 401C
Polymer optical waveguide, 2881C
Polymer reaction, 1779C, 2155C, 2589C
Polymer simulation, 143P
Polymer solutions, 1911P
Polymer structure, 1669P
Polymer thin films, 1025P
Polymer–surface interactions, 1609P
Polymer-bound functional groups, 1573C
Polymeric acid dopant, 1431C
Polymeric binders, 2775C
Polymeric emulsifier, 2865C
Polymeric matrices termination reactions, 2785C
Polymeric micelle, 415P
Polymeric surfactant, 2971C
Polymerization, 11C, 1345C
Polymerization mechanism, 1901P
Polymerization of butadiene or styrene, 241C
Polymerization of dienes, 2283C
Polymerization of ethene and propene, 2269C
Polymerizations of ethene and propene, 421C
Polymer-polymer interaction parameter, 1313P
Polymers, 433P, 1839P, 2371P
Poly(METFU-*co*-AA), 2177C
Poly(METFU-*co*-VAc), 2177C
Polymethacrylate block, 21P
Polymethacrylates, 617C
Poly(methacrylate)s, 2669C
Poly(methyl methacrylate), 1209C, 1873C, 2521C, 2699C, 85P, 1115P, 1971P, 2643P
Poly(methyl methacrylate)-*b*-poly(2-hydroxyethyl methacrylate), 1865C
Poly(methyl methacrylate-*co*-lithium methacrylate)(P(MMA-*co*-LiMA)), 991P
Poly(methyl vinyl ether), 2547C
Polymethyl(α-*n*-alkyl)acrylates, 583P
Polymethylmethacrylate, 2623P
Poly(methylphenylsiloxane), 2521C
Poly(methylphenylylsiloxane), 1191P
Poly(methylstyrene), 2103C
Poly(MMTFU-*co*-AA), 1625C
Poly(MMTFU-*co*-VAc), 1625C
Polymorphic structure, 1733C
Polymorphism, 2725P
Poly(*m*-toluidine) (PMT), 2291C
Poly(*N*-isopropylacrylamide), 1141P, 1501P
Poly(*N*,*N*-dimethylacrylamide), 603C
Polynorbornene, 797P
Poly(*n*-vinyl 2-pyrrolidone), 213P
Poly(*N*-vinylisobutyramide), 2581C
Poly(*N*-vinylpyrrolidinone-*g*-styrene, 823C
Poly(*N*-vinylpyrrolidone), 2291P
Polyolefin copolymers, 2691P
Polyolefin foams, 2587P
Polyolefine modification, 1423P
Poly(*o*-toluidine) (POT), 2291C
Poly(oxyethylene), 793C
Poly-*para*-phenylene, 1043C
Poly(paraphenylenes), 2971P

Poly(phenyl sulfide) (PPS) blocks, 2707C
Poly(phenylene), 1465P
Polyphenylene oxide, 567P
Poly(phenylenebenzoxazole), 1317C
Polyphenylenes, 2611C
Poly(phenylquinoxaline), 1197C
Polyphosphoric acid, 429C
Poly(*p*-phenylene sulfide) fiber, 1731P
Poly-*p*-phenylenebenzobisoxazole, 39P
Polypropylene, 1053C, 1217C
Poly(propylene), 1829C
Polypropylene, 2371C, 2047P, 2751P, 2821P
Poly(propylene glycol), 345P
Polypyrrole, 2691C
Polypyrrole film, 1591P, 2237P, 2635P
Polyquinoline, 749C
Polysilabutane, 225C
Polysiloxane, 169C, 2237C, 2415C
Polysiloxane polymers, 2849C
Polysiloxane-*block*-polyimide, 2237C
Poly(siloxanes), 383P
Poly(siloxane)-supported zirconocene catalysts, 421C
Poly(silylenemethylene), 725C
Poly(silylenemethylene)s, 755P
Polystyrene, 1C, 109C, 209C, 2699C, 2839C, 1P, 105P, 567P, 673P, 999P, 1981P
Polystyrene (PSt), 2291C
Poly(styrene-*block*-ferrocenyldimethylsilanes), 2147C
Poly(styrene)-*b*-poly(2-hydroxyethyl methacrylate), 1865C
Poly(styrene-*co*-butadiene) rubber (SBR), 2493C
Poly(styrene-*co*-maleic anhydride), 1607C
Poly(styrene-*co*-methacrylonitrile), 2315C
Polystyrene-divinylbenzene, 2081C
Polystyrene/poly(dimethyl siloxane) blend, 2683P
Polystyrene/poly(methyl methacrylate) blend, 2683P
Poly(styryl)lithium, 1233C
Polysulfonate, 249C
Polysulfone, 1309C
Polysulfone-epoxy blends, 1349P
Polysulfone-modified epoxies, 1349P
Poly(sulfonium salt), 1779C
Polytetrafluoroethylene, 1513P, 2551P
Poly(THF), 2059C
Polytribromoacetaldehyde (polybromal), 1855C
Polytrifluoroacetaldehyde (polyfluoral), polytrichloroacetaldehyde (polychloral), 1855C
Poly(trimethylene terephthalate), 2499P
Polyurea, 283C
Polyurethane, 391C
Polyurethane acrylate, 1393P
Polyurethane foam, 573P
Polyurethane metal complexes (PUC), 1539P
Polyurethanes, 1379C, 221P, 237P
Polyvinyl acetate, 109C
Poly(vinyl acetate), 1451P
Polyvinyl alcohol, 109C
Poly(vinyl alcohol), 2771P
Polyvinyl chloride, 851C
Poly(vinyl cinnamate), 1579P
Poly(vinyl methyl ether), 455P
Poly(vinylidene fluoride), 2435P
Poly(vinylidenechloride) film, 2483C
Polyvinylmethylether, 1P
Poly[(lactic acid)-depsipeptide], 1283C
Poly(2-hydroxyethyl acrylate), 1417C
Poly(2-hydroxyethyl methacrylate), 1865C, 2699C
Poly(2-vinyldibenzothiophene), 1779C
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 2471P
Poly(4-hydroxystyrene), 2699C
Porogen, 1543C
Porosity, 1543C
Porous copolymer, 2019P
Porous gel membranes, 1495C
Porous polyethylene, 2247C
Positive type, 2261C
Positron annihilation, 463P, 861P, 969P, 983P, 1141P, 1465P, 1839P, 1919P, 2413P, 2597P
Positron annihilation lifetime spectroscopy, 755P, 2981P
Positron lifetime measurements, 1513P
Positronium, 1141P
Postcuring, 303P
Postpolymerization reactions, 2785C
Potassium persulfate, 1919C
Potentiometric titration, 931P
PPE, 1805P
PPO, 2725P
PPO®, 505C
Preceramic, 2275C
Precipitation polymerization, 1543C, 2223C
Precursor solution, 1961C
Preirradiation grafting, 1805C
Pressure, 217C, 901P, 1013P, 2793P
Pressure-sensitive adhesive, 373P
Primary amines, 1699C
Primary crystallization, 1757P
Principal component analysis, 1529P
Processability, 1885C
Processable polyimide, 971C
Profile, 555P
Propagation velocity, 1117C
Propene polymerization, 129C
Properties, 221P, 1657P
Propylene polymerization, 2051C
Protein folding, 2761P
Proton exchange membrane, 1197C
Prototropic tautomerism, 929C
PSA, 373P
p-t-Butoxystyrene, 1449C
p-tert-Butylphenol acetaldehyde resin, 1355C
PTFE, 2057P, 2069P
PTFE fiber/PP composites, 1361P
PTFE/hexafluoropropylene copolymers, 2811P
PTMSP, 959P
Pulse radiolysis, 1209C, 1217C
Pulsed gradient spin echo-nuclear magnetic resonance, 373P
Push–pull olefin, 2589C
PVA, 1721P
PVC, 913P
PVC blends, 1595P
P(VDF/TrFE) copolymer, 403P
Py-GC-MS, 2503C
Pyrene, 1209C, 1217C
Pyridine, 1615C
Pyridinium groups, 49C
Pyrimidine, 1107C
Pyrolysis gas chromatography, 2315C
Pyruvic acid, 189C

Q and *e* values, 2001C
Quantum efficiency, 2339C
Quasi-reversible, 2619C
Quaternary onium salt, 249C, 2873C
Quinoid structure, 1043C

Radiation resistance, 105P
Radiation sterilization, 329C
Radical anion disproportionation, vC
Radical copolymerization, 1449C
Radical desorption, 157C
Radical entry, 1553C
Radical environment, 2775C
Radical initiator, 889C
Radical ion decay, 1209C

Radical polymerization, 563C, 1515C, 1679C, 1779C, 1981C, 2037C, 2555C, 2681C, 2905C, 2971C
Radius of gyration, 1P
Raman, 2829P
Raman spectra, 2805P
Raman spectroscopy, 379C
Random copolyesters, 763P
Random copolymers, 2931P
Random phase approximation, 1P
Random-coil solvents, 1567P
Rapid communication, 1419P
Rare-earth coordination catalyst, 1773C
Rate of polymerization, 2865C
Rate parameters, 2715C
Reaction calorimetry, 157C
Reaction conditions, 471C
Reaction injection molding, 693P
Reaction kinetics, 1615C
Reaction-induced phase separation, 1349P
Reactive blending, 2153P
Reactive chloromethyl groups, 249C
Reactive compatibilizer, 1805P
Reactive extrusion, 2763C
Reactive polymers, 641P
Reactivity ratio, 861C
Reactivity ratio product, 1527C
Recrystallization, 1757P
Recrystallization rate, 133P
Recycling, 1423P
Redistribution reactions, 2415C
Redox, 11C
Redox telomerization, 2933C
Reduced viscosity, 11P
Reductive amination, 1965C
Reflectivity, 155P
Refractive index, 1261P
Regime, 1335P
Regime transition, 681P
Regioselectivity, 2051C
Regression analysis, 587C
Reinforced elastomers, 1191P
Reinforcement, 1167P
Relative reactivity, 861C
α-relaxation, 851P, 919P
β-relaxation, 851P, 1927P
Relaxation, 901P, 913P, 1465P, 2597P, 2793P
Relaxation peaks, 253P
Relaxation processes, 1847P
Reorientation, 901P
Reptation, 1857P
Residual stress, 1261P
Resin, 2415C
Resins, 2869P
Reverse osmosis, 1821P
Revised definition, ixC
Revision of Flory's theory of fusion, 1293P
Rh complex catalyst, 217C, 2457C
Rheological, 2623P
Rheology, 179C, 1095P, 1769P, 1795P, 1857P, 2275P, 2573P
Rigid-amorphous fraction, 2499P
Rigid-rod, 263C, 181P
Rigid-rod polymer, 2449P
Ring opening, 103C
Ring opening metathesis polymerization (ROMP), 2807C
Ring-opening metathesis polymerization, 2601C
Ring-opening polymerization, 137C, 519C, 695C, 761C, 841C, 873C, 1283C, 1911C, 2429C, 2463C
Ring-opening reaction, 2463C
Ring-retained polymerization, 861C, 873C
Rodlike conformation, 2615P
Rodlike polyelectrolytes, 1425C
Rod-like polyimide, 1261P
Rotation of mesogenic units, 1927P
Rotational diffusivity, 181P
Rough surface, 1321P
RREVM, 813C
Ru metal, 889C
Rubbery polymers, 171P, 2607P

S-alkylation of sulfinate, 1441C
Salt monomer method, 1031C, 1341C
Salt monomers, 39C
Samarium, 2209C
Sanchez-Lacombe model, 2435P
SANS, 1P
SAXS, 1423P, 1625P, 2197P
Scaling law, 2191P
Scaling parameter, 841P
Scaling parameters, 1061P
Scanning force microscopy, 673P, 2483P
Scattering intensities, 1191P
Schiff base, 1935P
Scission, 655P
SCLC polyurethanes, 2135C
Second normal stress difference, 2671P
Secondary amine, 1573C
Secondary crystallization, 1757P
Seeded emulsion polymerization, 1553C
Seeded polymerization, 2513C, 2631C
Segmental stretch, 265P
Segmented, 939C, 221P, 237P
Segmented TCL copolyesters, 2961C
Segment-long-spacing, 805P
Segregation, 2197P
Selenium containing polymers, 379C
Selenotrisulfide/disulfide chain and ring polymers, 379C
Self-assembled monolayer of thiols, 2483P
Self-assembly, 1617P
Self-condensing vinyl polymerization, 955C
Self-diffusion, 2931P
Self-reinforcing polymer, 2449P
Semiaromatic thermotropic liquid crystalline polymer (TLCP) blocks, 2707C
Semibatch model, 1553C
Semicrystalline, 1443P
Semicrystalline polymers, 1513P, 2771P
Semidilute, 181P
Semidilute solution, 2085P
Semiflexible polymers, 1995P
Semiinterpenetrating polymer network, 1547P
Semirigid copolyurethanes, 1243C
Semirigid spacers, 1473C
Sequence distribution, 137C, 147C
Sequence distributions, 1527C
Sequence structure, 2961C
Shear flow, 1401P
Shear modulus, 2949P
Shear-thickening, 2085P, 2677P
β-Sheet structure, 2717P
Short chain branch content, 2355P
Side chain liquid crystal polymers, 1927P
Side chain liquid crystal polymers (SCLCPs), 2807C
Side-chain functional polythioamides, 117C
Side-chain liquid-crystal polymers, 2531C
Side-chain liquid-crystalline polymer membrane, 281P
Side-chain liquid-crystalline polymers, 2439C
Significance, ixC
Silacyclobutane, 225C
Silane coupling agent, 655C
Silica, 1167P, 1191P
Silicon, 1093C
Silicone rubber, 233C
Siloxane, 1969C
Siloxane copolymers, 137C
Silsesquioxane polymers, 1857P
Silyl triflate, 725C
Single-chain nanoparticle, 1501P
Single-molecule single crystal, 105P
^{29}Si NMR, 137C
^{29}Si-NMR, 2415C
Site distribution, 483P
Size-exclusion chromatography, 537P
Slow crack growth, 1211P, 2349P

Slow mode, 1831P
Small penetrants, 483P
Small-angle neutron scattering, 1P, 2449P, 2745P
Small-angle X-ray scattering, 573P, 889P
Smectic, 1791C, 2033P
Smectic B phase, 2849C
Smectic E phase, 2849C
Smectic epoxy, 31P
Smith-Ewart theory, 367C
S-(*N,N'*-dimethylcarbamate), 455C
Sodium lauryl sulfate, 1919C, 805P
Sodium naphthalene, 2653P
Sol fraction, 1891C
Sol-gel, 1607C
Sol-gel reactions, 595P
Solid-state ^{13}C NMR, 2033P
Solid-state NMR, 2291P
Soliton, 2457C
Solitons, 217C
Solubility, 793C, 1169C, 1329C, 1349C, 1767C, 1937C, 1987C, 2021C, 2029C, 2193C, 2229C, 2971C, 2025P
Solubility parameter, 213P, 2435P
Soluble aromatic polyimides, 1767C
Soluble metallocene/MAO catalysts, 831C
Solute excited states, 1217C
Solute ionic species, 1217C
Solution imidization, 2237C
Solution polycondensation, 2839C
Solution polymerization, 2971C
Solvatochromism, 1945C
Solvent, 2493P
Solvent effect, 2757C
Solvent removal, 2771P
Solvent selectivity, 1051P
Solvent-induced crystallites, 163P
Solvent-induced crystallization, 65P
Sorption, 289P, 1695P, 2981P
Sorption isotherm, 2635P
Sorption isotherms, 483P
Space charge relaxation, 1971P
Spacer conformation, 2033P
Specific viscosity, 743P
Specific volume, 841P, 1061P
Spectroscopy, 2291C
Specular reflectance, 1321P
SPG membrane emulsification, 367C
Sphere doublets, 2005P
Spherulite, 2047P
Spherulites, 2311P
Spin diffusion, 2103P
Spin–spin relaxation, 2521C
Spin-lattice relaxation time, 2237C, 2849C
Spirobis indane, 1387C
Spiro-orthoester monomers, 2439C
(*S*)-(+)-1-(2-pyrrolidinylmethyl)pyridine, 2127C
Square gradient theory, 2683P
SSIMS, 1829C
Stability, 269C, 1093C, 2225P, 2941P
Stable free radical, 761C
2-Stanna-1,3-dioxacycloalkanes, 1373C
Stannous octoate, 1301C
Starch, 2085P, 2211P
Starlike copolymer, 2905C
Star-shaped polyesters, 1387C
State-transformation, 281P
Steady-state permeation/sorption, 1747P
STEM, 1443P
Stem length, 2177P
Step polymerization, 1309C
Stereochemical configuration, 2913C
Stereomultiblock polymer, 1599C
Stereoregular poly(ester amides), 67C
Stereoregular polymers, 2741C
Stereospecific polymerization, 1855C, 2119C
Steric effect, 2309C
Steric hindrance, 269C
Stimuli-responsive polymer, 527C
Stimuli-responsive polymers, 2827C
Strain, 2635P
Stress, 2829P
Stress relaxation, 143P, 2301P
Stress–strain isotherms, 1167P, 1191P
Structural characterization, 2653P
Structural stability, 1355C
Structure, 93C, 1153P
Structure analysis, 2237C
Structure and morphology, 2401P
Structure, association chain polymers, 1617P
Structure-property relationships in SCLCPs, 2807C
Styrene, 257C, 1053C, 1773C, 2169C, 2763C, 2933C, 2971C, 325P, 2653P
Styrene-methyl methacrylate, 2913C
Substituted 1,1-diphenylethylenes, 1233C
Substituted acetylene, 2489C
Substituted polyacetylene, 2489C
Substituted poly(paraphenylene), 49P
Substituted polyquinoline, 749C
Substitution, 793C, 911C
Subsurface, 2597P
Subsurface oxidation, 329C
Sub-*Tg* annealing, 783P
Sucrose-based epoxy monomers, 2397C
Sulfinated/sulfonated poly(ether sulfone), 1441C
Sulfonated polyelectrolytes, 537P
Sulfonated poly(2-benzoyl-1,4-phenylene), 1425C
Sulfonated SEBS, 2677P
Sulfonation, 1197C
Sulfone, 495C, 793C, 75P
Sulfonium monomer, 1779C
Sulfonyl isocyanate, 1491C, 1515C
Sulfonylurea, 1515C
Sulfoxide, 793C
Sulfur-containing polymers, 1189C
Supercritical fluid, 2435P
Supercritical fluid chromatography, 2537P
Supercritical fluids, 1911P
Supercritical propane solutions, 617P
Supramolecular, 1617P
Supramolecular structure, 889P
Surface, 567P
Surface characterization, 437C, 633C
Surface energy, 2327P
Surface graft copolymerization, 357C
Surface modification, 1583C, 1829C, 2215C, 2331C
Surface modification of polymers, 2483P
Surface relief grating, 283C
Surface segregation, 2691P
Surface structure, 715P
Surface template polymerization, 2727C
Surface tension, 1095P, 2327P, 2623P
Surface-induced rod-globular transition, 1567P
Surfactant, 2781P
Surfactants, 805P
Suspension, 2005P
Suspension polymerization, 367C
Swelling, 213P, 1313P
Swelling degree, 979C
Swelling in polymer solutions, 1313P
Synchrotron, 495P
Synchrotron radiation, 49P
Syndiotactic polypropylene, 395P
Syndiotactic polystyrene, 1733C, 873P
Syndiotactic polystyrene (s-PS), 2725P
Synergistic effect, 665C

Synthesis, 471C, 485C, 703C, 785C, 1093C, 1251C, 1257C, 1271C, 1981C

Tack adhesion, 373P
Tackifier, 373P
Tacticity, 1355C
Tait equation, 841P
Tantalum catalyst, 2721C
Tartronic acid, 189C, 195C
Telechelic, 1345C
Telechelic character, 31C
Telechelic polymer, 2839C
Temperature dependence, 209C
Temperature effect, 665C
Temperature rising elution fractionation, 291C
Temperature sensitive, 883C
Temperature-modulated differential scanning calorimetry, 2165P, 2461P
Template polymerization, 1725C
TEMPO, 2059C
Tenacity, 39P
Tensile properties, 2551P
Tensile strength, 2493C
2,2′,5′,2″-terfuran, 1901P
Terminal vinylidene, 209C
Ternary phase diagram, 607P
Tertiary amines, 1001C
Testosterone, 1725C
Tetraethoxysilane, 1607C
Tetrafluoroterephthalic acid, 429C
Tetrahydropyranyl methacrylate, 617C
Tetrahydro[5]helicene, 1349C
Tetramethyl bisphenol-A polyarylate, 201P
Tetramethylbiphenyl substituted, 1407C
3,3′,5,5′-tetramethyl-2,2-bis[4-(4-aminophenoxy)phenyl]propane (**TBAPP**), 1075C
2,2,6,6-tetramethyl-1-piperidinyloxy free radical, 761C
Tetramethylsilane, 1873P
Thermal analysis, 309C, 1271C
Thermal and mechanical properties, 1383P
Thermal behavior, 39C, 1657C, 1767C, 1847C, 1937C, 1987C, 2021C, 2029C, 2193C, 2229C, 2359C, 2531C
Thermal conductivity, 345P, 1451P, 1781P, 2259P
Thermal cure, 461C, 2653C
Thermal decomposition, 233C
Thermal degradation, 209C, 1873C, 2503C
Thermal degradation mechanism, 2315C
Thermal depolymerization, 1317C
Thermal expansion, 1513P
Thermal expansivity, 1061P
Thermal history, 2805P
Thermal properties, 401C, 1251C, 2587P
Thermal property, 413C
Thermal relaxation, polystyrene, 2165P
Thermal stability, 455C, 929C, 1201C, 1481C, 1885C, 2001C, 2291C, 2489C, 2721C
Thermal stability of active species, 2269C
Thermal stress, 1261P
Thermal transitions, 939C
Thermal treatment, 2895P
Thermally latent initiator, 1957C
Thermally stimulated current depolarization, 1595P
Thermally stimulated currents (TSC), 913P
Thermodynamic melting temperature, 2563P
Thermodynamic melting temperature extrapolation, 2563P
Thermodynamics, 937P, 1647P, 2537P
Thermomechanical analysis, 2717P
Thermo-oxidative stability, 1717C
Thermoplastic, 939C
Thermoplastic elastomer, 2379P, 2513P
Thermoplastic polymers, 113P
Thermoplastic polyurethane, 391C
Thermoplastic polyurethane elastomers, 2359C
Thermoresponsive gel, 527C
Thermoresponsive gels, 543C
Thermoreversible gel, 1219P
Thermosensitive, 2095C
Thermosensitive property, 2581C
Thermosensitivity, 979C
Thermoset, 1885C, 2703P
Thermosets, 2397C, 2637C, 31P, 1025P, 1371P, 2461P
Thermostability, 1107C, 2971C
Thermotropic, 21C, 749C
Thermotropic liquid crystalline polymers, 1679P
Thermotropic polymers, 1473C, 2327P
Thermotropics, 253P
Thianthrene-tetraoxide, 485C
Thickening, 2275P
Thin films, 1247P
Thioamidation, 117C
Thiocarbamate, 1201C
Thiocarboxylic acid, 11C
Thioether, 495C, 793C
Thioxanthone derivatives, 2563C
Third-order susceptibility, 2489C
Thorny-rod polymer, 2449P
$Ti(BFA)_2Cl_2/MgCl_2$ catalyst (BFA = 4,4,4-trifluoro-1-phenyl-1,3-butanedione), 2735C
Titania, 1191P
Titration, 805P
Toughening, 1987P
Toughness, 789P
Transacetalization, 2899C
trans-cis isomerization, 2827C
Transcrystallinity, 1361P
Transesterification, 147C, 1959P
Transesterification, nematic phase, 1813C
Transformation, 2209C
Transforming agent, 2059C
Transient elongational flow, 1483P
Transient hot-wire method, 345P, 1451P, 1781P
Transition heat, 2141P
Transition metal catalyst, 2489C
Transition temperatures, 755P
Transmission electron microscopy, 39P, 573P, 1191P
Triblock copolymer, 2059C, 1657P
Triblock copolymers, 31C, 2601C
Tributylstannylated silicic acid, 655C
1-(Trifluoromethyl)-2,3,5,6-benzenetetracarboxylic dianhydride, 1755C
Trimethylene carbonate, 1301C
4,4,6-trimethyl-2-methylene-1,3-dioxane, 861C
4-Trimethylsiloxy-benzocyclobutene, 2637C
Trimethylsilyl methacrylate, 611C
Triphenylamine-based bis(*o*-aminophenol)s, 1987C
Triplet state, 1509C
TSDC, 1971P
Tube model, 265P
Tussah silk, 2717P
Two-solute system, 1217C
Two-stage draw, 629P, 2551P

UHMW PE, 495P
Ultrafine particles, 2103C
Ultrahigh molecular weight polyethylene (UHMWPE), 329C
Ultrasonic measurements, 1703P
Ultrasound, 2715C, 2949P
Ultrathin films, 191P
Unsaturated betaines, 1615C
UV cure, 1393P
UV curing, 2571C, 1579P
UV radiation, 2057P, 2069P
UV-vis absorption spectra, 1329C
UV/visible spectroscopy, 1733C

Vacuum ultraviolet, 2215C
Vapor phase deposition, 1317C
Vectra, 1397C

Vinyl ether, 675C
Vinyl sulfone, 2589C
Vinylcyclopropane, 2037C
Vinylidene chloride, 1919C
Vinylsilane, 2037C
Virgin powder, 2551P
Viscoelastic, 2971P
Viscoelastic behavior, 1283P
Viscoelastic properties, 1731P, 2085P
Viscoelastic scaling theory, 1911P
Viscometry, 1275P
Viscosity, 1995P
Viscosity and conductivity, 1107P
Viscosity property, 2677P
Viscosity reduction, 1769P
Visible polymerization, 1667C
Vitrification, 919P
Volume phase transition, 1141P
Volume transition, 2095C

Water, 889C, 463P, 665P
Water contact angle, 603C
Water glass, 655C
Water vapor sorption, 2237P
Water–acetone mixture, 1107P
Water–ethanol mixtures, 325P
Waterborne epoxy, 2781P
Water-compatible photoinitiator, 2563C
Water-soluble copolymers, 617C
Water-soluble polyimide precursors, 1329C
Water-soluble polymers, 2547C
WAXS, 495P
Wear, 715P
Well-defined glycopolymer, 2473C
Wide-angle X-ray diffraction, 2471P
Wood, 665P
Wormlike micelle, 1831P

Xe lamp, 2215C
XPS, 357C, 985C, 1829C
X-ray diffraction, 2669C, 2849C, 21P, 2371P
X-ray photoelectron spectroscopy, 2043C
X-ray scattering, 1379C, 39P, 1167P, 1617P, 1769P, 2821P

Yield, 2177P
Yield behavior, 1371P
Young's modulus, 39P

Ziegler type catalyst, 2283C
Ziegler–Natta catalysis, 319C
Ziegler-Natta, 573C
Zimm analysis, 1P
Zirconocene catalysts, 1157C
Zone-annealing, 1731P
Zone-drawing, 1731P